

# World Data Table

Country	Population 2002		Gross National Income (GNI) per capita US\$ 2002	Child mortality under-five mortality per 1000 live births 2000	Water % of households with access to improved water supply 2000 or latest available data	Sanitation % of households without access to improved sanitation 2000 or latest available data
	total in thousands	% of total under 18 years				
Afghanistan	22 930	50%	250	257	13%	88%
Albania	3 141	34%	1 380	27	97%	9%
Algeria	31 266	40%	1 720	51	89%	8%
Andorra	69	19%	-	5	100%	0%
Angola	13 184	54%	660	262	38%	56%
Antigua and Barbuda	73	34%	9 390	21	91%	5%
Argentina	37 981	32%	4 060	19	94%	18%
Armenia	3 072	28%	790	37	-	-
Australia	19 544	24%	19 740	6	100%	0%
Austria	8 111	20%	23 390	6	100%	0%
Azerbaijan	8 297	36%	710	75	78%	19%
Bahamas	310	35%	14 860	18	97%	0%
Bahrain	709	34%	11 130	13	-	-
Bangladesh	143 809	45%	360	82	97%	52%
Barbados	269	24%	9 750	19	100%	0%
Belarus	9 940	22%	1 360	14	100%	-
Belgium	10 296	21%	23 250	6	-	-
Belize	251	45%	2 960	41	92%	50%
Benin	6 558	53%	380	161	63%	77%
Bhutan	2 190	49%	590	98	62%	30%
Bolivia	8 645	45%	900	80	83%	30%
Bosnia and Herzegovina	4 126	22%	1 270	18	-	-
Botswana	1 770	47%	2 980	93	95%	34%
Brazil	176 257	34%	2 850	41	87%	24%
Brunei Darussalam	350	36%	24 100	14	-	-
Bulgaria	7 965	19%	1 790	16	100%	0%
Burkina Faso	12 624	56%	220	225	42%	71%
Burundi	6 602	55%	100	190	78%	12%
Cambodia	13 810	50%	280	134	30%	83%
Cameroon	15 729	49%	560	155	58%	21%
Canada	31 271	22%	22 300	6	100%	0%
Cape Verde	454	48%	1 290	40	74%	29%
Central African Rep.	3 819	50%	260	179	70%	75%
Chad	8 348	53%	220	193	27%	71%
Chile	15 613	33%	4 260	16	93%	4%
China	1 294 867	29%	940	37	75%	60%
Colombia	43 526	38%	1 830	24	91%	14%
Comoros	747	49%	390	82	96%	2%
Congo	3 633	53%	700	106	51%	-
Congo, Dem. Rep.	51 201	54%	90	212	45%	79%
Cook Islands	18	44%	-	23	100%	0%
Costa Rica	4 094	37%	4 100	11	95%	7%
Côte d'Ivoire	16 365	49%	610	167	81%	48%
Croatia	4 439	21%	4 640	8	-	-
Cuba	11 271	25%	1 170	9	91%	2%
Cyprus	796	27%	12 320	8	100%	0%
Czech Republic	10 246	19%	5 560	5	-	-
Denmark	5 351	22%	30 290	6	100%	-

Water collection % of population who must travel more than half an hour to fetch water 2001 or latest available data	Indoor smoke % of households using solid fuel for cooking 2000 or latest available data	Child labour % of children aged 5-14 years who are working 2001 or latest available data	Poisons centres number 2004	Dioxins and furans mean concentration of TEQ units in vegetation (pg/g) 2000	Country
-	> 95%	-	0	-	Afghanistan
-	76%	32%	0	0.3	Albania
-	4%	-	2	-	Algeria
-	< 5%	-	0	-	Andorra
-	> 95%	5%	0	-	Angola
-	< 5%	-	0	-	Antigua and Barbuda
-	< 5%	21%	18	-	Argentina
-	66%	-	0	-	Armenia
-	< 55%	-	5	-	Australia
-	< 5%	-	1	2.1	Austria
-	37%	13%	0	-	Azerbaijan
-	< 5%	-	0	-	Bahamas
-	< 5%	-	0	-	Bahrain
-	> 95%	6%	0	-	Bangladesh
-	57%	-	0	-	Barbados
-	11%	-	1	0.3	Belarus
-	< 5%	-	1	4.0	Belgium
-	< 5%	-	0	-	Belize
17%	89%	-	0	-	Benin
-	< 5%	-	0	-	Bhutan
-	61%	26%	0	-	Bolivia
-	74%	18%	0	0.9	Bosnia and Herzegovina
-	65%	-	0	-	Botswana
-	27%	9%	31	-	Brazil
-	70%	-	0	-	Brunei Darussalam
-	31%	-	1	0.8	Bulgaria
31%	> 95%	-	0	-	Burkina Faso
-	> 95%	32%	0	-	Burundi
-	> 95%	8%	1	-	Cambodia
27%	77%	58%	0	-	Cameroon
-	< 5%	-	9	-	Canada
-	< 5%	-	0	-	Cape Verde
28%	> 95%	64%	0	-	Central African Rep.
45%	95%	66%	0	-	Chad
-	15%	-	8	-	Chile
-	80%	-	6	-	China
-	36%	5%	13	-	Colombia
-	< 5%	37%	0	-	Comoros
-	67%	-	0	-	Congo
-	> 95%	-	0	-	Congo, Dem. Rep.
-	< 5%	-	0	-	Cook Islands
-	58%	9%	1	-	Costa Rica
12%	93%	49%	0	-	Côte d'Ivoire
-	16%	-	1	1.2	Croatia
-	42%	-	1	-	Cuba
-	24%	-	1	0.0	Cyprus
-	< 5%	-	1	4.7	Czech Republic
-	< 5%	-	1	0.2	Denmark

# World Data Table

Country	Population 2002		Gross National Income (GNI) per capita US\$ 2002	Child mortality under-five mortality per 1000 live births 2000	Water % of households with access to improved water supply 2000 or latest available data	Sanitation % of households without access to improved sanitation 2000 or latest available data
	total in thousands	% of total under 18 years				
Djibouti	693	50%	900	150	100%	9%
Dominica	78	34%	3 180	14	97%	17%
Dominican Republic	8 616	39%	2 320	37	86%	33%
Ecuador	12 810	39%	1 450	36	85%	14%
Egypt	70 507	42%	1 470	45	97%	2%
El Salvador	6 415	41%	2 080	37	77%	18%
Equatorial Guinea	481	50%	700	156	44%	47%
Eritrea	3 991	52%	160	112	46%	87%
Estonia	1 338	22%	4 130	11	93%	-
Ethiopia	68 961	52%	100	179	24%	88%
Fiji	831	39%	2 160	28	47%	57%
Finland	5 197	22%	23 510	4	100%	0%
France	59 850	23%	22 010	6	-	-
Gabon	1 306	48%	3 120	91	86%	47%
Gambia	1 388	47%	280	128	62%	63%
Georgia	5 177	24%	650	23	79%	0%
Germany	82 414	19%	22 670	5	-	-
Ghana	20 471	47%	270	105	73%	28%
Greece	10 970	18%	11 660	7	-	-
Grenada	80	35%	3 500	23	95%	3%
Guatemala	12 036	50%	1 750	56	92%	19%
Guinea	8 359	51%	410	163	48%	42%
Guinea-Bissau	1 449	53%	150	215	56%	44%
Guyana	764	36%	840	58	94%	13%
Haiti	8 218	47%	440	136	46%	72%
Honduras	6 781	48%	920	44	88%	25%
Hungary	9 923	20%	5 280	11	-	1%
Iceland	287	27%	27 970	3	-	-
India	1 049 549	39%	480	96	84%	72%
Indonesia	217 131	36%	710	50	78%	45%
Iran, Isl. Rep.	68 070	41%	1 710	45	92%	17%
Iraq	24 510	48%	2 170	118	85%	21%
Ireland	3 911	26%	23 870	7	-	-
Israel	6 304	33%	16 710	7	-	-
Italy	57 482	17%	18 960	6	-	-
Jamaica	2 627	37%	2 820	16	92%	1%
Japan	127 478	18%	33 550	5	-	-
Jordan	5 329	45%	1 760	28	96%	1%
Kazakhstan	15 469	32%	1 510	36	91%	1%
Kenya	31 540	50%	360	113	57%	13%
Kiribati	87	42%	810	77	48%	52%
Korea, Dem. People's Rep. of	22 541	31%	-	55	100%	1%
Korea, Republic of	47 430	25%	9 930	7	92%	37%
Kuwait	2 443	30%	18 270	11	-	-
Kyrgyzstan	5 067	39%	290	63	77%	0%
Lao People's Dem. Rep.	5 529	49%	310	143	37%	70%
Latvia	2 329	21%	3 480	14	-	-
Lebanon	3 596	36%	3 990	34	100%	1%

Water collection % of population who must travel more than half an hour to fetch water 2001 or latest available data	Indoor smoke % of households using solid fuel for cooking 2000 or latest available data	Child labour % of children aged 5-14 years who are working 2001 or latest available data	Poisons centres number 2004	Dioxins and furans mean concentration of TEQ units in vegetation (pg/g) 2000	Country
-	6%	-	0	-	Djibouti
-	< 5%	-	0	-	Dominica
-	48%	12%	2	-	Dominican Republic
-	28%	39%	2	-	Ecuador
2%	23%	6%	2	-	Egypt
-	65%	7%	0	-	El Salvador
-	83%	-	0	-	Equatorial Guinea
-	> 95%	-	0	-	Eritrea
-	34%	-	0	0.2	Estonia
54%	> 95%	-	0	-	Ethiopia
-	< 5%	-	0	-	Fiji
-	< 5%	-	1	0.4	Finland
-	< 5%	-	13	1.4	France
-	34%	-	0	-	Gabon
-	> 95%	27%	0	-	Gambia
-	71%	30%	1	0.4	Georgia
-	< 5%	-	10	1.7	Germany
25%	95%	10%	1	-	Ghana
-	< 5%	-	2	1.0	Greece
-	< 5%	-	0	-	Grenada
-	73%	20%	1	-	Guatemala
22%	> 95%	49%	0	-	Guinea
-	95%	65%	0	-	Guinea-Bissau
-	< 5%	-	0	-	Guyana
-	82%	-	0	-	Haiti
-	66%	10%	0	-	Honduras
-	26%	-	1	0.9	Hungary
-	< 5%	-	1	0.0	Iceland
-	81%	14%	4	-	India
-	50%	-	3	-	Indonesia
-	2%	-	2	-	Iran, Isl. Rep.
-	2%	-	0	-	Iraq
-	< 5%	-	1	0.9	Ireland
-	< 5%	-	1	-	Israel
-	< 5%	-	18	1.4	Italy
-	47%	-	0	-	Jamaica
-	< 5%	-	2	-	Japan
-	10%	-	0	-	Jordan
-	51%	30%	2	-	Kazakhstan
31%	85%	36%	1	-	Kenya
-	< 5%	-	0	-	Kiribati
-	68%	-	0	-	Korea, Dem. People's Rep. of
-	< 5%	-	0	-	Korea, Republic of
-	< 5%	-	1	-	Kuwait
-	> 95%	9%	0	-	Kyrgyzstan
-	95%	32%	0	-	Lao People's Dem. Rep.
-	19%	-	1	0.2	Latvia
-	< 5%	45%	0	-	Lebanon

# World Data Table

Country	Population 2002		Gross National Income (GNI) per capita US\$ 2002	Child mortality under-five mortality per 1000 live births 2000	Water % of households with access to improved water supply 2000 or latest available data	Sanitation % of households without access to improved sanitation 2000 or latest available data
	total in thousands	% of total under 18 years				
Lesotho	1 800	48%	470	149	78%	51%
Liberia	3 239	53%	150	232	–	–
Libyan Arab Jamahiriya	5 445	39%	5 540	20	72%	3%
Lithuania	3 465	24%	3 660	11	–	–
Luxembourg	447	22%	38 830	5	–	–
Macedonia, Former Yugos. Rep. of	2 046	27%	1 700	19	–	–
Madagascar	16 916	51%	240	139	47%	58%
Malawi	11 871	52%	160	197	57%	24%
Malaysia	23 965	39%	3 540	10	94%	–
Maldives	309	50%	2 090	50	100%	44%
Mali	12 623	56%	240	233	65%	31%
Malta	393	24%	9 200	7	100%	0%
Marshall Islands	52	42%	2 270	44	–	–
Mauritania	2 807	50%	410	173	37%	67%
Mauritius	1 210	30%	3 850	18	100%	1%
Mexico	101 965	39%	5 910	29	88%	26%
Micronesia, Federated States of	108	47%	1 980	60	–	–
Moldova, Republic of	4 270	27%	460	29	92%	1%
Monaco	34	21%	–	5	100%	0%
Mongolia	2 559	40%	440	79	60%	70%
Morocco	30 072	38%	1 190	46	80%	32%
Mozambique	18 537	51%	210	206	57%	57%
Myanmar	48 852	38%	220	108	72%	36%
Namibia	1 961	50%	1 780	85	77%	59%
Nauru	13	39%	–	16	–	–
Nepal	24 609	47%	230	95	88%	72%
Netherlands	16 067	22%	23 960	6	100%	0%
New Zealand	3 846	27%	13 710	8	100%	–
Nicaragua	5 335	49%	370	38	77%	15%
Niger	11 544	57%	170	255	59%	80%
Nigeria	120 911	51%	290	183	62%	46%
Niue	2	51%	–	28	100%	0%
Norway	4 514	23%	37 850	5	100%	–
Oman	2 768	43%	7 720	18	39%	8%
Pakistan	149 911	48%	410	110	90%	38%
Palau	20	40%	6 780	24	79%	0%
Panama	3 064	37%	4 020	25	90%	8%
Papua New Guinea	5 586	48%	530	99	42%	18%
Paraguay	5 740	46%	1 170	33	78%	6%
Peru	26 767	40%	2 050	42	80%	29%
Philippines	78 580	43%	1 020	40	86%	17%
Poland	38 622	23%	4 570	9	–	–
Portugal	10 049	20%	10 840	7	–	–
Qatar	601	31%	12 000	15	–	–
Romania	22 387	22%	1 850	22	58%	47%
Russian Federation	144 082	22%	2 140	19	99%	–
Rwanda	8 272	52%	230	182	41%	92%
Saint Kitts and Nevis	42	33%	6 370	22	98%	4%

Water collection % of population who must travel more than half an hour to fetch water 2001 or latest available data	Indoor smoke % of households using solid fuel for cooking 2000 or latest available data	Child labour % of children aged 5–14 years who are working 2001 or latest available data	Poisons centres number 2004	Dioxins and furans mean concentration of TEQ units in vegetation (pg/g) 2000	Country
–	85%	25%	0	–	Lesotho
–	83%	–	0	–	Liberia
–	3%	–	0	–	Libyan Arab Jamahiriya
–	42%	–	1	0.3	Lithuania
–	< 5%	–	0	4.9	Luxembourg
–	58%	–	0	0.5	Macedonia, Former Yugos. Rep. of
24%	> 95%	19%	1	–	Madagascar
43%	> 95%	–	0	–	Malawi
–	29%	–	1	–	Malaysia
–	< 5%	–	0	–	Maldives
12%	> 95%	78%	0	–	Mali
–	< 5%	–	0	0.0	Malta
–	< 5%	–	0	–	Marshall Islands
–	69%	0%	0	–	Mauritania
–	75%	–	0	–	Mauritius
–	22%	15%	13	–	Mexico
–	< 5%	–	0	–	Micronesia, Federated States of
–	72%	37%	0	0.6	Moldova, Republic of
–	< 5%	–	0	1.0	Monaco
–	67%	–	0	–	Mongolia
22%	11%	11%	1	–	Morocco
38%	87%	–	0	–	Mozambique
–	> 95%	–	0	–	Myanmar
22%	83%	14%	0	–	Namibia
–	< 5%	–	0	–	Nauru
–	> 95%	45%	1	–	Nepal
–	< 5%	–	1	1.8	Netherlands
–	< 5%	–	1	–	New Zealand
–	72%	–	1	–	Nicaragua
26%	> 95%	70%	0	–	Niger
28%	67%	–	0	–	Nigeria
–	< 5%	–	0	–	Niue
–	< 5%	–	1	0.2	Norway
–	< 5%	–	1	–	Oman
–	76%	–	1	–	Pakistan
–	< 5%	–	0	–	Palau
–	37%	3%	0	–	Panama
–	> 95%	–	0	–	Papua New Guinea
–	64%	6%	1	–	Paraguay
–	40%	17%	1	–	Peru
–	85%	17%	1	–	Philippines
–	37%	–	9	1.2	Poland
–	< 5%	3%	1	0.5	Portugal
–	< 5%	–	0	–	Qatar
–	45%	–	2	0.5	Romania
–	7%	–	1	0.3	Russian Federation
49%	> 95%	37%	0	–	Rwanda
–	< 5%	–	0	–	Saint Kitts and Nevis

# World Data Table

Country	Population 2002		Gross National Income (GNI) per capita US\$ 2002	Child mortality under-five mortality per 1000 live births 2000	Water % of households with access to improved water supply 2000 or latest available data	Sanitation % of households without access to improved sanitation 2000 or latest available data
	total in thousands	% of total under 18 years				
Saint Lucia	148	36%	3 840	14	98%	11%
Saint Vincent and Grenadines	119	38%	2 820	23	93%	4%
Samoa	176	47%	1 420	26	99%	1%
San Marino	27	18%	-	5	-	-
Sao Tome and Principe	157	48%	290	90	-	-
Saudi Arabia	23 520	45%	8 460	29	95%	0%
Senegal	9 855	50%	470	138	78%	30%
Serbia & Montenegro	10 535	24%	1 400	15	98%	0%
Seychelles	80	52%	6 530	14	-	-
Sierra Leone	4 764	51%	140	316	57%	34%
Singapore	4 183	25%	20 690	4	100%	0%
Slovakia	5 398	23%	3 950	10	100%	0%
Slovenia	1 986	19%	9 810	6	100%	-
Solomon Islands	463	50%	570	81	71%	66%
Somalia	9 480	55%	130	219	-	-
South Africa	44 759	40%	2 600	71	86%	13%
Spain	40 977	18%	14 430	6	-	-
Sri Lanka	18 910	31%	840	20	77%	6%
Sudan	32 878	46%	350	110	75%	38%
Suriname	432	38%	1 960	31	82%	7%
Swaziland	1 069	51%	1 180	135	-	-
Sweden	8 867	22%	24 820	4	100%	0%
Switzerland	7 171	20%	37 930	6	100%	0%
Syrian Arab Republic	17 381	46%	1 130	27	80%	10%
Tajikistan	6 195	45%	180	63	60%	10%
Tanzania, United Republic of	36 276	52%	280	156	68%	10%
Thailand	62 193	31%	1 980	31	84%	4%
Timor-Leste	739	48%	520	126	-	-
Togo	4 801	51%	270	141	54%	66%
Tonga	103	44%	1 410	21	100%	-
Trinidad and Tobago	1 298	30%	6 490	21	90%	1%
Tunisia	9 728	35%	2 000	30	80%	16%
Turkey	70 318	37%	2 500	44	82%	10%
Turkmenistan	4 794	41%	1 200	59	-	-
Tuvalu	10	38%	-	65	100%	0%
Uganda	25 004	57%	250	147	52%	21%
Ukraine	48 902	21%	770	21	98%	1%
United Arab Emirates	2 937	31%	18 060	10	-	-
United Kingdom	59 068	23%	25 250	7	100%	0%
United States of America	291 038	26%	35 060	9	100%	0%
Uruguay	3 391	29%	4 370	16	98%	6%
Uzbekistan	25 705	42%	450	36	85%	11%
Vanuatu	207	48%	1 080	44	88%	0%
Venezuela	25 226	39%	4 090	23	83%	32%
Viet Nam	80 278	38%	430	39	77%	53%
Yemen	19 315	56%	490	110	69%	62%
Zambia	10 698	54%	330	185	64%	22%
Zimbabwe	12 835	51%	470	108	83%	38%

Water collection % of population who must travel more than half an hour to fetch water 2001 or latest available data	Indoor smoke % of households using solid fuel for cooking 2000 or latest available data	Child labour % of children aged 5-14 years who are working 2001 or latest available data	Poisons centres number 2004	Dioxins and furans mean concentration of TEQ units in vegetation (pg/g) 2000	Country
-	< 5%	-	0	-	Saint Lucia
-	< 5%	-	0	-	Saint Vincent and Grenadines
-	< 5%	-	0	-	Samoa
-	< 5%	-	0	-	San Marino
-	< 5%	20%	0	-	Sao Tome and Principe
-	< 5%	-	6	-	Saudi Arabia
14%	79%	40%	0	-	Senegal
-	70%	-	0	0.6	Serbia & Montenegro
-	< 5%	-	0	-	Seychelles
-	92%	72%	0	-	Sierra Leone
-	< 5%	-	1	-	Singapore
-	<5%	-	1	1.6	Slovakia
-	< 5%	-	1	1.6	Slovenia
-	< 5%	-	0	-	Solomon Islands
-	< 5%	36%	0	-	Somalia
12%	28%	-	3	-	South Africa
-	< 5%	-	3	0.4	Spain
-	89%	-	1	-	Sri Lanka
-	> 95%	21%	0	-	Sudan
-	69%	-	1	-	Suriname
-	88%	12%	0	-	Swaziland
-	< 5%	-	1	0.5	Sweden
-	< 5%	-	1	2.8	Switzerland
-	19%	-	1	-	Syrian Arab Republic
-	> 95%	25%	0	-	Tajikistan
47%	> 95%	-	1	-	Tanzania, United Republic of
-	72%	-	1	-	Thailand
-	> 95%	-	-	-	Timor-Leste
-	> 95%	66%	0	-	Togo
-	< 5%	-	0	-	Tonga
-	< 5%	-	1	-	Trinidad and Tobago
-	29%	-	1	-	Tunisia
-	11%	-	1	0.1	Turkey
-	50%	-	0	-	Turkmenistan
-	< 5%	-	0	-	Tuvalu
59%	> 95%	-	0	-	Uganda
-	56%	-	0	0.5	Ukraine
-	< 5%	-	0	-	United Arab Emirates
-	< 5%	-	6	1.2	United Kingdom
-	< 5%	-	66	-	United States of America
-	< 5%	-	1	-	Uruguay
-	79%	23%	0	-	Uzbekistan
-	< 5%	-	0	-	Vanuatu
-	< 5%	4%	7	-	Venezuela
-	> 95%	-	1	-	Viet Nam
-	66%	17%	0	-	Yemen
22%	87%	11%	0	-	Zambia
22%	67%	-	1	-	Zimbabwe

# Sources

## 1 The World’s Forgotten Children

*A tale of two girls* [webpage]. Geneva, World Health Organization (http://www.who.int/features/2003/11/en/, accessed 25 February 2004).

*World health report 2003: shaping the future*. Geneva, World Health Organization, 2003 (http://www.who.int/whr/en/)

Department of Child and Adolescent Health and Development [webpage]. Geneva, World Health Organization (http://www.who.int/child-adolescent-health/, accessed 27 February 2004).

Black RE, Morris SS, Bryce J. Where and why are 10 million children dying every year? *The Lancet*, 2003, 361:2226-2234.

Bawaskar HS. The world’s forgotten children. Editorial. *The Lancet*, 2003, 361:1.

Millennium Development Goals [webpage]. (http://www.developmentgoals.org/, accessed 26 February 2004).

### Child mortality rate

*World health report 2004: Changing history*. Geneva, World Health Organization, 2004.

### Beacons of hope

Ahmad OB, Lopez AD, Inoue M. Trends in child mortality: a reappraisal. *Bulletin of the World Health Organization*, 2000, Vol.78(10): 1175-1191.

### The biggest killers of children under five

World Health Organization. Evidence and Information for Policy, 2002.

Pelletier DL, Frongillo EA Jr, Habicht JP. Epidemiologic evidence for a potentiating effect of malnutrition on child mortality. *American Journal of Public Health*, 1993, 83:1130-3.

### The price of life

United Nations Development Programme. *Human development report 1998*. New York, Oxford University Press, 1998:30-37.

Commission on Macroeconomics and Health. *Macroeconomics and health: investing in health for human development*. Geneva, World Health Organization, 2001.

### Photo caption

*World health report 2003* (as above).

## 2 Two Worlds: Rich and Poor

World Health Organization/World Bank Working Group on Child Health and Poverty. *Better health for poor children: a special report*. Geneva, World Health Organization, 2002.

*Healthy environments for children. Initiating an alliance for action*. Geneva, World Health Organization, 2002 (WHO/SDE/PHE/02.06) (http://www.who.int/heca/infomaterials/en/).

*Linking environment and health*. Washington DC, World Resources Institute, 1999 (http://www.wri.org/wr-98-99/wr98-001.htm).

### The rich...and the poor

Blakely T et al. Distribution of risk factors by poverty. In: Ezzati M et al, eds. *Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors*. Geneva, World Health Organization, 2004.

### Wow!

*Addressing the links between indoor air pollution, household energy and human health*. Based on the WHO-USAID Consultation on the Health Impact of Household Energy in Developing Countries (Meeting report). World Health Organization, Geneva, 2002 (WHO/HDE/HID/02.10).

## 3 Traditional Hazards, New Risks

*World health report 2002: reducing risks, promoting healthy life*. Geneva, World Health Organization, 2002 (http://www.who.int/whr/2002/en/).

*Healthy environments for children. Initiating an alliance for action*. Geneva, World Health Organization, 2002 (WHO/SDE/PHE/02.06) (http://www.who.int/heca/infomaterials/en/).

### Environmental health risks

*World health report 2002* (as above).

Global Burden of Disease Estimates 2002 [online database]. Geneva, World Health Organization (http://www3.who.int/whosis/, accessed 29 January 2004).

### Environmental health risk transition

*Healthy environments for children* (as above).

### Wow!

*What happens when children live in unhealthy environments?* Geneva, World Health Organization, 2003 (Fact sheet No. 272)

## 4 Water for All: Making it Happen

*World health report 2003: shaping the future of life*. Geneva, World Health Organization, 2004 (http://www.who.int/whr/en/)

*Water for health: taking charge*. Geneva, World Health Organization, 2001.

*The Right to Water*. Geneva, World Health Organization, 2003.

General Comment No. 15 on the right to water. Geneva, Committee on Economic, Social, and Cultural Rights, 2002.

*Guidelines for drinking water quality*. Geneva, World Health Organization, 1993.

### Water supplies

Global Water Supply and Sanitation Assessment [online database]. WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation (http://www.wssinfo.org/en/22\_wat\_global\_en.html, accessed 22 February 2004).

### Striving ahead

International Network to Promote Household Water Treatment and Safe Storage, unpublished data, 2004.

### Preventing diarrhoea

Based on Haller L, Hutton G, Bartram J. Estimating the costs and health benefits of water and sanitation improvements at global level. Geneva, World Health Organization, in press.

Adapted from Global Burden of Disease Estimates 2002 [online database]. World Health Organization (http://www3.who.int/whosis/menu, accessed 29 January 2004).

### Wow!

*Adapted from Global water supply and sanitation assessment 2000*. WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation, 2000.

## 5 Hurry Up in the Toilet: 2.4 Billion are Waiting

*Water for health: taking charge*. Geneva, World Health Organization, 2001.

*Looking back: looking ahead: five decades of challenges and achievements in environmental sanitation and health*. Geneva, World Health Organization, 2003.

Curtis V, Cairncross S. Effect of washing hands with soap on diarrhoea risk in the community: a systematic review. *Lancet Infectious Diseases*, 2003, 3(5):275-81.

Bartram J. New water forum will repeat old message. *Bulletin of the World Health Organization*, 2003, 81(3):158.

WASH Week Advocacy Posters. 15-19 December 2003. Geneva, Water Supply and Sanitation Collaborative Council, 2003.

### Meagre sanitation

Sanitation data at global level [online database]. Joint Monitoring Programme for Water Supply and Sanitation (http://www.wssinfo.org/, accessed 27 February 2004).

### Sewerage services

*Global water supply and sanitation assessment 2000*. WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation, 2000.

### Wow! on Ganges river

Worldwatch Institute. Matters of scale: just a minute. *World Watch*, 1999, 12(4).

### Wow! on microbes in faeces

*WASH: Water, Sanitation and Hygiene – It’s the Big Issue*. Geneva, Water Supply and Sanitation Collaborative Council, 2002.

## 6 To Fetch a Pail of Water

*Water for health: taking charge*. Geneva, World Health Organization, 2001.

### A heavy burden, Time ticking away

Haller L et al. *Time and energy in water collection – a global review*. Geneva, World Health Organization, in press. [These data represent a minimum estimate of the time spent on water collection and are based on Demographic and Health Survey data collected between 1992 and 2001.]

### Wow!

Based on Hutton G, Haller L. Evaluation of the non-health costs and benefits of water and sanitation improvements at global level. Geneva, World Health Organization, 2004 (WHO/SDE/WSH/04.04).

## 7 Malaria

Litsios, S. *The tomorrow of malaria*. Karori, New Zealand, Pacific Press, 1996.

Ghebreyesus TA et al. Incidence of malaria among children living near dams in northern Ethiopia: community based incidence survey. *British Medical Journal*, 1999 September 11; 319 (7211):663–666.

*Malaria*. Geneva, World Health Organization, 2004 (Fact Sheet No. 94) (http://www.who.int/mediacentre/factsheets/en/, accessed 23 February 2004).

National Institute of Allergy and Infectious Diseases. Malaria. U.S. Department Of Health And Human Services, 2002 (http://www.niaid.nih.gov/publications/malaria/).

### Malaria around the world

*Malaria* (as above).

### Malaria in Africa

Africa malaria distribution map, theoretical model. Mapping Malaria Risk in Africa, 2003.

### Child deaths from malaria

Global Burden of Disease Estimates 2002 [online database]. Geneva, World Health Organization (http://www3.who.int/whosis/menu, accessed 29 January 2004).

### Other vector-borne diseases

Shape the future of life: World Health Day 2003. Geneva, World Health Organization, 2003.

## 8 Fluoride and Arsenic in Drinking Water

Chakraborty, T. Fluoride ‘curse’ cripples Bihar village. *The Telegraph* (Calcutta), Saturday 10 May 2003 (http://www.telegraphindia.com/1030511/asp/nation/story\_1958173.asp, accessed 16 February 2004).

*Water for health: taking charge*. Geneva, World Health Organization, 2001.

*Arsenic in drinking water*. Geneva, World Health Organization, 2001 (Fact sheet No. 210) (http://www.who.int/mediacentre/factsheets/en/, accessed 23 March 2004).

Mukherjee AB, Bhattacharya P. *Arsenic in groundwater in the Bengal Delta Plain: slow poisoning in Bangladesh*. NRC Research Press, 2001 (http://geosci.uchicago.edu/~archer/EnvChem/, accessed February 2004).

*Fluorosis*. Geneva, World Health Organization, 2002 (Fact sheet No. WHO/WSH/WWD/DFS.18) (http://www.worldwaterday.org/2001/disease/fluorosis.html, accessed on 22 March 2004).

### Fluorosis

Bailey K et al. *Fluoride in drinking water* (WHO Drinking Water Series). London, IWA Publishing, in press.

### Arsenicosis

*Arsenic in drinking water* (WHO Drinking Water Series). London, IWA Publishing, in press.

### Arsenic poisoning in Bangladesh

British Geological Survey/Mott MacDonald Ltd. (UK). *Arsenic contamination of groundwater in Bangladesh: a review*. Prepared for Department of Public Health Engineering, Government of Bangladesh, Dhaka, 1999.

### Wow! on China

Liang, C., Ji, R. and Cao, S. Epidemiological analysis of endemic fluorosis in China. *Environmental Carcinogenicity and Ecotoxicological Reviews*, 1997, C15(2):123-138.

### Wow! on Bangladesh

Smith AH, Lingas EO, and Rahman M. Contamination of drinking-water by arsenic in Bangladesh: a public health emergency. *Bulletin of the World Health Organization*, 2000, 78:1093-1103.

## 9 Indoor Smoke: Breaking Down

### Respiratory Defences

*Addressing the links between indoor air pollution, household energy and human health*. Based on the WHO-USAID Consultation on the Health Impact of Household Energy in Developing Countries (Meeting report). World Health Organization, Geneva, 2002 (WHO/HDE/HID/02.10).

*The health effects of indoor air pollution exposure in developing countries*. Geneva, World Health Organization, 2002.

Warwick H, Doig A. *Smoke – the killer in the kitchen: indoor air pollution in developing countries*. London, ITDG Publishing, 2004.

*Addressing the impact of household energy and indoor air pollution on the health of the poor: implications for policy action and intervention measures*.

Paper prepared for the Commission on Macroeconomics and Health. Geneva, World Health Organization, 2002.

Indoor air pollution [webpage]. Geneva, World Health Organization (http://www.who.int/indoorair/, accessed 27 February 2004).

### Cooking with solid fuel

Smith KR, Mehta S, Feuz M. Indoor air pollution from household use of solid fuels. In: Ezzati M, et al., eds. *Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors*. Geneva, World Health Organization, 2004.

### The energy ladder

*The health effects of indoor air pollution exposure in developing countries*. World Health Organization, Geneva, 2002.

### Smoky homes

*Addressing the links between indoor air pollution, household energy and human health* (as above).

Bangkok State of Environment 2001. Nairobi, United Nations Environment Programme (http://www.rrcap.unep.org/reports/soe/bangkoksoe.cfm, accessed 16 January, 2004).

AirBase [online database]. European Topic Centre on Air and Climate Change (http://air-climate.eionet.eu.int/databases, accessed 27 February 2004).

Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air. *Official Journal of the European Communities*, L163(29/06):41-60 (1999).

## 10 Passive Smoking: Children Protest

Cahan W. *Secondhand smoke heats up child custody cases*. New York, Smokefree Educational Services, 12 January 1993.

Report of the World Health Organization International Consultation on Environmental Tobacco Smoke (ETS) and Child Health. Geneva, World Health Organization, 11-14 January 1999 (WHO/NCD/TFI//99.10).

*Tobacco and the rights of the child*. Geneva, World Health Organization, 2001 (WHO/NMH/TFI/01.3).

### Children’s voices

World Health Organization/ Centers for Disease Control and Prevention. Global Youth Tobacco Survey [online database]. Atlanta, Centers for Disease Control and Prevention (http://www.cdc.gov/tobacco/global/GYTS.htm, accessed 13 January 2004).

The Global Youth Tobacco Survey Collaborative Group. Tobacco use among youth: a cross-country comparison. Special Report. *Tobacco Control*, 2002, 11:252–270.

<b>Percentage of students aged 13–15 years who want a ban on smoking in public places</b>	
Antigua & Barbuda 73.2	Ethiopia
Argentina	Addis Ababa 96.2
Buenos Aires 70.4	Fiji 54.0
Bahamas 64.5	FYR Macedonia 86.1
Barbados 77	Gaza Strip and West Bank
Benin	Gaza Strip 85.4
Atlantique Littoral 79.0	North West Bank 82.8
Borgou Alibori 63.9	Middle West Bank 81.8
Bolivia	South West Bank 82.6
Cochabamba 80.1	Georgia 77.7
La Paz 80.9	Ghana 58.2
Santa Cruz 81.2	Grenada 74.9
Bosnia and Herzegovina 85.2	Guatemala
Botswana 70.9	Chimaltenago 83.5
Brazil	Guatemala City 77.7
Goiania 86.1	Guyana 76.1
Matto Grosso do Sul 87.2	Haiti
Paraiba 86.8	Port-au-Prince 74.9
Rio Grande do Norte 87.6	Honduras
Bulgaria 59.7	San Pedro Sula La Ceiba 82.5
Cambodia 83.7	Tegucigalpa 81.0
Chile	India
Coquimbo 74.6	Andra Pradesh 72.2
Santiago 71.5	Assam 61.7
Valparaiso—Viña del Mar 76.4	Arunachal Pradesh 42.8
China	Bihar 73.7
Chongqing 55.7	Goa 66.0
Guangdong 64.3	Maharashtra 90.9
Shandong 63.1	Manipur 31.4
Tianjin 68.7	Meghalay 52.6
Cook Islands 75.3	Mizoram 68.8
Costa Rica 81.5	Nagaland 33.2
Croatia 76.8	Orissa 64.1
Cuba	Rajasthan 57.7
Havana 80.7	Sikkim 38.3
Czech Rep 67.8	Tamil Nadu 72.5
Dominica 74.3	Tripura 61.2
El Salvador 87.8	Uttar Pradesh 60.7
Estonia 76.7	Uttaranchal 64.5
	West Bengal 84.6

Indonesia	St Kitts & Nevis 76.5
Jakarta 88.9	St Lucia 79.5
Iran 88.3	St Vincent & the Grenadines 70.5
Jamaica 70.6	Senegal
Jordan 74.4	Dakar 89.6
Laos	Diourbal 90.2
Luang Prabang Province 54.7	Serbia 76.3
Savannakhet 49.8	Seychelles 61.9
Vientiane Municipality 60.1	Slovakia 76.8
Vientiane Province 48.8	Slovenia 68.7
Latvia 76.1	South Africa 53.4
Lesotho 33.0	Sri Lanka 91.4
Libya 75.5	Suriname 87.6
Malawi	Syria 78.4
Blantyre 90.1	Togo 83.5
Lilongwe 85.1	Trinidad & Tobago 84.7
Mexico	Uganda
Monterrey 77.6	Arua 31.9
Guadalajara 56.0	Kampala 65.4
Montenegro 88.3	Mpigi 58.8
Montserrat 88.3	Ukraine
Mozambique	Kiev 66.9
Gaza Inhambe 73.9	Uruguay
Maputo City 77.8	Colonia 79.5
Nepal 72.6	Maldonado 76.3
Nigeria	Montevideo 72.6
Cross River State 60.2	Rivera 81.9
Oman 86.0	Venezuela
Panama 80.3	Barinas 88.9
Paraguay	Cojedes 86.8
Altoparana Ituapua 82.9	Lara 85.3
Amambay Caaguazu 83.8	Vietnam
Asuncion 78.2	Denang 86.5
Central 84.7	Haiiphong 86.0
Peru	Hanoi 89.1
Huancayo 89.3	Hochiminh 87.9
Ica City 86.3	Tuenquang 86.4
Lima 88.2	Yemen
Tarapato 90.5	Aden 77.7
Trujillo 89.8	Hadhramout 73.5
Philippines 40.4	Sanaa 77.6
Poland	Zambia
Urban 79.1	Chongwe/ Luangwa 40.6
Rural 86.5	Kafue 36.9
Republika Srpska 84.9	Lusaka 49.6
Russian Federation	Zimbabwe
Moscow 71.0	Harare 43.2
Sarov 78.2	Manicaland 31.6

### Framework Convention on Tobacco Control

Current signatories to the Framework Convention on Tobacco Control [webpage]. Geneva, Framework Convention Alliance (http://fctc.org/sign\_rat/signed.shtml, accessed on 13 January 2004).

### Exposure in the home

Warren CW. Global Youth Tobacco Survey: priorities for research relevant to tobacco control in developing countries (presentation). Geneva, 1 December 2003.

## 11 Polluted Cities: the Air Children Breathe

Davis DL, Saldiva PH. *Urban air pollution risks to children: a global environmental health indicator*. Washington DC, World Resources Institute, 1999.

*World health report 2002: reducing risks, promoting healthy life*. Geneva, World Health Organization, 2002 (http://www.who.int/whr/2002/en/).

Willis D. Indonesia faces haze disaster. *BBC News*, 14 August 1999 [online] (http://news.bbc.co.uk/2/hi/asia-pacific/420122.stm, accessed 27 February 2004).

### Dirty air: the silent killer

*World health report 2002* (as above).

Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air. *Official journal of the European Communities*, 1999, L163(29/06):41-60.

### European cities

AirBase [online database]. European Topic Centre on Air and Climate Change (http://air-climate.eionet.eu.int/databases, accessed 27 February 2004).

### Wow!

*The Hindu* (New Delhi), 26 May 2003 [online] (http://www.cseindia.org/AboutUs/news/apc\_more1.htm, accessed 24 February 2004).

## 12 Child Injuries are Preventable

*A 5-year WHO strategy for road traffic injury prevention*. Geneva, World Health Organization, 2002.

*Road safety is no accident*. A brochure for World Health Day, 7 April 2004. Geneva, World Health Organization, 2004.

*Facts about injuries: drowning*. Geneva, World Health Organization (http://www.who.int/violence\_injury\_prevention/unintentional\_injuries/drowning/en/Drowning%20Fact%20Sheet.pdf).

Global Burden of Disease Estimates 2002 [online database]. Geneva, World Health Organization (http://www3.who.int/whosis/menu, accessed 29 January 2004).

Jacobs et al. *Estimating global road fatalities*. (TRL Report 445) Crowthorne, Transport Research Laboratory, 2000.

### Dying on the roads

#### How children are injured

Global Burden of Disease Estimates 2002 [online database], accessed 29 January 2004).

### Wow!

*A 5-year WHO strategy for road traffic injury prevention* (as above).

## 13 Child Labour: Growing up too Quickly

IPEC action against child labour: highlights 2002. Geneva, International Labour Office, 2003.

Fassa AG. *Health benefits of eliminating child labour*. Geneva, International Labour Office, 2003.

Every child counts: new global estimates on child labour. Geneva, International Labour Office, 2002.

### Working children

Child work [online database]. United Nations Children’s Fund (http://www.childinfo.org/eddb/work/database.htm, accessed 26 January 2004).

Understanding children’s work [online database]. Florence, UNICEF Innocenti Research Centre (http://www.ucw-project.org/cgi-bin/ucw/Survey/Main.sql?come=Ucw\_Tables.sql, accessed 26 January 2004).

### ILO Convention 182

ILOLEX database of international labour standards [online database]. Geneva, International Labour Organization, 2004 (http://www.ilo.org/ilolex/english/docs/declworld.htm, accessed 17 March 2004).

### Children dying on the job

Kisner SM, Fosbroke DE. Injury hazards in the construction industry. *Journal of Occupational Medicine*, 1994, 36(2):137-43.

### Wow!

Fassa AG. *Health benefits of eliminating child labour* (as above).

## 14 Lead IQ Alert

Fewtrell L, Kaufmann R, Prüss-Üstün. *Lead – assessing the environmental burden of disease at national and local levels*. WHO Environmental Burden of Disease Series, No. 2. Geneva, World Health Organization, 2003.

Finlay, V. *Colours – Travels through the paintbox*. Sceptre Books, 2002.

*World health report 2002: reducing risks, promoting healthy life*. Geneva, World Health Organization, 2002 (http://www.who.int/whr/2002/en/).

Needleman HL et al. Bone lead levels and delinquent behavior. *Journal of the American Medical Association*, 1996, 275(5):363-9.

Needleman HL et al. Bone lead levels in adjudicated delinquents: a case control study. *Neurotoxicology and Teratology*, 2002, 24(6):711-717.

### Lead in children’s blood

Fewtrell L, et al (as above).

### Blood and lead

Fewtrell L, et al (as above).

Schwartz J. Low-level lead exposure and children’s IQ: a meta-analysis and search for a threshold. *Environmental Research*, 1994 April, 65(1):42-55.

### Wow!

Advisory Committee on Childhood Lead Poisoning Prevention Meeting (Arlington, Virginia on March 18, 2003) Minutes [online]. Atlanta, Centers for Disease Control (http://www.cdc.gov/nceh/lead/ACCLPP/meetingMinutes/minutesMar2003, accessed 18 February 2004).

## 15 Safe Food: Crucial for Child Development

*Food safety and foodborne illness*. Geneva, World Health Organization, 2002 (Fact sheet No. 237).

Sharpe RM, Irvine DS. How strong is the evidence of a link between environmental chemicals and adverse effects on human reproductive health? *British Medical Journal*, 2004, 328:447-451.

Foodborne disease: a focus for health education. Geneva, World Health Organization, 2000.

Brain Development [online]. University of Washington (http://faculty.washington.edu/chudler/dev.html, accessed February 2004).

### Pollutants lurking in vegetation

Shtalov V et al. *Persistent organic pollutants in the environment*. Technical Report 4/2003. Moscow, Meteorological Synthesizing Centre – East, 2003.

### Safer breast milk

van Leeuwen FXR, Malisch R. Results of the third round of the WHO-coordinated exposure study on the levels of PCBs, PCDDs and PCDFs in human milk. *Organohalogen Compounds*, 2002, 56:311–316.

### Fetus at risk

Protecting children’s environmental health: a resource manual for healthcare professionals. Geneva, World Health Organization, in press.

### Wow! on chemicals used in the European Union

Strategy for a future Chemicals Policy COM(2001)88 (White Paper). Commission of the European Communities (http://europa.eu.int/comm/environment/chemicals/whitepaper.htm, accessed 20 February 2004).

### Wow! on diarrhoea

Esrey SA, Feachem RG. *Interventions for the control of diarrhoeal diseases among young children. Promotion of food hygiene*. Geneva, World Health Organization, 1989. (unpublished document WHO/CDD/89.30; available on request from Department of Child and Adolescent Health and Development, World Health Organization).

## 16 Poisoning: Hidden Peril for Children

Environmental toxic exposures and poisoning in children. Geneva, World Health Organization, 2004.

Allchin D. *The poisoning of Minamata*. University of Minnesota [online] (<http://www1.umn.edu/ships/ethics/minamata.htm>, accessed 20 February 2004).

*What happens when children live in unhealthy environments?* Geneva, World Health Organization, 2003 (Fact sheet No. 272) (<http://www.who.int/heca/infomaterials/en/>, accessed 21 March 2004).

### Tackling poisonings

World Directory of Poisons Centres [online database]. Yellow Tox. (<http://www.intox.org/firstpage.htm>, accessed 10 February 2004).

### Poisoned children

Global Burden of Disease 2002 Estimates [online database]. Geneva, World Health Organization (<http://www3.who.int/whosis/menu>, accessed 21 January 2004).

### Wow!

Litovitz TL. 2000 Annual report of the American Association of Poison Control Centers Toxic Exposures Surveillance System. *American Journal of Emergency Medicine*, 2001, 19(5):337-396 (quoted at <http://www.cdc.gov/ncipc/factsheets/poisoning.htm>, accessed 16 February 2004)

## 17 Getting the Lead Out

Getting the lead out: downstream strategies and resources for phasing out leaded gasoline. London, International Petroleum Industry Environmental Conservation Association, 2003.

Partnership for Clean Fuels and Vehicles [webpage]. Nairobi, United Nations Environment Programme (<http://www.unep.org/pcf/>, accessed 20 January 2004).

World Bank recommends global phase-out of leaded gasoline [press release]. Washington DC, World Bank, 18 May 1996 (<http://web.worldbank.org/WBSITE/EXTERNAL/NEWS/0,,contentMDK:20014304~menuPK:34465~pagePK:64003015~piPK:64003012~theSitePK:4607,00.html>, accessed 8 February 2004).

Grosse SD et al. Economic gains resulting from the reduction in children’s exposure to lead in the United States. *Environmental Health Perspectives*, 2002, 110(6):563-569.

### Leaded gasoline for sale

Walsh MP, unpublished data, 31 January 2004.

### Brain gain

Fewtrell L, Kaufmann R, Prüss-Üstün. *Lead – assessing the environmental burden of disease at national and local levels*. WHO Environmental Burden of Disease Series, No. 2. Geneva, World Health Organization, 2003.

### Falling lead levels

Brody DJ et al. Blood lead levels in the US population. *Journal of the American Medical Association*, 2004, 272(4):277-91.

*U.S. EPA. quarterly summary of lead phasedown reporting data*. Washington DC, Office of Mobile Sources, Office of Air and Radiation, U.S. Environmental Protection Agency, 1991.

*World development report: sustainable development in a dynamic world*. Washington DC, World Bank, 2003:147.

### Wow!

*Global opportunities for reducing the use of leaded gasoline*. Nairobi, United Nations Environment Programme, 1998.

## 18 Healthy Schools: Empowering Children

*The physical school environment: an essential component of a health-promoting school*. Geneva, World Health Organization, 2004.

*Escuelas promotoras de la salud: fortalecimiento de la iniciativa regional – estrategias y líneas de acción 2003-2012*. Serie Promoción de la Salud No. 4. Washington DC, Pan American Health Organization/World Health Organization, 2003.

Ippolito-Shepherd J. Health education: Health-Promoting Schools Initiative in the Americas. *UN Chronicle*, Volume XL, Number 2, June-August 2003.

Global School Health Initiative [webpage]. Geneva, World Health Organization ([http://www.who.int/school\\_youth\\_health/gshi/en/](http://www.who.int/school_youth_health/gshi/en/), accessed 18 February 2004).

### The global network in one continent

Education for life. *United Nations Chronicle*, 2003, Number 2.

Ippolito-Shepherd J, ed. *Las escuelas promotoras de salud en América Latina – resultados de encuesta regional 1995-2002*. Serie Promoción de la Salud No. 3. Washington DC, Pan American Health Organization/World Health Organization, in press.

### World Health Day

World Health Day 2003 [webpage]. Geneva, World Health Organization (<http://www.who.int/world-health-day/2003/activities/paho/en/>, accessed 23 January 2004).

### A safe school

*The physical school environment: an essential component of a health-promoting school*. Geneva, World Health Organization, 2004.

## 19 Enjoying the Sun Safely

Sun protection: a primary teaching resource. Geneva, World Health Organization, 2003.

Ultraviolet radiation [webpage]. Geneva, World Health Organization (<http://www.who.int/uv/en/>, accessed 25 February 2004).

Green L. *The Montreal Protocol: 10 years of success*. Wisconsin Department of Natural Resources (<http://www.dnr.state.wi.us/org/aw/air/ED/Montr10.htm>, accessed 24 February 2004).

### The sun’s rays

World Health Organization/World Meteorological Organization/United Nations Environment Programme/International Commission on Non-Ionizing Radiation Protection. *Global solar index: a practical guide*. Geneva, World Health Organization, 2002.

Unpublished data from Schmalwieser AW, Institute of Medical Physics and Biostatistics, University of Veterinary Medicine, Vienna, Austria by model calculations described in: Schmalwieser AW et al., Global validation of a forecast model for irradiance of the solar, erythemally effective UV radiation, *Journal of Optical Engineering*, 2002, 40:3040-3050.

## 20 Global Warming

Airs, waters and places. An essay on the influence of climate, water supply and situation on health. In: *Hippocratic Writings*. Lloyd GER, ed. London, Penguin, 1978.

McMichael AJ et at. *Climate change and human health – risks and responses*. Geneva, World Health Organization, 2003.

*Climate change 2001*. Geneva, Intergovernmental Panel on Climate Change, 2001.

### A warming planet

Livermore M (University of East Anglia), Campbell-Lendrum D (WHO). Generated in 2004 based on data from the Hadley Centre. Climate change observations and predictions. Exeter, UK Meteorological Office, 2003.

### Extreme weather

*World disaster report*. International Federation of the Red Cross and Red Crescent Societies, 2002 (<http://www.cred.be/emdat/sumdata/wdr/wdr02t10.htm>, accessed 12 February 2004).

### Climate and child health risks

*World health report 2003, shaping the future*. Geneva, World Health Organization, 2003 (<http://www.who.int/whr/en/>).

McMichael AJ et al (as above).

### Wow!

*Special report on the regional impacts of climate change*. Geneva, Intergovernmental Panel on Climate Change, 1997.

## Highs and Lows of Environmental Health

In chronological order:

World Health Organization/Tropical Disease Research. Malaria database (<http://www.wehi.edu.au/MalDB-www/intro.html>, accessed 26 February 2004).

[Anonymous]. China claims invention of toilet. *BBC News*, 26 July, 2000 [online] (<http://news.bbc.co.uk/1/hi/world/asia-pacific/851957.stm>).

Hall EL, Dietrich AM. A brief history of drinking water. State of Rhode Island Water Resources Board [webpage] (<http://www.wrb.state.ri.us/programs/eo/historydrinkingwater.htm>, accessed 9 March 2004).

Gilfillan SC. Lead poisoning and the fall of Rome. *Journal of Occupational Medicine*, 1965, 1:53-60.

Hall EL, Dietrich AM. *A brief history of drinking water*. State of Rhode Island Water Resources Board [webpage] (<http://www.wrb.state.ri.us/programs/eo/historydrinkingwater.htm>, accessed 9 March 2004).

Ekkehart R. *Friedrich II von Hohenstaufen*. München, Deutscher Taschenbuch Verlag, 2000.

Environmental history timeline [webpage]. Radford, Virginia, Radford University (<http://www.radford.edu/~wkovarik/hist1/timeline.new.html>, accessed on 10 March 2004).

Environmental history timeline [webpage]. Radford, Virginia, Radford University (as above).

Moyer D. *The tobacco reference guide*. UICC Globalink, 6 July 2000 ([http://www.globalink.org/tobacco/trg/Chapter8/Chap8\\_OTHER\\_CANCERSPage9.html](http://www.globalink.org/tobacco/trg/Chapter8/Chap8_OTHER_CANCERSPage9.html)).

Environmental history timeline [webpage]. Radford, Virginia, Radford University (as above).

Wainwright M. Childbed fever – the Semmelweis myth. *Microbiology Today*, 2001(28):173-174.

Louis Pasteur [webpage]. Hyperlab ([http://ambafrance-ca.org/HYPERLAB/PEOPLE/\\_pasteur.html](http://ambafrance-ca.org/HYPERLAB/PEOPLE/_pasteur.html), accessed 23 March 2004).

Snow J. On the mode of communication of cholera. London, John Churchill, 1855.

Mad hatter syndrome [webpage]. London, Complementary Medical Association (<http://www.the-cma.org.uk/HTML/hatter.htm>, accessed 23 March 2004).

Environmental history timeline [webpage]. Radford, Virginia, Radford University (as above).

RPH Laboratory Medicine. History of Malaria [webpage]. Government of Western Australia (<http://www.rph.wa.gov.au/labs/haem/malaria/history.html>, accessed 10 March 2004).

Environmental history timeline [webpage]. Radford, Virginia, Radford University (as above).

Bellis M. The history of seat belts [webpage]. About Inc ([http://inventors.about.com/library/inventors/bl\\_seat\\_belts.htm](http://inventors.about.com/library/inventors/bl_seat_belts.htm), accessed 25 February 2004).

Carson, R. *Silent Spring*. Boston, Houghton Mifflin, 1962.

Car seats [webpage]. American Plastics Council ([http://www.americanplasticscouncil.org/benefits/in\\_your\\_life/safekids/carseats.html](http://www.americanplasticscouncil.org/benefits/in_your_life/safekids/carseats.html), accessed 10 March 2004).

Singapore. Prohibition of Smoking in Certain Places Act, 1970.

Guo YL et al. Yucheng: health effects of prenatal exposure to polychlorinated biphenyls and dibenzofurans. *International Archives of Occupational and Environmental Health*, 2004, 77(3):153-158

Edwards RD et al. Implications of changes in household stoves and fuel use in China. *Energy Policy*, 2004, 32:395-411.

The international programme of chemical safety. Geneva, World Health Organization, 1998 (Fact sheet No. 87).

Environmental history timeline [webpage]. Radford, Virginia, Radford University (as above).

United Nations Children’s Fund (<http://www.unicef.org/crc/crc.htm>, accessed on 21 March 2004).

Arsenic in drinking water. Geneva, World Health Organization, 2001 (Fact sheet No. 210) (<http://www.who.int/mediacentre/factsheets/fs210/en/>, accessed on 25 March 2004).

Agenda 21 [webpage]. New York, UN Department of Economic and Social Affairs (<http://www.un.org/esa/sustdev/documents/agenda21/index.htm>, accessed 16 March 2004).

Climate Change Secretariat. A guide to the climate change convention process. Bonn, UNFCC, 2002.

## General Interest

Tamburlini G, von Ehrenstein OS, Bertollini R, eds. *Children's health and the environment: a review of the evidence*. Copenhagen, European Environment Agency and World Health Organization, Regional Office for Europe, 2002 ([http://www.euro.who.int/childhealthenv/Publications/20020725\\_4](http://www.euro.who.int/childhealthenv/Publications/20020725_4))

United Nations Environment Programme/ United Nations Children’s Fund/ World Health Organization. Children in the new millennium: environmental impact on health. Nairobi, United Nations Environment Programme, 2002 (<http://www.unep.org/ceh/>, accessed 20 February 2004).

*Healthy environments for children alliance* [webpage]. Geneva, World Health Organization (<http://www.who.int/heca/>, accessed 24 February 2004).

*Children’s environmental health* [webpage]. Geneva, World Health Organization (<http://www.who.int/ceh>, accessed 25 March 2004).

# Index

- accidents 12–13, 31–32
- air pollution, 24–29
  - indoor 10, 12, 24–25
  - outdoor 28–29, 40, 46
- alcohol 36
- arsenicosis 22–23
- asthma 24, 27, 28
- breast milk 36
- burns 27
- carcinogens 23, 26
- cataract 24
- child labour 32–33
- child mortality rate 8–9
- chlorofluorocarbons (CFCs) 44
- cholera 14
- chronic obstructive pulmonary disease 24
- climate change 12, 46
- cooking on open fires 10–11, 24–25
- diabetes 8
- diarrhoea 8, 14, 16, 18, 36, 47
- dioxins 36, 37
- droughts 46
- drowning 30, 31, 47
- dysentery 14, 16
- education 18, 32, 42
- endocrine disruptors 12, 36, 37
- fire 10, 24, 30, 31
- floods 46, 47
- fluorosis 22–23
- food safety 36–37, 42
- furans 36, 37
- gasoline 34, 40–41
- global warming *see* climate change
- guinea worm 14
- hazardous waste 10, 12
- Health-Promoting Schools 42–43
- heart 8, 27
- heavy metals 28, 36, 38
- HIV/AIDS 8
- homes 12, 30
- hookworm 16
- hygiene 16, 12–13, 18, 46
- industrialization 12, 28
- injuries 12–13, 30–31, 32, 33
- International Labour Organization
  - Convention 182 32
- intestinal worms 16
- IQ 34, 40–41
- Japanese encephalitis 20
- kerosene 24
  - injuries from 30, 38
- lead 12–13, 34–35, 40–41
- leishmaniasis 20
- listeriosis 36
- low birth weight 24
- lymphatic filariasis 20
- lymphoma 27
- malaria 12–13, 20–21, 46, 47
- malnutrition 8, 46, 47
- measles 8
- melanoma 44, 45
- mercury 36, 38
- middle ear infection 24, 27
- Millennium Development Goals 8, 14, 16
- Montreal Protocol 44
- nutritional deficiencies 47
- obesity 8
- ozone depletion 12
- perinatal diseases 8
- persistent organic pollutants (POPs) 12, 28, 36
- pesticides 32, 38
- petrol *see* gasoline
- pneumonia 8, 24, 27
- poisonings 31, 32, 34–35, 38, 39
- poisons centres 38–39
- pollution
  - air 10–11
  - industrial 10
  - urban 28, 12–13
- respiratory conditions 8, 24, 27
- road traffic accidents 30–31
- sanitation 12–13, 15, 16–17
- schistosomiasis 16, 20
- school 12, 30, 42–43
  - attendance 18, 32
- seatbelts 30, 48
- sewerage connection 17, 19
- skin cancer 44
- solid fuel use 10–11, 24–25
- sudden infant death syndrome 27
- sun 44–45
- time 18–19
- tobacco smoke 26–27
- toxoplasmosis 36
- trachoma 16
- typhoid 14
- urbanization 12, 28
- UV radiation 44–45
- vaccination 9
- vector-borne diseases 12–13, 20–21, 32 *see also* malaria
- vehicle emissions 28–29
- war 8
- wastewater treatment 17
- water, 14–23
  - contamination of 22–23, 34
  - fetching of 18–19
  - illnesses related to 14, 16, 20–21, 22–23
  - improved water supply 14–15, 19
  - lack of 12–13, 46
  - management of 21
  - treatment of 15
- WHO Framework Convention on Tobacco Control (2003) 26
- World Health Day 2003 43