

9. BIBLIOGRAPHY

Akaike H (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19:716–723.

Bhandari N, Bahl R, Taneja S, de Onis M, Bhan MK (2002). Growth performance of affluent Indian children is similar to that in developed countries. *Bulletin of the World Health Organization*, 80:189–195.

Borghi E, de Onis M, Garza C, Van den Broeck J, Frongillo EA, Grummer-Strawn L, van Buuren S, Pan H, Molinari L, Martorell R, Onyango AW, Martines JC for the WHO Multicentre Growth Reference Study Group (2006). Construction of the World Health Organization child growth standards: selection of methods for attained growth curves. *Statistics in Medicine*, 25:247–265.

Cole TJ, Green PJ (1992). Smoothing reference centile curves: the LMS method and penalized likelihood. *Statistics in Medicine*, 11:1305–1319.

Cole TJ, Freeman JV, Preece MA (1998). British 1990 Growth reference centiles for weight, height, body mass index and head circumference fitted by maximum penalized likelihood. *Statistics in Medicine*, 17:407–429.

Daniels SR, Arnett DK, Eckel RH, Gidding SS, Hayman LL, Kumanyika S, Robinson TN, Scott BJ, St Jeor S, Williams CL (2005). AHA Scientific Statement. Overweight in children and adolescents: Pathophysiology, consequences, prevention and treatment. *Circulation*, 111:1999–2012.

de Onis M, Habicht JP (1996). Anthropometric reference data for international use: recommendations from a World Health Organization Expert Committee. *American Journal of Clinical Nutrition*, 64:650–658.

de Onis M, Yip R (1996). The WHO growth chart: historical considerations and current scientific issues. *Bibliotheca Nutritio et Dieta*, 53:74–89.

de Onis M, Garza C, Victora CG, Bhan MK, Norum KR, eds (2004a). WHO Multicentre Growth Reference Study (MGRS): Rationale, planning and implementation. *Food and Nutrition Bulletin*, 25(Suppl 1):S1–S89.

de Onis M, Garza C, Victora CG, Onyango AW, Frongillo EA, Martines J, for the WHO Multicentre Growth Reference Study Group (2004b). The WHO Multicentre Growth Reference Study: planning, study design and methodology. *Food and Nutrition Bulletin*, 25(Suppl 1):S15–S26.

de Onis M, Onyango AW, Van den Broeck J, Chumlea WC, Martorell R, for the WHO Multicentre Growth Reference Study Group (2004c). Measurement and standardization protocols for anthropometry used in the construction of a new international growth reference. *Food and Nutrition Bulletin*, 25(Suppl 1):S27–S36.

Dibley MJ, Goldsby JB, Staehling NW, Trowbridge FL (1987). Development of normalized curves for the international growth reference: historical and technical considerations. *American Journal of Clinical Nutrition*, 46:736–748.

Garza C, de Onis M, for the WHO Multicentre Growth Reference Study Group (2004). Rationale for developing a new international growth reference. *Food and Nutrition Bulletin*, 25(Suppl 1):S5–S14.

- Johnson NL (1949). Systems of frequency curves generated by methods of translation. *Biometrika*, 36:149–176.
- Jorde LB, Wooding SP (2004). Genetic variation, classification and 'race'. *Nature Genetics*, 36(Suppl 11):S28–S33.
- King MC, Motulsky AG (2002). Mapping Human History. *Science*, 298:2342–2343.
- Koplan JP, Liverman CT, Kraak VI, eds (2005). Preventing childhood obesity: health in the balance. Washington, DC: National Academy Press.
- Kuczmariski RJ, Ogden CL, Guo SS, Grummer-Strawn LM, Flegal KM, Mei Z, Wei R, Curtin LR, Roche AF, Johnson CL (2002). 2000 CDC growth charts for the United States: methods and development. National Center for Health Statistics. *Vital and Health Statistics*, Series 11 No. 246.
- Mohamed AJ, Onyango AW, de Onis M, Prakash N, Mabry RM, Alasfoor DH (2004). Socioeconomic predictors of unconstrained child growth in Muscat, Oman. *Eastern Mediterranean Health Journal*, 10:295–302.
- Onyango AW, Pinol AJ, de Onis M, for the WHO Multicentre Growth Reference Study Group (2004). Managing data for a multicountry longitudinal study: Experience from the WHO Multicentre Growth Reference Study. *Food and Nutrition Bulletin*, 25 Suppl 1:S46–S52.
- Owusu WB, Lartey A, de Onis M, Onyango AW, Frongillo EA (2004). Factors associated with unconstrained growth among affluent Ghanaian children. *Acta Paediatrica*, 93:1115–1119.
- Pan H, Cole TJ (2004). A comparison of goodness of fit tests for age-related reference ranges. *Statistics in Medicine*, 23:1749–1765.
- Prader A, Largo RH, Molinari L, Issler C (1989). Physical growth of Swiss children from birth to 20 years of age. First Zurich longitudinal study of growth and development. *Helvetica Paediatrica Acta*, 52(Suppl Jun):1–125.
- Rigby RA, Stasinopoulos DM (2004a). Smooth centile curves for skew and kurtotic data modelled using the Box-Cox power exponential distribution. *Statistics in Medicine*, 23:3053–3076.
- Rigby RA, Stasinopoulos DM (2004b). Box-Cox t distribution for modelling skew and leptokurtotic data. Technical Report 01/04. London: STORM Research Centre, London Metropolitan University.
- Rigby RA, Stasinopoulos DM (2005). Generalized additive models for location, scale and shape. *Journal of the Royal Statistical Society - Series C - Applied Statistics*, 54:507–544.
- Rosenberg NA, Pritchard JK, Weber JL, Cann HM, Kidd KK, Zhivotovsky LA, Feldman MW (2002). Genetic structure of human populations. *Science*, 298:2381–2385.
- Royston P, Wright EM (1998). A method for estimating age-specific reference intervals ('normal ranges') based on fractional polynomials and exponential transformation. *Journal of the Royal Statistical Society - Series A*, 161:79–101.
- Royston P, Wright EM (2000). Goodness-of-fit statistics for age-specific reference intervals. *Statistics in Medicine*, 19:2943–2962.

Stasinopoulos DM, Rigby RA, Akantziliotou C (2004). Instructions on how to use the GAMLSS package in R. Technical Report 02/04. London: STORM Research Centre, London Metropolitan University.

van Buuren S, Fredriks M (2001). Worm plot. A simple diagnostic device for modelling growth reference curves. *Statistics in Medicine*, 20:1259–1277.

WHO (1983). Measuring change in Nutritional Status. Geneva: World Health Organization.

WHO (1995). Physical status: the use and interpretation of anthropometry. Report of a WHO Expert Committee. Technical Report Series No. 854. Geneva: World Health Organization.

WHO Multicentre Growth Reference Study Group (2006a). Assessment of differences in linear growth among populations in the WHO Multicentre Growth Reference Study. *Acta Paediatrica*, Suppl 450:57–66.

WHO Multicentre Growth Reference Study Group (2006b). Breastfeeding in the WHO Multicentre Growth Reference Study. *Acta Paediatrica*, Suppl 450:16–27.

WHO Multicentre Growth Reference Study Group (2006c). WHO Motor Development Study: Windows of achievement for six gross motor development milestones. *Acta Paediatrica*, Suppl 450:87–96.

WHO Multicentre Growth Reference Study Group (2006d). Enrolment and baseline characteristics in the WHO Multicentre Growth Reference Study. *Acta Paediatrica*, Suppl 450:7–15.

WHO Multicentre Growth Reference Study Group (2006e). Reliability of anthropometric measurements in the WHO Multicentre Growth Reference Study. *Acta Paediatrica*, Suppl 450:39–47.

WHO Working Group on Infant Growth (1994). An evaluation of infant growth. Geneva: World Health Organization.

Wright E, Royston P (1996). Age-specific reference intervals ("normal ranges"). *Stata Technical Bulletin*, 34:24–34.