

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004



WORLD HEALTH ORGANIZATION

Update Reference Committee

8th March 2005

OFFICIAL UPDATES TO ICD-10

The following pages include the official changes to the tabular list, instruction manual and alphabetical index of ICD-10. These changes were approved in principle at the WHO-FIC Network annual meeting in Reykjavik, Iceland in October 2004. Each change has been uniquely identified and the source for each change has been indicated. The implementation date has also been documented.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 1

TABULAR LIST

Instruction	Tabular list entries	Source	Major/Minor update	Suggested implementation date
Modify three-character code title	<p>List of Three-Character Categories</p> <p>CHAPTER XV</p> <p>Pregnancy, childbirth and the puerperium (O00–O99)</p> <p>Complications of labour and delivery (O60–O75)</p> <p>O60 Preterm delivery-labour</p>	Germany (URC:0222)	Major	January 2006
Add code range	<p>Chapter II</p> <hr/> <p>Neoplasms (C00–D48)</p> <p>This chapter contains the following broad groups of neoplasms:</p> <p><u>C00–C97 Malignant neoplasms</u></p> <p> C00–C75 Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue</p> <p> C00–C14 Lip, oral cavity and pharynx</p> <p> C15–C26 Digestive organs</p> <p> C30–C39 Respiratory and intrathoracic organs</p>	Germany (URC:0218)	Minor	January 2006

	<p>C40–C41 Bone and articular cartilage C43–C44 Skin C45–C49 Mesothelial and soft tissue C50 Breast C51–C58 Female genital organs C60–C63 Male genital organs C64–C68 Urinary tract C69–C72 Eye, brain and other parts of central nervous system C73–C75 Thyroid and other endocrine glands C76–C80 Malignant neoplasms of ill-defined, secondary and unspecified sites C81–C96 Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue C97 Malignant neoplasms of independent (primary) multiple sites D00–D09 In situ neoplasms D10–D36 Benign neoplasms D37–D48 Neoplasms of uncertain or unknown behaviour [see note <u>before D37</u>]</p>			
Modify text				
Add text	<p>Malignant neoplasms (C00–C97) <u>Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue</u> <u>(C00–C75)</u> Malignant neoplasms of lip, oral cavity and pharynx (C00–C14)</p>			

Add use additional code note	E64.3 Sequelae of rickets <u>Use additional code (M40.-), if desired, to identify kyphosis</u>	UK (URC:0184)	Major	January 2006
Modify excludes note	E71.3 Disorders of fatty-acid metabolism Adrenoleukodystrophy [Addison-Schilder] Muscle carnitine palmitoyltransferase deficiency <i>Excludes:</i> Refsum's disease (G60.1) Schilder's disease (G37.0) Zellweger's syndrome (Q87.8)	Germany (URC: 0225)	Major	January 2006
Add excludes note	E72.3 Disorders of lysine and hydroxylysine metabolism Glutaric aciduria Hydroxylysinaemia Hyperlysinaemia <i>Excludes:</i> Refsum's disease (G60.1) Zellweger's syndrome (Q87.8)			
Add inclusion term	G31.8 Other specified degenerative diseases of nervous system Grey-matter degeneration [Alpers] <u>Lewy body(ies)(dementia)(disease)</u> Subacute necrotizing encephalopathy [Leigh]	MRG (URC:0211)	Minor	January 2006
Add excludes note	I27.8 Other specified pulmonary heart disease <i>Excludes:</i> Eisenmenger's defect (Q21.8)	UK (URC:0103)	Major	January 2006
	K22 Other diseases of oesophagus <i>Excludes:</i> oesophageal varices (I85.-)	Australia (URC: 0215)	Major	January 2006

<p>Add new code and inclusion terms</p> <p>Add excludes note</p>	<p>K22.6 Gastro-oesophageal laceration-haemorrhage syndrome Mallory-Weiss syndrome</p> <p><u>K22.7 Barrett's esophagus</u> Barrett's: <ul style="list-style-type: none"> • <u>disease</u> • <u>syndrome</u> <u>Excludes:</u> Barrett's ulcer (K22.1)</p> <p>K22.8 Other specified diseases of oesophagus Haemorrhage of oesophagus NOS</p>			
<p>Add new code</p> <p>Add new code</p> <p>Add new inclusion term</p> <p>Add new code</p>	<p>K85 Acute pancreatitis Abscess of pancreas Necrosis of pancreas: <ul style="list-style-type: none"> · acute · infective Pancreatitis: <ul style="list-style-type: none"> · acute (recurrent) · haemorrhagic · subacute · suppurative <p><u>K85.0 Idiopathic acute pancreatitis</u></p> <p><u>K85.1 Biliary acute pancreatitis</u> <u>Gallstone pancreatitis</u></p> <p><u>K85.2 Alcohol-induced acute pancreatitis</u></p> <p><u>K85.3 Drug-induced acute pancreatitis</u> <u>Use additional external cause code (Chapter XX), if desired, to identify</u></p> </p>	<p>MRG (URC:0203)</p>	<p>Major</p>	<p>January 2006</p>

<p>Add new code Add new instructional notation Add new code Add new code</p>	<p><u>drug</u> K85.8 Other acute pancreatitis K85.9 Acute pancreatitis, unspecified</p>			
<p>Add new code and inclusion terms Add excludes note</p>	<p>M31.7 Microscopic polyangiitis <u>Microscopic polyarteritis</u> <i>Excludes:</i> polyarteritis nodosa (M30.0)</p>	<p>Germany (URC:0254)</p>	<p>Major</p>	<p>January 2006</p>
<p>Delete inclusion terms Add excludes note Add new code</p>	<p>M79.0 Rheumatism, unspecified <u>Fibromyalgia</u> <u>Fibrositis</u> <i>Excludes:</i> fibromyalgia (M79.7) M79.7 Fibromyalgia <u>Fibromyositis</u> <u>Fibrositis</u> <u>Myofibrositis</u></p>	<p>Germany (URC:0253)</p>	<p>Major</p>	<p>January 2006</p>
<p>Add inclusion term Add exclusion terms</p>	<p>M85.8 Other specified disorders of bone density and structure Hyperostosis of bones, except skull <u>Osteosclerosis, acquired</u> <i>Excludes:</i> diffuse idiopathic skeletal hyperostosis [DISH] (M48.1-) <u>osteosclerosis:</u> • <u>congenita (Q77.4)</u> • <u>myelofibrosis (D75.8)</u></p>	<p>Australia (URC: 0216)</p>	<p>Minor</p>	<p>January 2006</p>
<p>Modify inclusion</p>	<p>N08.5* Glomerular disorders in systemic connective tissue disorders Glomerular disorders in: • <u>polyarteritis nodosa (M30.0+)</u> microscopic polyangiitis (M31.7+)</p>	<p>Germany (URC:0254)</p>	<p>Major</p>	<p>January 2006</p>

term and code				
Add includes note	N17 Acute renal failure <i>Includes:</i> acute renal impairment	Australia (URC: 0217)	Minor	January 2006
Modify code title	O60 Preterm delivery labour Onset (spontaneous) of delivery labour before 37 completed weeks of gestation	Germany (URC:0222)	Major	January 2006
Add new code	<u>O60.0 Preterm labour without delivery</u>			
Add new code	<u>O60.1 Preterm labour with preterm delivery</u> Preterm labour with delivery NOS			
Add new code and inclusion term	<u>O60.2 Preterm labour with term delivery</u>			
Revise inclusion term Add excludes note	Q21.8 Other congenital malformations of cardiac septa Eisenmenger's syndrome defect <i>Excludes:</i> Eisenmenger's: <ul style="list-style-type: none"> • <u>complex (I27.8)</u> • <u>syndrome (I27.8)</u> 	UK (URC:0103)	Major	January 2006
Add inclusion term	Q77.4 Achondroplasia Hypochondroplasia Osteosclerosis congenita	Australia (URC:0216)	Minor	January 2006
Add new code inclusion term and excludes note	<u>R29.6 Tendency to fall, not elsewhere classified</u> <u>Tendency to fall because of old age or other unclear health problems</u> <i>Excludes:</i> accidents NOS (X59) <u>difficulty in walking (R26.2)</u> <u>dizziness and giddiness (R42)</u> <u>falls causing injury (W00-W19)</u> <u>falls due to diseases classified elsewhere</u> <u>syncope and collapse (R55)</u>	Nordic Centre (URC: 0263)	Major	January 2006

<p>Modify category title</p> <p>Delete code</p> <p>Delete code</p> <p>Add new code</p> <p>Add new instructional notation</p> <p>Add new code and inclusion terms</p>	<p>R50 Fever of <u>other and</u> unknown origin</p> <p><i>Excludes:</i> fever of unknown origin (during)(in):</p> <ul style="list-style-type: none"> • labour (O75.2) • newborn (P81.9) <p>puerperal pyrexia NOS (O86.4)</p> <p>R50.0 Fever with chills Fever with rigors</p> <p>R50.1 Persistent fever</p> <p>R50.2 <u>Drug-induced fever</u></p> <p><i>Use additional external cause code (Chapter XX), if desired, to identify drug.</i></p> <p>R50.8 <u>Other specified fever</u> <u>Fever with chills</u> <u>Fever with rigors</u> <u>Persistent fever</u></p> <p>R50.9 Fever, unspecified Hyperpyrexia NOS Pyrexia NOS</p> <p><i>Excludes:</i> malignant hyperthermia due to anaesthesia (T88.3)</p>	<p>Nordic Centre (URC:0264)</p>	<p>Major</p>	<p>January 2006</p>
<p>Add text (p.1018)</p>	<p>CHAPTER XX</p> <hr/> <p><u>Accidents</u> <u>(V01–X59)</u></p> <p>Transport accidents <u>(V01–V99)</u></p>	<p>Germany (URC:0218)</p>	<p>Minor</p>	<p>January 2006</p>

	<p>Note: This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p>			
<p>Revise wording</p> <p>Add text to excludes note</p>	<p>Transport accidents (V01-V99)</p> <p>Note: This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p> <p>Excludes: accidents to persons engaged in the maintenance or repair of transport equipment or vehicle (not in motion) not on a public highway <u>unless injured by another vehicle in motion</u> (W00-X59) <u>accidents involving vehicles, but unrelated to the hazards associated with the means of transportation</u> <u>[e.g., injuries received in a fight on board ship; transport vehicle involved in a cataclysm; finger crushed when shutting car door]</u> (W00-X59) assault by crashing of motor vehicle (Y03.-) event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>	MRG (URC:0255)	Minor	January 2006
<p>Page 1021</p> <p>Add text</p>	<p>(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons. <u>A trailer or caravan being towed by a car is considered a part of the car.</u></p>	Australia (URC: 0214)	Minor	January 2006

<p>Add text</p>	<p>(o) A motor vehicle or vehicle may refer to various transport vehicles. The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for 'unspecified'. <u>A trailer or caravan being towed by a vehicle is considered a part of the vehicle</u></p>			
<p>Add text to excludes note</p>	<p>Falls (W00-W19)</p> <p>[See pages 1013-1017 for fourth-character subdivisions]</p> <p>Excludes: assault (Y01-Y02) fall (in)(from): <ul style="list-style-type: none"> • animal (V80.-) • burning building (X00) • into fire (X00-X04, X08-X09) • into water (with drowning or submersion) (W65-W74) • machinery (in operation) (W28-W31) • <u>repeated falls not resulting from accident (R29.6)</u> • transport vehicle (V01-V99) intentional self-harm (X80-X81)</p>	<p>Nordic Centre (URC:0263)</p>	<p>Major</p>	<p>January 2006</p>
<p>Modify excludes note</p>	<p>W23 Caught, crushed, jammed or pinched in or between objects</p> <p>...</p> <p>Excludes: injury caused by:</p> <ul style="list-style-type: none"> • Cutting or piercing instruments (W25-W27) • Lifting and transmission devices (W24.-) • Machinery (W28-W31) • Nonpowered hand tools (W27.-) • Transport vehicle <u>being used as a means of transportation</u> (V01-V99) Struck by thrown, projected or falling object (W20.-)	<p>MRG (URC:0255)</p>	<p>Minor</p>	<p>January 2006</p>

<p>Add excludes note</p> <p>Add new code</p>	<p>W27 Contact with nonpowered hand tool</p> <p><i>Excludes:</i> hypodermic needle (W46.-)</p> <p>W46 Contact with hypodermic needle</p>	<p>UK (URC:0181)</p>	<p>Major</p>	<p>January 2006</p>
<p>Modify excludes note</p> <p>Add includes note</p> <p>Add excludes note</p>	<p>Misadventures to patients during surgical and medical care (Y60–Y69) <i>Excludes:</i> medical devices associated with adverse incidents in diagnostic and therapeutic use breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70–Y82) surgical and medical procedures as the cause of abnormal reaction of the patient, without mention of misadventure at the time of the procedure (Y83–Y84)</p> <p>MEDICAL DEVICES ASSOCIATED WITH ADVERSE INCIDENTS IN DIAGNOSTIC AND THERAPEUTIC USE (Y70–Y82) <i>Includes:</i> breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) <i>Excludes:</i> misadventures to patients during surgical and medical care, classifiable to Y60–Y69 (Y60–Y69) later complications following use of medical devices without mention of breakdown or malfunctioning of medical device (Y83–Y84)</p> <p>The following fourth-character subdivisions are for use with categories Y70–Y82:</p> <ul style="list-style-type: none"> .0 Diagnostic and monitoring devices .1 Therapeutic (nonsurgical) and rehabilitative devices .2 Prosthetic and other implants, materials and accessory devices .3 Surgical instruments, materials and devices (including sutures) .8 Miscellaneous devices, not elsewhere classified <p>SURGICAL AND OTHER MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE</p>	<p>MRG (URC:0155)</p>	<p>Minor</p>	<p>January 2006</p>

Add excludes note	<p>TIME OF THE PROCEDURE (Y83–Y84)</p> <p><u><i>Excludes:</i> misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-69)</u></p> <p><u>breakdown or malfunctioning of medical device (during procedure)</u></p> <p><u>(after implantation) (ongoing use) (Y70-Y82)</u></p>			
Add excludes note Add new code and includes note	<p>Z58.1 Exposure to air pollution</p> <p><u><i>Excludes:</i> tobacco smoke (Z58.7)</u></p> <p>Z58.7 Exposure to tobacco smoke</p> <p><u>Passive smoking</u></p> <p><u><i>Excludes:</i> Mental and behavioural disorders due to the use of tobacco (F17.-)</u></p> <p><u>Personal history of psychoactive substance abuse (Z86.4)</u></p> <p><u>Tobacco use (Z72.0)</u></p>	UK (URC:0182)	Major	January 2006
Add new code	Z92.6 Personal history of chemotherapy for neoplastic disease	Germany (URC:0252)	Major	January 2006

Volume 2

INSTRUCTION MANUAL

Instruction	Instruction manual entries	Source	Major/Minor update	Implementation date
<p>Page 39</p> <p>Add text</p>	<p><i>Assumed direct consequences of another condition</i></p> <p><u>Lobar pneumonia, unspecified (J18.1) should be considered an obvious consequence of dependence syndrome due to use of alcohol (F10.2).</u> Any pneumonia in J12-J18 should be considered an obvious consequence of conditions that impair the immune system. Pneumonia in J18.0 and J18.2-J18.9 should be considered an obvious consequence of wasting diseases (such as malignant neoplasm and malnutrition) and diseases causing paralysis (such as cerebral haemorrhage or thrombosis), as well as serious respiratory conditions, communicable diseases, and serious injuries. Pneumonia in J18.0 and J18.2-J18.9, J69.0, and J69.8 should also be considered an obvious consequence of conditions that affect the process of swallowing. Note: A list of conditions is available from the World Health Organization.</p>	<p>MRG (URC:0213)</p>	<p>Major</p>	<p>January 2006</p>
<p>Volume 2, p. 39 (including sentence added in 2004 MRG recommendation concerning alcohol dependence)</p>	<p><i>Assumed direct consequences of another condition</i></p> <p>Lobar pneumonia, unspecified (J18.1) should be considered an obvious consequence of alcohol dependence (F10.2). Any pneumonia in J12-J18 should be considered an obvious consequence of conditions that impair the immune system. Pneumonia in J18.0 and J18.2-J18.9 should be considered an obvious consequence of wasting diseases (such as malignant neoplasm and malnutrition) and diseases causing paralysis (such as cerebral haemorrhage or thrombosis), as well as serious respiratory conditions, communicable diseases, and serious injuries. Pneumonia in J18.0 and J18.2-J18.9, J69.0, and J69.8 should also be considered an obvious consequence of conditions that affect the process of swallowing. <u>Other common secondary conditions (such as pulmonary embolism, decubitus ulcer, and cystitis) should be considered an obvious consequence of wasting diseases (such as malignant neoplasm and malnutrition) and diseases causing paralysis (such as cerebral haemorrhage or thrombosis) as well as communicable diseases, and serious injuries. However, such</u></p>	<p>MRG (URC:0256)</p>	<p>Minor</p>	<p>January 2006</p>

	<p><u>secondary conditions should not be considered an obvious consequence of respiratory conditions.</u> Note: A list of conditions is available from the World Health Organization.</p> <p>The table below would then follow:</p>			
--	---	--	--	--

<p><u>Conditions in the following categories should be considered obvious consequences of the conditions listed in the ‘wasting and paralyzing diseases’ list. Conditions in categories flagged with an ‘M’ (Maybe) should be considered obvious consequences of the conditions listed in the ‘wasting and paralyzing diseases’ list only if they meet the prerequisite for code assignment noted in the final column of the table.</u></p>			
Code(s)	Description	Conditional Response	Qualifier
<u>I26.0- I26.9</u>	<u>Pulmonary embolism</u>		
<u>I74.2-I74.4</u>	<u>Arterial embolism and thrombosis of extremities</u>		
<u>I80.1-I80.3</u>	<u>Phlebitis and thrombophlebitis of lower extremities</u>		
<u>I80.9</u>	<u>Phlebitis and thrombophlebitis of unspecified site</u>		
<u>I82.9</u>	<u>Embolism and thrombosis of unspecified vein</u>		
<u>K55.0</u>	<u>Acute vascular disorder of intestine</u>	<u>M</u>	<u>The condition in K55.0 must be specified as an embolism</u>
<u>K56.4</u>	<u>Other impaction of intestine</u>		
<u>K59.0</u>	<u>Constipation</u>		
<u>L89</u>	<u>Decubitus ulcer</u>		
<u>N10-N12</u>	<u>Tubulo-interstitial nephritis</u>	<u>M</u>	<u>Diseases causing paralysis or inability to control bladder</u>
<u>N28.0</u>	<u>Ischaemia and infarction of kidney</u>	<u>M</u>	<u>The condition in N28.0 must be specified as an embolism of the renal artery</u>

Instruction	Instruction manual entries	Source	Major/Minor update	Implementation date
Page 40 Add text	<p>An operation on a given organ should be considered a direct consequence of any surgical condition (such as malignant tumour or injury) of the same organ reported anywhere on the certificate.</p> <p><u>Haemorrhage should be considered an obvious consequence of anticoagulant poisoning or overdose. However, haemorrhage should not be considered an obvious consequence of anticoagulant therapy without mention of poisoning or overdose.</u></p>	MRG (URC:0262)	Minor	January 2006
Page 52 Delete text Add text	<p>F17.- Mental and behavioural disorders due to use of tobacco</p> <p>when reported as the originating antecedent cause of:</p> <p>C34.— (Malignant neoplasm of bronchus and lung), code C34.- I20-I25 (Ischaemic heart disease), code I20-I25 J40-J47 (Chronic lower respiratory disease), code J40-J47</p> <p><u>Not to be used if the resultant physical condition is known</u></p>	MRG (URC:0209)	Minor	January 2006
Page 55 Delete text Add text	<p>I15.— Secondary hypertension</p> <p>Not to be used for underlying cause mortality coding. If the cause is not stated, code to Other ill defined and unspecified causes of mortality (R99).</p> <p>I15.0 Renovascular hypertension</p> <p><u>Not to be used if the antecedent condition is known or can be inferred by an application of Rule 3. If the antecedent condition is not known or cannot be inferred, code to I15.0.</u></p> <p><u>I15.1 Hypertension secondary to other renal disorders</u></p> <p><u>Not to be used if the antecedent condition is known or can be inferred by an</u></p>	MRG (URC: 0210)	Major	January 2006

	<p><u>application of Rule 3. If the antecedent condition is not known or cannot be inferred, code to N28.9.</u></p> <p><u>I15.2 Hypertension secondary to endocrine disorders</u></p> <p><u>Not to be used if the antecedent condition is known or can be inferred by an application of Rule 3. If the antecedent condition is not known or cannot be inferred, code to E34.9.</u></p> <p><u>I15.8 Other secondary hypertension</u></p> <p><u>Not to be used if the antecedent condition is known or can be inferred by an application of Rule 3. If the antecedent condition is not known or cannot be inferred, code to I15.8.</u></p> <p><u>I15.9 Secondary hypertension, unspecified</u></p> <p><u>Not to be used if the antecedent condition is known or can be inferred by an application of Rule 3. If the antecedent condition is not known or cannot be inferred, code to I15.9.</u></p>			
Page 55	<p>I24.0 Coronary thrombosis not resulting in myocardial infarction</p> <p>Not to be used for underlying cause mortality coding. For mortality the occurrence of myocardial infarction is assumed and assignment made to I21.- or I22.- as appropriate</p> <p><u>I25.2 Old myocardial infarction</u></p>	MRG (URC:0261)	Major	January 2006

Add text	<p><u>Not to be used for underlying cause mortality coding. If the cause is not stated, code to Other forms of chronic ischaemic heart disease (I25.8)</u></p> <p>I27.9 Pulmonary heart disease, unspecified</p> <p><i>with mention of:</i></p> <p>M41.- (Scoliosis), code I27.1</p>			
Page 66	<p>Table 2. Summary of codes not to be used in underlying cause mortality coding^a</p> <hr/> <p>Codes not to be used for underlying cause mortality coding (code to item in parentheses; if no code is indicated, code to R99)</p> <p>Not to be used if the underlying cause is known</p> <hr/> <p>....</p> <p>I23.- (code to I21 or I22) H90-H91 I24.0 (code to I21 or I22) N46 I25.2 (code to I25.8) N97.- I65.- (code to I63)</p>	MRG (URC:0261)	Major	January 2006
Add text to table				
Page 66	<p>Table 2 Summary of codes not to be used in underlying cause mortality coding</p> <hr/> <p>Codes not to be used for underlying cause mortality coding (code to item in parentheses; if no code is indicated, code to R99)</p> <p>Not to be used if the underlying cause is known</p> <hr/> <p>....</p> <p>H95.- G83.-</p>	MRG (URC: 0210)	Major	January 2006
Delete code				

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004

Add code	I15.- I23.- (code to I21 or I22)	H54 H90-91 <u>I15.-</u>		
----------	--	-------------------------------	--	--

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Major/Minor update	Suggested implementation date
Revise code	Abnormal, abnormality, abnormalities - <i>see also</i> Anomaly - labor NEC 062.9 –O75.8	Germany (URC:0224)	Major	January 2006
Revise code	Abscess - pancreas (duct) K85.2	MRG (URC:0203)	Major	January 2006
Add non-essential modifier	Achondroplasia (<u>osteosclerosis congenita</u>) Q77.4	Australia (URC:0216)	Minor	January 2006
Revise code	Acidemia - pipecolic E71.3 <u>E72.3</u>	Germany (URC:0225)	Major	January 2006
Delete non-essential modifier Add subterm and code	Alopecia (hereditaria) (prematura)-(seborrheica) L65.9 - <u>premature L64.8</u>	Germany (URC:0227)	Major	January 2006
Add subterm and code Modify subterm	Ankylosis (fibrous) (joint) (osseous) M24.6 - ankle M24.6 - <u>arthrodesis status Z98.1</u> - produced by surgical fusion, <u>status Z98.1</u>	Germany (URC: 0229)	Minor	January 2006
Revise code	Anemia - Dyke-Young type (secondary) (symptomatic) D59.8 <u>D59.1</u>	Germany (URC:0228)	Minor	January 2006
Delete text and code Add subterms and codes	Barrett's ulcer or syndrome K22.1 - <u>disease K22.7</u> - <u>esophagus K22.7</u> - <u>syndrome K22.7</u>	Australia (URC:0215)	Minor	January 2006

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004

	<u>- ulcer K22.1</u>			
Revise code	Bleeding - uterus, uterine NEC N92.6 <u>N93.9</u>	Germany (URC:0230)	Major	January 2006
Delete non-essential modifier	Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (inflammatory) (membranous) (with tracheitis) (15 years of age and above) J40	Germany (URC:0231)	Minor	January 2006
Revise codes	Chill(s) R68.8 - with fever R50.0 <u>R50.8</u>	Nordic Centre (URC:0264)	Major	January 2006
Modify code	Complex - Eisenmenger's Q21.8 <u>I27.8</u>	UK (URC:0103)	Major	January 2006
Revise code	Complications (from) (of) - arthroplasty T84.0 <u>T84.9</u> - - specified NEC <u>T84.8</u>	Germany (URC:0232)	Minor	January 2006
Remove dagger Delete code	Curvature - - late effect of rickets E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Remove dagger Delete code	Deformity - spine - - rachitic E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Revise code	Delivery - caesarean - - fetus, fetal - - - prematurity <u>O60.1</u>	Germany (URC:0222)	Major	January 2006
Revise code	- early onset (spontaneous) <u>O60.1</u>			
Revise code	- premature or preterm NEC <u>O60.1</u>			
	Dementia	MRG	Minor	January 2006

Add subterm	- infantile, infantilis F84.3 <u>- Lewy body G31.8</u> - multi-infarct F01.1	(URC:0211)		
Add subterm	Disease - lens H27.8 - - specified NEC H27.8 <u>- Lewy body (dementia) G31.8</u>	MRG (URC:0211)	Minor	January 2006
Add new subterm	Disease, diseased (see also Syndrome) - glomerular (see also Glomerulonephritis) N05 - - <u>microscopic polyangiitis M31.7+ N08.5*</u>	Germany (URC: 0254)	Major	January 2006
Delete code	Dislocation (articular) - limb T43 - - lower T13.2	Germany (URC:0234)	Minor	January 2006
Add subterm and codes Delete subterm and codes	Disorder - glomerular (in) N05.9 <u>- - microscopic polyangiitis M31.7† N08.5*</u> <u>— polyarteritis nodosa M30.0† N08.5*</u>	Germany (URC:0254)	Major	January 2006
Delete index entry	Drainage, suprapubic, bladder N32.2	Germany (URC:0235)	Minor	January 2006
Add subterm and code	Drug - detoxification therapy Z50.3 <u>- fever R50.2</u> - habit — <i>code to F10–F19 with fourth character .2</i>	Nordic Centre (URC:0264)	Major	January 2006
Revise code	Dyke-Young anaemia (secondary) (symptomatic) D59.8 <u>D59.1</u>	Germany (URC:0228)	Minor	January 2006
Delete terms and code Add subterms and codes	Eisenmenger's defect, complex or syndrome Q21.8 <u>- complex or syndrome I27.8</u> <u>- defect Q21.8</u>	UK (URC:0103)	Major	January 2006

<p>Add subterm and code</p> <p>Add subterm and code</p> <p>Add subterm and code</p>	<p>Exposure (to) (<i>see also</i> Contact, with) T75.8</p> <ul style="list-style-type: none"> - air - - contaminants NEC Z58.1 - - - <u>tobacco smoke Z58.7</u> - - - occupational NEC Z57.3 - - - - dust Z57.2 - - pollution NEC Z58.1 - - - occupational NEC Z57.3 - - - - dust Z57.2 - - - tobacco smoke Z58.7 <ul style="list-style-type: none"> - pollution NEC Z58.5 - - air contaminants NEC Z58.1 - - - <u>tobacco smoke Z58.7</u> - - - occupational Z57.3 	<p>UK (URC:0182)</p>	<p>Major</p>	<p>January 2006</p>
<p>Modify non-essential modifiers</p> <p>Add subterms</p>	<p>Extrasystoles (atrial) (<u>supraventricular</u>) I49.4</p> <ul style="list-style-type: none"> - atrial I49.1 - auricular I49.1 - junctional I49.2 - ventricular I49.3 	<p>North America (URC:0258)</p>	<p>Minor</p>	<p>January 2006</p>
<p>Add subterm and code</p>	<p>Falls</p> <ul style="list-style-type: none"> - <u>repeated R29.6</u> 	<p>Nordic Centre (URC:0263)</p>	<p>Major</p>	<p>January 2006</p>
<p>Modify subterm, delete code</p> <p>Add new subterms</p> <p>Revise code</p> <p>Revise code</p>	<p>Fever R50.9</p> <ul style="list-style-type: none"> - with chills R50.0 - - <u>chills R50.8</u> - - <u>rigors R50.8</u> <ul style="list-style-type: none"> - iodide - - correct substance properly administered R50.9 <u>R50.2</u> <ul style="list-style-type: none"> - persistent (of unknown origin) R50.1 <u>R50.8</u> 	<p>Nordic Centre (URC:0264)</p>	<p>Major</p>	<p>January 2006</p>

Revise code	- steroid - - correct substance properly administered R50.9 <u>R50.2</u>			
Revise code	Fibromyalgia M79.0 <u>7</u>	Germany (URC: 0253)	Major	January 2006
Revise code	Fibromyositis M79.0 <u>7</u>			
Revise code	Fibrositis (periarticular) (rheumatoid) M79.0 <u>7</u>			
Add subterm and code Modify subterm Add subterm and code Modify subterm	Fusion, fused (congenital) - joint (acquired) (<i>see also Ankylosis</i>) - lumbosacral (acquired) M43.2 <u>- - arthrodesis status Z98.1</u> - - congenital Q76.43 - - surgical <u>postprocedural status Z98.1</u> - sacroiliac (acquired) (joint) M43.2 <u>- - arthrodesis status Z98.1</u> - - congenital Q74.2 - - surgical <u>postprocedural status Z98.1</u>	Germany (URC:0229)	Minor	January 2006
Revise code	Gangrene, gangrenous (dry) (moist) (skin) (ulcer) (<i>see also Necrosis</i>) R02 - pancreas K85. <u>-</u>	MRG (URC:0203)	Major	January 2006
Revise code	Gliosarcoma (M9380/3) (M9442/3)	United Kingdom (URC: 0259)	Minor	January 2006
Delete subterm Add subterm	Glomerulonephritis (<i>see also Nephritis</i>) N05 - in (due to) — polyarteriitis nodosa M31.7+ N08.5* <u>- - microscopic polyangiitis M31.7+ N08.5*</u>	Germany (URC:0254)	Major	January 2006
Add subterm and code	Hepatitis K75.9 - autoimmune K75.4 <u>- bacterial NEC K75.8</u> - catarrhal (acute) B15.9	MRG (URC: 0166)	Major	January 2006
	History (personal) (of)	Germany	Major	January 2006

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004

Add subterm and code	- <u>chemotherapy for neoplastic disease Z92.6</u>	(URC: 0252)		
Delete non-essential modifiers and revise code	Hypertrophy, hypertrophic - fat pad (infrapatellar) (knee) (popliteal) (prepatellar) (retropatellar) M79.4 E65	Germany (URC:0238)	Major	January 2006
Add subterm and code	- - <u>knee (infrapatellar) (popliteal) (prepatellar) (retropatellar) M79.4</u>			
Delete non-essential modifier Add new subterms and code	Ileus (bowel) (colon) (inhibitory) (intestine) - (neurogenic) K56.7 - <u>neurogenic K56.0</u> - - <u>Hirschsprung's disease or megacolon Q43.1</u>	Germany (URC:0236)	Minor	January 2006
Add subterm	Impaired, impairment (function) - kidney (<i>see also</i> Failure, renal) N19 - - <u>acute N17.-</u> - - disorder resulting from N25.9	Australia (URC: 0217)	Minor	January 2006
Add subterm	- renal (<i>see also</i> Failure, renal) N19 - - <u>acute N17.-</u> - - disorder resulting from N25.9			
Revise code	Infection, infected (opportunistic) - pleuro-pneumonia-like organism (PPLO) NEC A49.8 <u>A49.3</u>	Germany (URC:0237)	Minor	January 2006
Revise code	Infection, infected - pancreas (acute) K85.-	MRG (URC:0203)	Major	January 2006
Revise code, delete NEM Add subterm and code Revise code, delete	Infection, infected (opportunistic) - roundworm (large) NEC (<i>s.a.</i> Ascariasis) B77.9 <u>B82.0</u> - - <u>Ascariasis B77.-</u> Infestation	Germany (URC:0244)	Major	January 2006

NEM Add subterm and code	– roundworm (large) NEC (s.a. Ascariasis) B77.9 <u>B82.0</u> – - <u>Ascariasis B77.-</u>			
Remove dagger Delete code	Kyphoscoliosis, kyphoscoliotic (acquired) (<i>see also Scoliosis</i>) M41.9 - late effect of rickets E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Remove dagger Delete code	Kyphosis, kyphotic (acquired) M40.2 - late effect of rickets E64.3 M49.8*			
Add subterms and codes	Labor - early onset (before 37 completed weeks of gestation) Ø60 - - with - - - <u>pre-term delivery O60.1</u> - - - <u>term delivery O60.2</u> - - without delivery O60.0	Germany (URC:0222)	Major	January 2006
Add subterms and codes	- premature or preterm Ø60 - - with - - - <u>pre-term delivery O60.1</u> - - - <u>term delivery O60.2</u> - - without delivery O60.0			
Delete dagger and code	Legionnaire's – disease A48.1 – pneumonia A48.1+ J17.0*	Germany (URC:0239)	Major	January 2006
Add subterm	Leukoencephalopathy (<i>see also</i> Encephalopathy) G93.4 - <u>heroin vapor G92</u> - metachromatic E75.2	MRG (URC:0212)	Minor	January 2006
Add main term	Levurid L30.2 <u>Lewy body (ies) (dementia)(disease)</u> G31.8 Leyden-Moebius dystrophy G71.0	MRG (URC:0211)	Minor	January 2006

Remove daggers delete codes	Lordosis M40.5 - late effect of rickets E64.3 M49.8* - rachitic (late effect) E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Delete NEM, add NEC	Maltreatment (of) child (emotional) (nutritional) <u>NEC</u> T74.9	Germany (URC: 0250)	Minor	January 2006
Add new main term and code	<u>Microscopic polvngitis</u> M31.7	Germany (URC:0254)	Major	January 2006
Revise code	Molar pregnancy NEC 001.9 <u>002.0</u>	Germany (URC:0241)	Minor	January 2006
Revise code	Myofibrositis M79.0 <u>7</u>	Germany (URC:0253)	Major	January 2006
Revise code	Necrosis, necrotic - pancreas (aseptic) (duct) (fat) K86.8 - - acute (infective) K85.2	MRG (URC:0203)	Major	January 2006
Revise code Revise code Revise code	Neoplasm - cauda equina C72.1 C79.34 D33.4 D43.4 - conus medullaris C72.0 C79.34 D33.4 D43.4 - filum terminale C72.0 C79.34 D33.4 D43.4	Germany (URC:0245)	Minor	January 2006
Revise code	Neoplasm, neoplastic - midbrain C71.7 C79.3 - D33.2 <u>1</u> D43.1	North America (URC: 0257)	Major	January 2006
Delete non- essential modifiers Add new subterms and codes	Obstruction, obstructed, obstructive - intestine (mechanical) (neurogenic) (paroxysmal) (postinfective) (reflex) K56.6 - - <u>neurogenic</u> K56.0 - - - <u>Hirschsprung's disease or megacolon</u> Q43.1 - - <u>reflex</u> K56.0	Germany (URC:0236)	Minor	January 2006
Delete NEMs Add subterms and codes	Osteosclerosis (fragilitas) (generalisata) Q78.2 - <u>acquired</u> M85.8 - <u>congenita</u> Q77.4 - <u>fragilitas (generalista)</u> Q78.2	Australia (URC:0216)	Minor	January 2006

	- myelofibrosis D75.8			
Revise code Add subterms	Pancreatitis - acute (edematous) (hemorrhagic) (recurrent) K85.- - - alcohol-induced K85.2 - - biliary K85.1 - - drug-induced K85.3 - - gallstone K85.1 - - idiopathic K85.0 - - specified NEC K85.8	MRG (URC:0203)	Major	January 2006
Revise codes	- annular (acute) K85.- - edematous (acute) K85.- - gangrenous K85.- - hemorrhagic (acute) K85.- - interstitial (chronic) K86.1			
Revise codes	- - acute K85.- - malignant K85.- - subacute K85.- - suppurative K85.-			
Revise code	Persistence, persistent (congenital) - canal of Cloquet Q14.0 - hyaloid - - artery (generally incomplete) Q14.8 Q14.0	Germany (URC:0247)	Minor	January 2006
Add subterm and code	Polyangiitis M30.0 - microscopic M31.7 - overlap syndrome M30.8	Germany (URC:0254)	Major	January 2006
Add new main term, subterm and code	Polyarteritis - microscopic M31.7 Polyarteritis nodosa M30.0 - with lung involvement M30.1 - juvenile M30.2 - related condition NEC M30.8			

Add subterm and code	Polyneuropathy - in (due to) - - <u>microscopic polyangiitis M31.7+ G63.5*</u>			
Revise code	Polyp, polypus - pudendum N84.8 <u>N84.3</u>	Germany (URC:0246)	Minor	January 2006
Add subterms and codes	Pregnancy (single) (uterine) - complicated by (<i>see also Pregnancy, management, affected by</i>) - - early delivery (spontaneous) O60.1 - - onset of contractions before 37 weeks' gestation O60 - - - with - - - - <u>pre-term delivery O60.1</u> - - - <u>term delivery O60.2</u> - - - without delivery O60.0	Germany (URC:0222)	Major	January 2006
Revise code	Premature — <i>see also condition</i> - delivery O60.1	Germany (URC:0222)	Major	January 2006
Revise code	Pyrexia (of unknown origin) R50.9 - persistent R50.4 <u>R50.8</u>	Nordic Centre (URC:0264)	Major	January 2006
Remove dagger Delete code	Rachitic — <i>see also condition</i> - deformities of spine (late effect) E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Revise code	Ranula - congenital Q38.6 <u>Q38.4</u>	Germany (URC: 0243)	Minor	January 2006
Add main term and code	Repeated falls NEC <u>R29.6</u>	Nordic Centre (URC:0263)	Major	January 2006
Revise code	Rigors R68.8 - with fever R50.0 <u>R50.8</u>	Nordic Centre (URC:0264)	Major	January 2006

Remove dagger Delete code	Round - back (with wedging of vertebrae) M40.2 - - late effect of rickets E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Revise code, delete NEM Add subterm and code	Round - worms (large) (infestation) NEC (s.a. Ascariasis) B77.9 <u>B82.0</u> - - ascariasis <u>B77.-</u>	Germany (URC:0244)	Major	January 2006
Revise code	Sacralization M43.2-Q76.4	Germany (URC:0248)	Major	January 2006
Remove dagger delete code	Scoliosis (acquired) (postural) M41.9 - rachitic (late effect or sequelae) E64.3 M49.8*	UK (URC:0184)	Major	January 2006
Add main term Add subterm and code	Smoking - <u>passive Z58.7</u>	UK (URC:0182)	Major	January 2006
Add subterm and code Modify subterm	Stiffness, joint M25.69 - <u>arthrodesis status Z98.1</u> - surgical fusion, <u>status Z98.1</u>	Germany (URC:0229)	Minor	January 2006
Revise code	Suppuration, suppurative — <i>see also condition</i> - pancreas, acute K85.2	MRG (URC:0203)	Minor	January 2006
Delete NEM, add NEC	Syndrome - child maltreatment (emotional) (nutritional) <u>NEC T74.9</u>	Germany (URC: 0250)	Minor	January 2006
Add subterm and code	Tendency - suicide R45.8 - - constituting part of a mental disorder — <i>see condition</i> - <u>to fall R29.6</u>	Nordic Centre (URC:0263)	Major	January 2006
	Tumor (M8000/1)	Germany	Minor	January 2006

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004

Modify see note	- Bednar (M8833/3) - see <i>Neoplasm, <u>skin</u>, malignant</i>	(URC:0249)		
-----------------	--	------------	--	--

Index to External Causes

Instruction	Alphabetic index entries	Source	Major/Minor update	Implementation date
Add subterm and code	Contact (accidental) - with - - needle W27.- - - - <u>hypodermic W46.-</u>	UK (URC:0181)	Major	January 2006
Add subterm and code	Crushed - by, in - - crowd or human stampede W52.- - - <u>door (building) W23.-</u> - - falling	MRG (URC:0255)	Minor	January 2006

Table of Drugs and Chemicals

Revise code	Vapour (see also Gas)T59.9 X47.9 X67.9 Y17.9 - specified source NEC..... <u>T59.8</u> X47.8 X67.8 Y17.8	Australia (URC:0251)	Minor	January 2006
-------------	---	-------------------------	-------	--------------

Ratified by WHO-FIC Network at the annual meeting in Reykjavik, October 2004