



WORLD HEALTH ORGANIZATION

OFFICIAL UPDATES TO ICD-10

The following pages include the official changes to the tabular list, instruction manual and alphabetical index of ICD-10. These changes were approved in principle at the Heads of Centres meetings in Tokyo, October 1996. The source for each change is indicated, as is the implementation date.

Relevant changes in other language versions of ICD-10 and in related tools will also have to be made and disseminated by the appropriate authority.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Date approved	Major/Minor update	Implementation date
Modify subterm and code Add subterm and code	Abuse - child NEC <u>T74.9</u> - - specified NEC <u>T74.8</u>	WHO	October 1996		January 1999
Revise code	Acanthosis (acquired) (nigricans) L83 - tongue <u>K14.3</u>	WHO	October 1996		January 1999
Add subterm and code	Agensis - artery (peripheral) Q27.9 - - specified NEC Q27.8	WHO	October 1996		January 1999
Delete modifier Add subterm and code	Ascites (abdominal) (malignant) – R18 - <u>malignant C78.6</u>	WHO	October 1996		January 1999
Revise code	Bacteremia <u>A49.9</u>	WHO	October 1996		January 1999
Revise code	Compression - umbilical cord - - complicating delivery <u>O69.2</u>	WHO	October 1996		January 1999
Revise code Revise code	Crush, crushed, crushing T14.7 - hip S77.0 - - with thigh <u>S77.2</u> - thigh S77.1 - - with hip <u>S77.2</u>	WHO	October 1996		January 1999

Ratified by HoC/WHO at the HoC meeting in Tokyo, October 1996

Delete modifiers Add subterms and codes Revise code	Cyst (colloid) (mucous) (retention) (simple) - skin (epidermal) (epidermoid) (epithelial) (inclusion) L72.9 - - <u>epidermal, epidermoid L72.0</u> - - <u>epithelial L72.0</u> - - <u>inclusion L72.0</u> - - scrotum <u>L72.9</u>	WHO	October 1996		January 1999
Revise code	Delivery (single) O80.9 - complicated (by) - - compression of cord (umbilical) NEC <u>O69.2</u>	WHO	October 1996		January 1999
Revise code	Disorder (of) - <i>see also</i> Disease - ear, postprocedural H95.9 - - specified NEC <u>H95.8</u>	WHO	October 1996		January 1999
Revise code	Distress - fetal (syndrome) P20.- - - affecting - - - management of pregnancy (unrelated to labor or delivery) <u>O36.3</u>	WHO	October 1996		January 1999
Add subterm and code	Effusion - pleura, pleurisy, pleuritic, pleuropericardial J90 - - <u>malignant C78.2</u>	WHO	October 1996		January 1999
Revise code	Fever R50.9 - persistent (of unknown origin) <u>R50.1</u>	WHO	October 1996		January 1999
Revise code	Gangrene, gangrenous (dry) (moist) (skin) (ulcer) R02 - Fournier § <u>N49.8</u>	WHO	October 1996		January 1999
Revise code	Grand mal - epilepsy (idiopathic) <u>G40.6</u>	WHO	October 1996		January 1999
Revise code	Hydatid - Morgagni § - - male <u>Q55.4</u>	WHO	October 1996		January 1999
Revise code	Hyperglycemia, hyperglycemic R73.9 - coma – <i>code to</i> E10-E14 with fourth character <u>.0</u>	WHO	October 1996		January 1999

Ratified by HoC/WHO at the HoC meeting in Tokyo, October 1996

Delete dagger and code	Rupture, ruptured - uterus (traumatic) S37.6 - - during or after labor O71.1 - - - affecting fetus or newborn P03.8<763.8*	WHO	October 1996		January 1999
Revise morphology code	Schwannoma (M9560/0) – <i>see also</i> Neoplasm, nerve, benign - melanocytic (M9560/0) – <i>see</i> Neoplasm, nerve, benign	WHO	October 1996		January 1999
Revise code	Spoon nail L60.3	WHO	October 1996		January 1999
Revise code Revise code	Syndactylism, syndactyly Q70.9 - fingers (without synostosis) Q70.1 - toes (without synostosis) Q70.3	WHO	October 1996		January 1999
Revise code Revise code	Syphilis, syphilitic (acquired) A53.9 - neuritis - - acoustic A52.1<H94.0* - retina, late A52.7<H32.0*	Germany	October 1996		January 1999
Add subterm	Tear, torn (traumatic) - <i>see also</i> Wound, open - cartilage - <i>see also</i> Sprain - - articular, old M24.1 - <u>cervix</u> - - obstetrical trauma (current) O71.3 - - old N88.1	WHO	October 1996		January 1999
Revise code	Thickening - nail L60.2	WHO	October 1996		January 1999
Revise code	Transection, trunk (abdomen) (thorax) T05.8	WHO	October 1996		January 1999
Revise code	Transverse - <i>see also condition</i> - lie (mother) O32.2 - - causing obstructed labor O64.8	WHO	October 1996		January 1999
Modify subterm	Ulcer, ulcerated, ulcerating, ulceration, ulcerative L98.4 - stomach (eroded) (peptic) (round) K25.9 - - chronic K25.7 - - - with - - - - hemorrhage K25.4 - - - - and perforation K25.6 - - - - and perforation K25.5	WHO	October 1996		January 1999