

Ratified by URC at the HoC meeting in Rio de Janeiro, October 2000



WORLD HEALTH ORGANIZATION

Update Reference Committee

30 November 2000

OFFICIAL UPDATES TO ICD-10

The following pages include the official changes to the tabular list, instruction manual and alphabetical index of ICD-10. These changes were approved in principle at the HoC meeting in Rio de Janeiro, October 2000. Each change has been uniquely identified and the source for each change has been indicated. The implementation date has also been documented.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 1

TABULAR LIST

Instruction	Tabular list entries	Source	Major/Minor update	Implementation date
Revise code	F02.8* Dementia in other specified diseases classified elsewhere Dementia in: hypothyroidism, acquired (<u>E01.-†</u> , E03.-†)	Australia (URC:0053)	Minor	January 2002
Delete	O16 Unspecified maternal hypertension Transient hypertension of pregnancy	Australia (URC:0057)	Major	January 2003
Add	P29.3 Persistent fetal circulation (<u>Persistent</u>) Pulmonary hypertension of newborn	Australia (URC:0061)	Major	January 2003
Add	Injury, poisoning and certain other consequences of external causes (S00-T98) Dislocation, sprain and strain including: laceration of <u>cartilage</u> sprain joint (capsule)	Germany (URC:0032)	Minor	January 2002
Add	Injury to muscle, fascia and tendon including: avulsion	Germany (URC: 0033)	Minor	January 2002
Add	cut of muscle, <u>fascia</u> and tendon laceration			
Add	Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99) <i>Excludes:</i> <u>abnormal reaction to a complication of treatment, without mention of misadventure (Y84.2)</u>	Australia (URC:0062)	Minor	January 2003
Add	<u>misadventure to patient in surgical and medical procedures (Y63.2-Y63.5)</u>			

Instruction	Instruction manual entries	Source	Major/Minor update	Implementation date
Page 39 Replace existing 4 th paragraph with this revised rule	<p>Rule 3</p> <p><i>Assumed direct consequences of another condition</i></p> <p><u>Any pneumonia in J12-J18 should be considered an obvious consequence of conditions that impair the immune system. Pneumonia in J18.0 and J18.2-J18.9 should be considered an obvious consequence of wasting diseases (such as malignant neoplasm and malnutrition) and diseases causing paralysis (such as cerebral haemorrhage or thrombosis), as well as serious respiratory conditions, communicable diseases, and serious injuries. Pneumonia in J18.0 and J18.2-J18.9, J69.0, and J69.8 should also be considered an obvious consequence of conditions that affect the process of swallowing. Note: A list of conditions is available from the World Health Organization.</u></p>	Mortality Reference Group (URC:0047)	Major	January 2003
Page 67 Replace existing text with this revised rule	<p>4.2.2 Interpretation of “highly improbable”</p> <p>...As a guide to the acceptability of sequences in the application of the General Principle and the selection rules, the following relationships should be regarded as “highly improbable”:</p> <p>(a) an infectious or parasitic disease (A00-B99) reported as “due to” any disease outside this chapter, except that:</p> <p>.. <u>any infectious disease may be accepted as "due to" disorders of the immune mechanism such as human immunodeficiency virus [HIV] disease or AIDS; immunosuppression by chemicals (chemotherapy) and radiation. Any infectious disease classified to A00-B19 or B25-B64 reported as "due to" a malignant neoplasm will also be an acceptable sequence.</u></p>	Mortality Reference Group (URC:0051)	Minor	January 2002
Page 68 Add	<p>4.2.2 Interpretation of “highly improbable”</p> <p>...As a guide to the acceptability of sequences in the application of the General Principle and the selection rules, the following relationships should be regarded as “highly improbable”:</p> <p><u>(n) Suicide (X60-X84) reported as “due to” any other cause.</u></p>	Mortality Reference Group (URC:0050)	Major	January 2003

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Major/Minor update	Implementation date
Add Add	Albuminuria, albuminuric (acute) (chronic) (subacute) (<i>see also</i> Proteinuria) R80 - complicating pregnancy, childbirth or puerperium O12.1 - - with - - - gestational hypertension (<i>see also</i> Pre-eclampsia) O14.9 - gestational O12.1 - - with - - - gestational hypertension (<i>see also</i> Pre-eclampsia) O14.9	Australia (URC:0057)	Major	January 2003
Revise code	Android pelvis - with disproportion (fetopelvic) O33.3 - - causing obstructed labour <u>O65.3</u>	United Kingdom (URC:0005)	Minor	January 2002
Add Revise code Add instruction Revise code	Arthritis, arthritic (acute) (chronic) (subacute) M13.9 - Charcot's (tabetic) A52.1† M14.6* - - nonsyphilitic NEC G98† M14.6* - in (due to) - - neurological disorder NEC G98† M14.6* - neuropathic (Charcot) (tabetic) A52.1† M14.6* - - diabetic (<i>see also</i> E10-E14 with fourth character .6) E14.6† M14.6* - - non syphilitic NEC G98† M14.6*	Australia (URC:0056)	Major	January 2003
Add instruction Add Add instruction Revise code	Arthropathy (<i>see also</i> Arthritis) M13.9 - Charcot's (tabetic) A52.1† M14.6* - - diabetic (<i>see also</i> E10-E14 with fourth character .6) E14.6† M14.6* - - nonsyphilitic NEC G98† M14.6* - neurogenic, neuropathic (Charcot) (tabetic) A52.1† M14.6* - - diabetic (<i>see also</i> E10-E14 with fourth character .6) E14.6† M14.6* - - nonsyphilitic NEC G98† M14.6*	Australia (URC:0056)	Major	January 2003

Add Add Add Revise Revise Delete	Charcot's - arthropathy (tabetic) A52.1† M14.6* - - <u>diabetic (see also E10-E14 with fourth character .6) E14.6† M14.6*</u> - - <u>nonsyphilitic NEC G98† M14.6*</u> - - <u>syringomyelic G95.0† M49.4*</u> - disease (tabetic arthropathy) A52.1† M14.6* – <u>see Charcot's arthropathy</u> - joint (disease) (tabetic) A52.1† M14.6* – <u>see Charcot's arthropathy</u> - diabetic E14.6† M14.6*	Australia (URC:0056)	Major	January 2003
Revise code	Collapse R55 - vertebra NEC M48.5 - - in (due to) - - - osteoporosis (<i>see also</i> Osteoporosis) <u>M80.9</u>	United Kingdom (URC:0007)	Minor	January 2002
Delete	Degeneration, degenerative - corticostriatal spinal G31.8	Germany (URC:0035)	Major	January 2003
Add	Dementia (persisting) - in (due to) - - hypothyroidism, acquired E03.-† F02.8* - - - due to iodine-deficiency E01.-† F02.8*	Australia (URC:0053)	Minor	January 2002
Add dot and dash to indicate 4 th char.	Development - tardy, mental (see also Retardation, mental) F79.₂	United Kingdom (URC:0004)	Minor	January 2002
Add Add Add	Disease, diseased – see also Syndrome - joint M25.9 - - Charcot's (tabetic) A52.1† M14.6* - - - <u>diabetic (see also E10-E14 with fourth character .6) E14.6† M14.6*</u> - - - <u>nonsyphilitic NEC G98† M14.6*</u> - - - <u>syringomyelic G95.0† M49.4*</u>	Australia (URC:0056)	Major	January 2003
Add Add	Disease, diseased – see also Syndrome - white-spot, meaning lichen sclerosis et atrophicus L90.0 - - <u>penis N48.0</u> - - <u>vulva N90.4</u>	Australia (URC:0058)	Minor	January 2002

Add Delete	Drug - <u>abuse counseling and surveillance Z71.5</u> - counseling and surveillance Z71.5 # Note: The secretariat has slightly modified Germany's proposal (the proposed change alters the alphabetic order)	Germany (URC:0036)	Minor	January 2002
Add modifier Add	Frozen (see also Effect, adverse, cold) T69.9 - pelvis (<u>female</u>) N94.8 - - <u>male K66.8</u>	United Kingdom (URC:0022)	Major	January 2003
Add Revise term and code	History (personal) (of) - family, of - - <u>respiratory condition, chronic NEC Z82.5</u> - respiratory condition, chronic NEC Z87.0	United Kingdom (URC:0013)	Minor	January 2002
Add Revise Revise Add Add Add	Hypertension, hypertensive (accelerated)...I10 - complicating pregnancy, childbirth or puerperium O16 - - pregnancy-induced (see also <u>Hypertension, gestational</u>) O13 - - transient O16 – see <u>Hypertension, gestational</u> - gestational (pregnancy-induced) (<u>without significant proteinuria</u>) (see also Hypertension, complicating pregnancy) O13 - - <u>with significant proteinuria or albuminuria (and edema) (see also Pre-eclampsia)</u> <u>O14.9</u> - newborn P29.2 - - <u>pulmonary (persistent) P29.3</u> - pulmonary (artery) I27.0 - - <u>of newborn (persistent) P29.3</u>	Australia (URC:0057) Australia (URC:0061)	Major	January 2003
Revise code Revise code	Impetigo (any organism) (any site) (circinate) (contagiosa) (simplex) L01.0 - bullous, bullosa <u>L01.0</u> - neonatorum <u>L01.0</u>	Australia (URC:0059)	Minor	January 2002
Add Add modifier	Injury (see also specified injury type) T14.9 - fascia – see <u>Injury, muscle</u> - muscle (<u>and fascia</u>) (and tendon) T14.6	Germany (URC:0033)	Minor	January 2002

Revise code Add	Kussmaul's - respiration <u>E87.2</u> - - in diabetic acidosis – <i>code to</i> E10-E14 with a fourth character of .1	United Kingdom (URC:0011)	Major	January 2003
Add Add Add Add	Lichen L28.0 - albus L90.0 - - penis <u>N48.0</u> - - vulva <u>N90.4</u> - atrophicus L90.0 - - penis <u>N48.0</u> - - vulva <u>N90.4</u> - sclerosus (et atrophicus) L90.0 - - penis <u>N48.0</u> - - vulva <u>N90.4</u>	Australia (URC:0058)	Minor	January 2002
Revise	Pneumonia (acute) (double)... J18.9 - atypical <u>NEC</u> (disseminated, focal) <u>J18.9</u>	Australia (URC:0063)	Major	January 2003
Add	Proteinuria R80 - complicating pregnancy, childbirth or puerperium O12.1 - - significant, with gestational hypertension (<i>see also</i> Pre-eclampsia) O14.9	Australia (URC:0057)	Major	January 2003
Add dot and dash to indicate 4 th char.	Retardation - mental F79,-	United Kingdom (URC:0004)	Minor	January 2002
Delete modifier Add Add Add	Self-mutilation (history) - <u>history (personal)</u> Z91.5 - - in family Z81.8 - <u>observation following (alleged) attempt</u> Z03.8	United Kingdom (URC:0006)	Minor	January 2002
Delete part of modifier and revise code Delete	Tophi (<i>see also</i> Gout, tophi) <u>M10.-</u> - heart <u>M10.0</u>	United Kingdom (URC:0016)	Minor	January 2002
Revise code Add Add	Torsion - hydatid of Morgagni <u>N83.5</u> - - female <u>N83.5</u> - - male <u>N44</u>	Germany (URC:0038)	Minor	January 2002

Table of Drugs and Chemicals

Instruction	Alphabetic index entries	Source	Major/Minor update	Implementation date
Revise code	Antagonist - H ₂ receptor	Chapter XIX <u>T47.0</u>	United Kingdom (URC:0008)	Minor January 2002
Revise code	Influenza vaccine	Adverse effect in therapeutic use <u>Y59.0</u>	United Kingdom (URC:0003)	Major January 2003
Revise code	Meningococcal vaccine	Adverse effect in therapeutic use <u>Y58.9</u>	United Kingdom (URC:0009)	Major January 2003