

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003



WORLD HEALTH ORGANIZATION

Update Reference Committee

11th February 2004

OFFICIAL UPDATES TO ICD-10

The following pages include the official changes to the tabular list, instruction manual and alphabetical index of ICD-10. These changes were approved in principle at the WHO-FIC Network annual meeting in Cologne, Germany in October 2003. Each change has been uniquely identified and the source for each change has been indicated. The implementation date has also been documented.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 1 **TABULAR LIST**

Instruction	Tabular list entries	Source	Major/Minor update	Implementation date
Page iii	Contents Tabular list of inclusions and four-character subcategories <u>XXII</u> Codes for special purposes	MRG (URC:0204)	Major	October 2003
Page 104	Chapter XXII <u>Codes for special purposes</u> <u>(U00-U99)</u> <u>Provisional assignment of new diseases of uncertain etiology</u> <u>(U00-U49)</u> U04 Severe acute respiratory syndrome [SARS]	MRG (URC:0204)	Major	October 2003
Add inclusion term	A04.7 Enterocolitis due to <i>Clostridium difficile</i> <u>Pseudomembranous colitis</u>	MRG (URC:0165)	Major	January 2006
Modify excludes note	A04 Other bacterial intestinal infections <i>Excludes:</i> foodborne intoxications, bacterial (A05.)elsewhere <u>classified</u> tuberculous enteritis (A18.3)	MRG (URC:0167)	Major	January 2006
Add inclusion term	A04.7 Enterocolitis due to <i>Clostridium difficile</i> <u>Foodborne intoxication by <i>Clostridium difficile</i></u>			
Modify title	A05 Other bacterial foodborne intoxications, <u>not elsewhere classified</u>			
Delete note	Human immunodeficiency virus [HIV] disease (B20-B24) Note: The fourth character subcategories of B20-B23 are provided for optional use	MRG (URC:0202)	Minor	January 2005

	where it is not possible or not desired to use multiple coding to identify the specific conditions.			
Add inclusion term	C78.2 Secondary malignant neoplasm of pleura <u>Malignant pleural effusion NOS</u>	MRG (URC:0171)	Minor	January 2005
Delete inclusion term	D56.1 Beta thalassaemia Sickle-cell beta thalassaemia	Australia (URC:0136)	Major	January 2006
Delete exclusion term	D57 Sickle-cell disorders <i>Excludes:</i> sickle-cell beta thalassaemia (D56.1)			
Add inclusion term	D57.2 Double heterozygous sickling disorders Disease: . <u>sickle-cell thalassaemia</u>			
Add new code	<u>G90.4 Autonomic dysreflexia</u>	North America (URC:0206)	Major	January 2006
Add instructional note	H65 Non suppurative otitis media <i>Includes:</i> with myringitis <u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u>	United Kingdom (URC:0185)	Major	January 2006
Add instructional note	H66 Suppurative and unspecified otitis media <i>Includes:</i> with myringitis <u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u>			
Modify includes note	I07 Rheumatic tricuspid valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> when specified as nonrheumatic (I36.-)	MRG (URC:0199)	Minor	January 2005
Modify includes note	I08 Multiple valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> endocarditis, valve unspecified (I38)			

<p>Add exclusion term</p> <p>Modify inclusion term</p>	<p>rheumatic diseases of endocardium, valve unspecified (I09.1) <u>multiple valve diseases of specified origin other than rheumatic heart disease (use appropriate codes in I34-I38, Q22-Q23 and Q24.8)</u></p> <p>-</p> <p>I08.0 Disorders of both mitral and aortic valves Involvement of both mitral and aortic valves whether specified as rheumatic or not <u>of unspecified origin</u></p>			
<p>Delete inclusion term</p>	<p>I27 Other pulmonary heart diseases</p> <p>I27.0 Primary pulmonary hypertension Pulmonary (artery) hypertension (idiopathic)(primary)</p> <p>I27.1 Kyphoscoliotic heart disease</p> <p>I27.2 Other secondary pulmonary hypertension Use additional code, if desired, to identify the underlying disease</p> <p>I27.8 Other specified pulmonary heart diseases</p>	<p>USA (URC:0187)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Modify exclusion term</p>	<p>I34 Nonrheumatic mitral valve disorders <i>Excludes:</i> mitral (valve):</p> <ul style="list-style-type: none"> • disease (I05.9) • failure (I05.8) • stenosis (I05.0) <p>when of unspecified cause but with mention of:</p> <ul style="list-style-type: none"> • diseases of aortic valve (I08.0) • mitral stenosis or obstruction (I05.0) <p>when specified as rheumatic (I05.-) when specified as congenital (Q23.2, Q23.3)</p> <hr/> <p>I35 Nonrheumatic aortic valve disorders <i>Excludes:</i> hypertrophic subaortic stenosis (I42.1) when of unspecified cause but with mention of diseases of mitral valve (I08.0)</p>	<p>MRG (URC:0199)</p>	<p>Minor</p>	<p>January 2005</p>

<p>Modify exclusion term</p> <p>Modify exclusion term</p> <p>Modify exclusion term</p> <p>Modify inclusion term</p>	<p>when specified as rheumatic (I06.-) <u>when specified as congenital (Q23.0, Q23.1)</u></p> <p>I36 Nonrheumatic tricuspid valve disorders <i>Excludes:</i> when of unspecified cause (I07.-) when specified as rheumatic (I07.-) <u>when specified as congenital (Q22.4, Q22.8, Q22.9)</u></p> <p>I37 Pulmonary valve disorders <i>Excludes:</i> when specified as rheumatic (I09.8) <u>when specified as congenital (Q22.1, Q22.2, Q22.3)</u></p> <p>I38 Endocarditis, valve unspecified Endocarditis (chronic) NOS Valvular:</p> <ul style="list-style-type: none"> • incompetence • insufficiency • regurgitation • stenosis <p>Valvulitis (chronic)</p> <p style="margin-left: 40px;">} of } NOS or of specified } unspecified valve } cause, except rheumatic <u>or congenital</u></p> <p><i>Excludes:</i> endocardial fibroelastosis (I42.4) When specified as rheumatic (I09.1) when specified as congenital (I42.4)</p>			
<p>Modify excludes note and add exclusion terms</p>	<p>I47 Paroxysmal tachycardia</p> <p><i>Excludes:</i> tachycardia: NOS (R00.0) <u>. NOS (R00.0)</u> <u>. sinoauricular NOS (R00.0)</u> <u>. sinus [sinusal] NOS (R00.0)</u></p> <p>I49 Other cardiac arrhythmias</p>	<p>Australia (URC:0041)</p>	<p>Major</p>	<p>January 2006</p>

Modify excludes note and add exclusion terms	Excludes: bradycardia: NOS (R00.1) <u>. NOS (R00.1)</u> <u>. sinoatrial (R00.1)</u> <u>. sinus (R00.1)</u> <u>. vagal (R00.1)</u>			
Add excludes note	J44.8 Other specified chronic obstructive pulmonary disease Chronic bronchitis: <ul style="list-style-type: none"> • Asthmatic (obstructive) NOS • Emphysematous NOS • Obstructive NOS Excludes: with acute lower respiratory infection (J44.0) <u>with acute exacerbation (J44.1)</u>	MRG (URC:0162)	Major	January 2006
Modify excludes note	J60 Coalworker's pneumoconiosis Anthracosilicosis Anthracosis Coalworker's lung Excludes: with tuberculosis <u>in A15-A16 (J65)</u>	MRG (URC:0168)	Minor	January 2005
Modify excludes note	J61 Pneumoconiosis due to asbestos and other mineral fibres Asbestosis Excludes: pleural plaque with asbestosis (J92.0) with tuberculosis <u>in A15-A16 (J65)</u>			
Modify excludes note	J62 Pneumoconiosis due to dust containing silica Includes: silicotic fibrosis (massive) of lung Excludes: pneumoconiosis with tuberculosis <u>in A15-A16 (J65)</u>			
Modify excludes note	J63 Pneumoconiosis due to other inorganic dusts Excludes: with tuberculosis <u>in A15-A16 (J65)</u>			
Modify excludes note	J64 Unspecified pneumoconiosis Excludes: with tuberculosis <u>in A15-A16 (J65)</u>			
	M24.8 Other specific joint derangements, not elsewhere classified	Germany	Major	January 2006

Add excludes note	Irritable hip <i>Excludes:</i> that involving iliotibial band syndrome (M76.3)	(URC:0037)		
Modify excludes note	M62.2 Ischaemic infarction of muscle <u>Compartment syndrome, non-traumatic</u> <i>Excludes:</i> compartment syndrome, <u>traumatic</u> (T79.6)	MRG (URC:0196)	Minor	January 2005
Add instructional note	O86 Other puerperal infections Use additional code (B95-B97), if desired, to identify infectious agent. <i>Excludes:</i> infection during labour (O75.3)	MRG (URC:0159)	Minor	January 2005
Add new code	P91 Other disturbances of cerebral status of newborn P91.0 Neonatal cerebral ischaemia P91.1 Acquired periventricular cysts of newborn P91.2 Neonatal cerebral leukomalacia P91.3 Neonatal cerebral irritability P91.4 Neonatal cerebral depression P91.5 Neonatal coma P91.6 Hypoxic ischaemic encephalopathy of newborn P91.8 Other specified disturbances of cerebral status of newborn P91.9 Disturbance of cerebral status of newborn, unspecified	MRG (URC:0172)	Major	January 2006
Add inclusion terms	R00.0 Tachycardia, unspecified <u>Tachycardia:</u> . <u>sinoauricular NOS</u> . <u>sinus [sinusal] NOS</u>	Australia (URC:0041)	Major	January 2006
Add inclusion terms	R00.1 Bradycardia, unspecified <u>Bradycardia:</u> . <u>sinoatrial</u> . <u>sinus</u> . <u>vagal</u>			
Page 1013	Place of occurrence code	MRG (URC:0197)	Major	Deferred (See note*)

<p>Replace deleted text with underlined text</p>	<p>The following fourth character subdivisions <u>categories</u> are provided for to be used as separate variables in addition to <u>with ICD categories W00-Y34 except Y06, and Y07-</u> to identify the place of occurrence of the external cause where relevant:</p> <p><i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i></p>			
<p>Page 1017</p> <p>Replace deleted text with underlined text</p>	<p>Activity code</p> <p>The following subclassification <u>categories</u> is are provided for optional to be used in a supplementary character position with <u>as separate variables in addition to ICD categories V01-Y34</u> to indicate the activity of the injured person at the time the event occurred. This subclassification <u>supplementary classification</u> should not be confused with, or be used instead of, the recommended fourth character subdivisions <u>categories</u> provided to indicate the place of occurrence of events classifiable to W00-Y34.</p> <p><i>*Note: It was decided at the 2003 meeting in Cologne that the activity code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i></p>	<p>MRG (URC:0197)</p>	<p>Major</p>	<p>Deferred (See note*)</p>
<p>Page 1018</p> <p>Add exclusion terms</p>	<p>Transport accidents (V01-V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim’s mode of transport and are subdivided to identify the victim’s “counterpart” or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p> <p><i>Excludes:</i> <u>accidents to persons engaged in the maintenance or repair of transport equipment or vehicle not in motion not on a public highway (W00-X59)</u> assault by crashing of motor vehicle (Y03.-)</p>	<p>MRG (URC: 0153)</p>	<p>Minor</p>	<p>January 2005</p>

	<p>event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>			
<p>Page 1021</p> <p>Add definition</p> <p>Revise numbering</p>	<p>(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons.</p> <p>Includes: minibus</p> <p>(o) <i>A motor vehicle or vehicle</i> may refer to various transport vehicles. <u>The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for “unspecified.”</u></p> <p>(op) A <i>pick-up truck or van</i> is a four- or six-wheeled motor vehicle designed primarily for carrying property, weighing less than the local limit for classification as a heavy goods vehicle, and not requiring a special driver’s license.</p> <p>Succeeding notes would be renumbered</p>	<p>MRG (URC:0177)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Revise code</p>	<p>X39 Exposure to other and unspecified forces of nature</p> <p>Includes: natural radiation NOS tidal wave NOS</p> <p>Excludes: exposure NOS (X59.9)</p>	<p>MRG (URC:0201)</p>	<p>Major</p>	<p>January 2006</p>
<p>Add text to includes note</p>	<p>Accidental poisoning by and exposure to noxious substances (X40-X49)</p> <p>[See pages 1013-1017 for fourth-character subdivisions]</p> <p>Includes: (self-inflicted) poisoning, when not specified whether accidental or with intent to harm. <u>Follow legal rulings when available (See note p1095)</u></p>	<p>MRG (URC:0161)</p>	<p>Minor</p>	<p>January 2005</p>

<p>Delete includes note</p> <p>Add subcategory</p> <p>Add subcategory</p> <p>Add includes note</p>	<p>X59 Exposure to unspecified factor * <u><i>Includes:</i> accident NOS</u> <u>exposure NOS</u></p> <p>X59.0 Exposure to unspecified factor causing fracture X59.9 Exposure to unspecified factor causing other and unspecified injury</p> <p><u><i>Includes:</i> accident NOS</u> <u>exposure NOS</u></p> <p><i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available (SeeURC:0197)</i></p>	<p>MRG (URC:0201)</p>	<p>Major</p>	<p>January 2006</p>
<p>Add text to note</p>	<p>Event of undetermined intent (Y10-Y34)</p> <p>[See pages 1013-1017 for fourth-character subdivisions]</p> <p><i>Note:</i> This section covers events where available information is insufficient to enable a medical or legal authority to make a distinction between accident, self-harm or assault. It includes self- inflicted injuries, but not poisoning, when not specified as accidental or with intent to harm (X40-X49). <u>Follow legal rulings when available.</u></p>	<p>MRG (URC:0161)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Add includes note</p>	<p>Y35 Legal intervention</p> <p><u><i>Includes:</i> injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal action.</u></p>	<p>MRG (URC 0154)</p>	<p>Minor</p>	<p>January 2005</p>
	<p>Z87.8 Personal history of other specified conditions Conditions classifiable to S00-T98</p>	<p>Australia (URC:0135)</p>	<p>Minor</p>	<p>January 2005</p>

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003

Add excludes note	<u>Excludes:</u> personal history of self harm (Z91.5)			
Add new chapter	<u>Chapter XXII</u> <u>Codes for special purposes</u> <u>(U00-U99)</u>	MRG (URC:0204)	Major	October 2003
Add text	<u>This chapter contains the following block:</u> <u>U00-U49 Provisional assignment of new diseases of uncertain etiology</u>			
Add new code range	<u>Provisional assignment of new diseases of uncertain etiology</u> <u>(U00-49)</u>			
Add new category	<u>U04 Severe acute respiratory syndrome [SARS]</u>			
Add new code	<u>U04.9 Severe acute respiratory syndrome [SARS], unspecified</u>			

Volume 2

INSTRUCTION MANUAL

Instruction	Instruction manual entries	Source	Major/Minor update	Implementation date
<p>Page 39 Change existing text as indicated</p>	<p>Any disease <u>Diseases</u> described or qualified as "embolic" may be assumed to be a direct consequence of venous thrombosis, phlebitis or thrombophlebitis, valvular heart disease, atrial fibrillation, childbirth and <u>or any operation. However, there must be a clear route from the place where the thrombus formed and the place of the embolism. Thus, venous thrombosis or thrombophlebitis may cause pulmonary embolism. Thrombi that form in the left side of the heart (for example on mitral or aortic valves), or are due to atrial fibrillations, may cause embolism to the arteries of the body circulation. Similarly, thrombi that form around the right side heart valves (tricuspid and pulmonary valves) may give rise to embolism in the pulmonary arteries. Also, thrombi that form in the left side of the heart could pass to the right side if a cardiac septal defect is present.</u></p> <p>Note: Then follows new text from URC:0188 (see below)</p>	<p>MRG (URC: 0156)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Page 39 Add text</p>	<p>Any disease described or qualified as "embolic" may be assumed...</p> <p><u>Dementia, without a mention of specified cause, should be considered a consequence of conditions that typically involve irreversible brain damage. However, when a specified cause is given, only a condition that may lead to irreversible brain damage should be accepted as cause of the dementia, even if irreversible brain damage is not a typical feature of the condition.</u></p> <p>Any disease described as secondary should be assumed to be...</p>	<p>MRG (URC:0175)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Page 39 Add text</p>	<p>Secondary or unspecified anaemia, malnutrition, marasmus or cachexia may be assumed to be a consequence of any malignant neoplasm, <u>paralytic disease, or disease which limits the ability to care for oneself, including dementia and degenerative diseases of the nervous system.</u></p>	<p>MRG (URC:0169)</p>	<p>Minor</p>	<p>January 2005</p>

	<u>Example 56: I (a) Respiratory failure (b) HIV Code to B24. Respiratory failure is an ill-defined condition and does not link to any of the categories in B20-B23.</u>			
Page 51 Add text	A46 Erysipelas ... B16 Acute hepatitis B B17 Other acute viral hepatitis <u>when reported as the originating antecedent cause of:</u> K72.1 (Chronic hepatic failure), code B18.- K74.0-K74.2, K74.4-K74.6 (Fibrosis and cirrhosis of liver), code B18.- B20-B24 Human immunodeficiency virus [HIV] disease	MRG (URC:0173)	Minor	January 2005
Page 51 Delete text Add new paragraph	B20-B24 Human immunodeficiency virus [HIV] disease The subcategories at B20-B23 are the only optional four-character codes for countries using the four-character version of ICD-10. These four-character subcategories are provided for use where it is not possible or not desired to use multiple-cause coding. <u>Modes of dying, ill-defined and trivial conditions reported as complications of HIV infection should not be linked to categories in B20-B23, unless there is a specific entry in Volume 3 to that effect.</u> Conditions classifiable to two or more subcategories..	MRG (URC:0202)	Minor	January 2005
Page 52 Change existing text as indicated	F03-F09 Organic, including symptomatic, mental disorders Not to be used if the underlying physical condition is known	MRG (URC:0151)	Minor	January 2005
Page 52 Add text	F10.- Mental and behavioural disorders due to use of alcohol <u>with mention of:</u> K70.- (Alcoholic liver disease), code K70.- K72 (Hepatic failure, not elsewhere classified), code K70.4	MRG (URC:0192)	Minor	January 2005

	<p><u>K73 (Chronic hepatitis, not elsewhere classified), code K70.1</u> <u>K74.0 (Hepatic fibrosis), code K70.2</u> <u>K74.1 (Hepatic sclerosis), code K70.2</u> <u>K74.2 (Hepatic fibrosis with hepatic sclerosis), code K70.2</u> <u>K74.6 (Other and unspecified cirrhosis of liver), code K70.3</u> <u>K75.9 (Inflammatory liver disease, unspecified), code K70.1</u> <u>K76.0 (Fatty (change) of liver, not elsewhere classified), code K70.0</u> <u>K76.9 (Liver disease, unspecified), code K70.9</u></p>			
Page 52 Add text	<p>F10.- Mental and behavioural disorders due to use of alcohol</p> <p><i>With mention of:</i></p> <p><u>E24.4 (Alcohol-induced Cushing's syndrome), code E24.4</u> <u>G31.2 (Degeneration of the nervous system due to alcohol), code G31.2</u> <u>G62.1 (Alcoholic polyneuropathy), code G62.1</u> <u>G72.1 (Alcoholic myopathy), code G72.1</u> <u>I42.6 (Alcoholic cardiomyopathy), code I42.6</u> <u>K29.2 (Alcoholic gastritis), code K29.2</u> <u>K70.- (Alcoholic liver disease), code K70.-</u> <u>K85 (Acute pancreatitis), code K85</u> <u>K86.0 (Alcohol-induced chronic pancreatitis), code K86.0</u> <u>O35.4 (Maternal care for (suspected) damage to foetus from alcohol), code, O35.4</u></p>	MRG (URC: 0160)	Minor	January 2005
Page 53 Add text	<p><u>I08 Multiple valve diseases</u></p> <p><u>Not to be used for multiple valvular diseases of specified, but non rheumatic origin. When multiple valvular diseases of non-rheumatic origin are reported on the same death certificate, the underlying cause should be selected by applying the General Principle or Rules 1,2 or 3 in the normal way.</u></p>	MRG (URC:0199)	Minor	January 2005
Page 56 Add text	<p><u>I60-I69 Cerebrovascular diseases</u></p> <p><u>when reported as the originating antecedent cause of conditions in:</u></p>	MRG (URC: 0151)	Minor	January 2005

	<u>F01-F03, code F01</u>			
Page 56 Modify code range Add text	I67.2 Cerebral atherosclerosis <i>with mention of:</i> I60-I66 (Cerebral haemorrhage, cerebral infarction or stroke, <u>occlusion and stenosis of precerebral and cerebral arteries</u>), code I60-I64 .	MRG (URC:0163)	Minor	January 2005
Page 57 Change existing text as indicated Delete text Add text	<p>I70.- Atherosclerosis</p> <p><i>With mention of:</i></p> <p>I10-I13 (Hypertensive disease), code I10-I13 I20-I25 (Ischaemic heart diseases), code I20-I25 I50.- (Heart failure), code I50.- I51.4 (Myocarditis, unspecified), code I51.4 I51.5 (Myocardial degeneration), code I51.5 I51.6 (Cardiovascular disease, unspecified), code I51.6 I51.8 (Other ill-defined heart diseases), code I51.8 I51.9 (Heart disease, unspecified), code I51.9 I60-I69 (Cerebrovascular diseases), code I60-I69</p> <p><i>When reported as the originating antecedent cause of:</i></p> <p>I05-I09 (Conditions classifiable to I05-I09 but not specified as rheumatic), code I34-I38 I34-I38 (Nonrheumatic valve disorders), code I34-I38 I51.9 (Heart disease, unspecified), code I25.1 I71-I78 (Other diseases of arteries, arterioles and capillaries), code I71-I78 K55.- (Vascular disorders of intestine), code K55.- N26 (Unspecified contracted kidney), code I12.-</p>	MRG (URC: 0152)	Major	January 2006
Page 57	I70.- Atherosclerosis	MRG	Minor	January 2005

<p>Add text</p>	<p><i>With mention of:</i> ... <i>when reported as the originating antecedent cause of:</i> I05-I09 (Conditions classifiable to I05-I09 but not specified as rheumatic), code I34-I38 I34-I38 (Nonrheumatic valve disorders), code I34-I38 I71-I78 (Other diseases of arteries, arterioles and capillaries), code I71-I78 K55.- (Vascular disorders of intestine), code K55.- <u>N03 (Chronic nephritis), code I12.-</u> N26 (Unspecified contracted kidney), code I12.-</p>	<p>(URC:0170)</p>		
<p>Page 57</p> <p>Add text</p>	<p>I70.9 Generalised and unspecified atherosclerosis</p> <p><i>With mention of:</i></p> <p>R02 (Gangrene, not elsewhere classified), code I70.2</p> <p><i>When reported as the originating antecedent cause of:</i></p> <hr/> <p>F01 (Vascular dementia), code F01.- F03 (Unspecified dementia), code F01.- G20 (Parkinson's disease) , code G20</p>	<p>MRG (URC: 0151)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Page 59</p> <p>Add text</p>	<p>J95.- Postprocedural respiratory disorders, not elsewhere classified</p> <p>Not to be used for underlying cause mortality coding. See Operations, p 71.</p> <p><u>K72 Hepatic failure, not elsewhere classified</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.4</u></p> <p><u>K73 Chronic hepatitis, not elsewhere classified</u></p>	<p>MRG (URC:0192)</p>	<p>Minor</p>	<p>January 2005</p>

	<p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.1</u></p> <p><u>K74.0 Hepatic fibrosis</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.2</u></p> <p><u>K74.1 Hepatic sclerosis</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.2</u></p> <p><u>K74.2 Hepatic fibrosis with hepatic sclerosis</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.2</u></p> <p><u>K74.6 Other and unspecified cirrhosis of liver</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.3</u></p> <p><u>K75.9 Inflammatory liver disease, unspecified</u></p> <p><i>with mention of:</i></p> <p><u>F10.- (Mental and behavioural disorders due to use of alcohol), code K70.1</u></p>			
--	---	--	--	--

	<table border="1"> <tr><td>G31.2</td><td>G31.2</td></tr> <tr><td>G62.1</td><td>G62.1</td></tr> <tr><td>G72.1</td><td>G72.1</td></tr> <tr><td>I42</td><td>I42.6</td></tr> <tr><td>K29.2</td><td>K29.2</td></tr> <tr><td>K70.-</td><td>K70.-</td></tr> <tr><td>K85</td><td>K85</td></tr> <tr><td>K86.0</td><td>K86.0</td></tr> <tr><td>O35.4</td><td>O35.4</td></tr> </table>	G31.2	G31.2	G62.1	G62.1	G72.1	G72.1	I42	I42.6	K29.2	K29.2	K70.-	K70.-	K85	K85	K86.0	K86.0	O35.4	O35.4			
G31.2	G31.2																					
G62.1	G62.1																					
G72.1	G72.1																					
I42	I42.6																					
K29.2	K29.2																					
K70.-	K70.-																					
K85	K85																					
K86.0	K86.0																					
O35.4	O35.4																					
Page 71 Add text	<p>4.2.6 Operations If an operation appears on the certificate as the cause of death without mention of the condition for which it was performed or of the findings at operation, and the alphabetical index does not provide a specific code for the operation, code to the residual category for the organ or site indicated by the name of the operation (e.g. code “nephrectomy” to N28.9). If the operation does not indicate an organ or site, e.g. “laparotomy”, code to “Other ill-defined and unspecified causes or mortality” (R99), unless there is a mention of a therapeutic misadventure classifiable to Y60-Y84 or a postoperative complication. <u>If there is mention of a misadventure at the time of the procedure, code to Y60-Y69. If there is a mention of an abnormal reaction of the patient, without mention of misadventure at the time of the procedure, code to Y83-Y84.</u></p>	MRG (URC: 0164)	Major	January 2006																		
Page 87 Change existing text as indicated	<p>4.2.11 Poisoning by drugs, medicaments and biological substances When combinations of medicinal agents classified differently are involved, proceed as follows: if one component of the combination is specified as the cause of death, code to that component; if no component is specified as the cause of death, code to the category provided for the combination, e.g. mixed antiepileptics (T42.5). Otherwise, if the components are classified to the same three character category, code to the appropriate subcategory for “Other”; if not, code to T50.9.</p>	MRG (URC:0193)	Major	January 2006																		

<p>Add text</p>	<p><u>A) Selection of the underlying cause of death</u></p> <p><u>i) If one component of the combination is specified as the cause of death, code to that component.</u></p> <p><u>Ex.: I(a) Poisoning by amphetamine</u> <u>II Toxic levels of heroin and flunitrazepam</u></p> <p><u>Code to accidental poisoning by amphetamine (X41). By placing amphetamine poisoning alone in Part I and reporting the other substances as contributing causes of death in Part II, the certifier has identified amphetamine as the most important substance in bringing about the death.</u></p> <p><u>Ex.: I(a) Poisoning by alcohol</u> <u>II Toxic levels of heroin and flunitrazepam</u></p> <p><u>Code to accidental poisoning by alcohol (X45). By placing alcohol poisoning alone in Part I and reporting the other substances as contributing causes of death in Part II, the certifier has identified alcohol as the most important substance in bringing about the death.</u></p> <p><u>Ex.: I(a) Poisoning by heroin</u> <u>II Toxic levels of alcohol and flunitrazepam</u></p> <p><u>Code to accidental poisoning by heroin (X42). By placing heroin poisoning alone in Part I and reporting the other substances as contributing causes of death, the certifier has identified heroin as the most important substance in bringing about the death.</u></p> <p><u>ii) When no component is specified as the main cause of death, clarification should be sought from the certifier.</u></p> <p><u>iii) When no such clarification can be obtained, code combinations of alcohol with a drug to the drug. For other multi-drug deaths, code to the appropriate category for "Other".</u></p>			
-----------------	--	--	--	--

	<p><u>B) Identifying the most dangerous drug</u></p> <p><u>To provide useful statistics on multiple drug deaths, it is of utmost importance that the most dangerous drug is identifiable in addition to the underlying cause (see also <i>Nature of injury</i>, pp 86-87). When selecting the code for the most dangerous drug, apply the following instructions.</u></p> <p><u>If one component of the combination is specified as the cause of death, code to that component. If no single component is indicated as the cause of death, code combinations of alcohol with a drug to the drug. When the classification provides a specific category for a combination of drugs, e.g. mixed antiepileptics (T42.5), code to that category. If no appropriate combination category is available, select the main injury code in the following order of priority:</u></p> <ol style="list-style-type: none"> <u>1. Opioids (T40.0-T40.2)</u> <u>Combinations including opioids classifiable to more than one fourth-character subcategory in T40.0-T40.2: Code to T40.2</u> <u>2. Cocaine (T40.5)</u> <u>3. Psychostimulants with abuse potential (T43.6)</u> <u>Includes: Amphetamine and derivatives</u> <u>4. Synthetic narcotics and other and unspecified narcotics (T40.3-T40.4, T40.6)</u> <u>Combinations including synthetic narcotics classifiable to more than one fourth-character subcategory in T40.3-T40.4: Code to T40.4</u> <u>Combinations including synthetic narcotics classifiable to more than one fourth-character subcategory in T40.3-T40.4 with other and unspecified narcotics classifiable to T40.6: Code to T40.6</u> <u>5. Antidepressants (T43.0-T43.2)</u> <u>Combinations including antidepressants classifiable to more than one fourth-character subcategory in T43.0-T43.2: Code to T43.2</u> <u>6. Non-opioid analgesics (T39.-)</u> <u>Combinations including non-opioid analgesics classifiable to more than one fourth-character subcategory in T39.0-T39.4: Code to T39.8</u> <u>7. Drugs and substances not listed above</u> <u>If the death certificate reports more than one such drug, code to the first mentioned.</u> 			
--	--	--	--	--

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003

--	--	--	--	--

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Major/Minor update	Implementation date
Add subterm and code	Abnormal, abnormality, abnormalities – <i>see also</i> Anomaly - organs or tissues of pelvis NEC - - in pregnancy or childbirth O34.9 - - - affecting fetus or newborn P03.8 - - - causing obstructed labour O65.5 - - - - affecting fetus or newborn P03.1 - - - specified NEC O34.8	Australia (URC:0131)	Minor	January 2005
Revise code	Biventricular failure <u>I50.0</u>	Australia (URC:0145)	Minor	January 2005
Delete non essential modifier	Bradycardia (any type) (sinoatrial) (sinus) (vagal) R00.1	Australia (URC:0041)	Major	January 2006
Add code Add subterm	Carcinoma - neuroendocrine (M8246/3) <u>C80</u> - - specified site - <i>see</i> <u>Neoplasm, malignant</u>	MRG (URC:0179)	Minor	January 2005
Revise code Modify subterm, revise code	Cirrhosis, cirrhotic (hepatic) K74.6 - Laennec's K74.6 <u>K70.3</u> - - <u>non-alcoholic</u> K70.3 <u>K74.6</u>	MRG (URC:0205)	Minor	January 2005
Add subterm and code	Colitis (acute)(catarrhal)(hemorrhagic)(presumed infectious) (<i>see also</i> Enteritis, and note at category A09) A09 ... - protozoal A07.9 - <u>pseudomembranous</u> A04.7 - regional K50.1	MRG (URC:0165)	Major	January 2006
Revise code	Cruveilhier-Baumgarten cirrhosis, disease or syndrome <u>K74.6</u>	North America	Major	January 2006

		(URC:0150)		
Modify subterm	Deformity - chest (acquired) (wall) M95.4 - - late effect of rickets E64.3	North America (URC:0123)	Minor	January 2005
Revise code	Dependence - on - - care provider (because of) <u>Z74.9</u>	Australia (URC:0148)	Minor	January 2005
Modify subterm and revise code	Diabetes, diabetic - neuropathy code to E10 to E14 with fourth character .4 <u>E14.4† G63.2*</u>	North America (URC: 0207)	Minor	January 2005
Add modifier and code Delete modifier	Disease, diseased – see also Syndrome - renal (functional) (pelvis) N28.9 - - complicating pregnancy - - - with hypertension (<u>pre-existing</u>) O10.2 - - - - secondary (pre-existing) O10.4	Australia (URC:0128)	Minor	January 2005
Add subterm and code	Disease, diseased – see also Syndrome - liver (chronic)(organic) K76.9 - - inflammatory K75.9 <u>- - - alcoholic K70.1</u> - - - specified NEC K75.8	MRG (URC:0192)	Minor	January 2005
Add subterms and	Disease, diseased – see also Syndrome - lung J98.4 - - obstructive (chronic) J44.9 - - - with - - - - acute - - - - - exacerbation NEC J44.1 - - - - - lower respiratory infection (except influenza) J44.0 - - - - alveolitis, allergic J67.- - - - - asthma J44.- - - - - bronchitis J44.8 - - - - emphysematous J44.8	MRG (URC:0162)	Major	January 2006

codes Revise code	<p>----- with acute exacerbation <u>J44.1</u> ----- with acute lower respiratory infection <u>J44.0</u> ---- emphysema <u>J43.-</u> ---- hypersensitivity pneumonitis <u>J67.-</u></p>			
Add modifiers	<p>Disease, diseased – <i>see also</i> Syndrome - panvalvular (<u>unspecified origin</u>) <u>I08.9</u> - - specified NEC (<u>unspecified origin</u>) <u>I08.8</u></p> <p>- valve, valvular <u>I38</u> - - multiple (<u>unspecified origin</u>) <u>I08.9</u> - - - specified NEC (<u>unspecified origin</u>) <u>I08.8</u></p>	MRG (URC:0199)	Minor	January 2005
Revise code	<p>Disturbance - oculogyric <u>H51.8</u></p>	Australia (URC:0139)	Minor	January 2005
Revise code	<p>Double - uterus <u>Q51.2</u> - - in pregnancy or childbirth <u>O34.0</u> - - - causing obstructed labour <u>O65.5</u></p>	Australia (URC:0126)	Minor	January 2005
Delete subterm and code Add subterms and codes	<p>Duchenne's - paralysis <u>G71.0</u> - - birth injury <u>P14.0</u> — muscular dystrophy <u>G71.0</u> - - due to or associated with - - - motor neuron disease <u>G12.2</u> - - - muscular dystrophy <u>G71.0</u></p>	Australia (URC:0138)	Major	January 2006
Add term Add subterm	<p>Dysreflexia - autonomic <u>G90.4</u></p>	North America (URC:0206)	Major	January 2006
Modify subterm	<p>Effusion - pleura, pleurisy, pleuritic, pleuropericardial <u>J90</u> - - chylous, chyloform <u>J94.0</u> - - malignant NEC <u>C78.2</u></p>	MRG (URC:0171)	Minor	January 2005

Add subterm and code	<p>Encephalopathy (acute) G93.4 - hypoxic – <i>see also</i> Damage, brain, anoxic - - <u>ischaemic of newborn P91.6</u> - in (due to)</p>	MRG (URC:0172)	Major	January 2006
Add modifiers	<p>Endocarditis (chronic) (nonbacterial) (thrombotic) (valvular) I38 - aortic (heart) (nonrheumatic) (valve) I35.8 - - with - - - mitral disease (<u>unspecified origin</u>) I08.0 - - - - with tricuspid (valve) disease (<u>unspecified origin</u>) I08.3 - - - tricuspid (valve) disease (<u>unspecified origin</u>) I08.2 - - - - with mitral (valve) disease (<u>unspecified origin</u>) I08.3 - mitral (chronic) (double) (fibroid) (heart) (inactive) (valve) (with chorea) I05.9 - - with - - - aortic (valve) disease (<u>unspecified origin</u>) I08.0 - - - - with tricuspid (valve) disease (<u>unspecified origin</u>) I08.3 - - - tricuspid (valve) disease (<u>unspecified origin</u>) I08.1 - - - - with aortic (valve) disease (<u>unspecified origin</u>) I08.3 - multiple valves (<u>unspecified origin</u>) I08.9 - - specified disorders (<u>unspecified origin</u>) I08.8 - pulmonary (chronic) (heart) (valve) I37.8 - - with rheumatic fever (conditions in I00) - - - inactive or quiescent (with chorea) I09.8 - - - - with aortic, mitral or tricuspid disease (<u>unspecified origin</u>) I08.8 - tricuspid (chronic) (heart) (inactive) (rheumatic) (valve) (with chorea) I07.8 - - with - - - aortic (valve) disease (<u>unspecified origin</u>) I08.2 - - - - mitral (valve) disease (<u>unspecified origin</u>) I08.3</p>	MRG (URC:0199)	Minor	January 2005

	<p>--- mitral (valve) disease (<u>unspecified origin</u>) I08.1 ---- aortic (valve) disease (<u>unspecified origin</u>) I08.3</p>			
Add subterm and code	<p>Fibrosis, fibrotic - <u>alcoholic K70.2</u> - liver K74.0 - - with sclerosis K74.2 - -_ alcoholic K70.2 - - alcoholic K70.2</p>	MRG (URC:0192)	Minor	January 2005
Revise code Add subterms and codes	<p>Flutter - heart <u>I49.8</u> - - <u>atrial I48</u> - - <u>ventricular I49.0</u></p>	Australia (URC:0143)	Minor	January 2005
Add subterm and code	<p>Fournier's disease or gangrene N49.8 - <u>female N76.8</u></p>	MRG (URC:0194)	Minor	January 2005
Add subterm and code	<p>Gangrene, gangrenous (dry) (moist)(skin)(ulcer) R02 - Fournier's N49.8 - - <u>female N76.8</u></p>	MRG (URC:0194)	Minor	January 2005
Revise code	<p>Glossodynia K14.6 - <u>exfoliativa K14.0</u></p>	Dutch Committee on ICD-10 Translation (URC: 0083)	Major	January 2006
Revise code Add subterms and codes	<p>Hepatitis K75.9 - viral, virus (acute) B19.9 - - type - - - <u>C B17.418.2</u> - - - - <u>acute or a stated duration of less than six months B17.1</u> - - - - <u>chronic (stated duration of six months or more) B18.2</u></p>	MRG (URC:0200)	Minor	January 2005
	<p>Ileus (bowel) (colon) (inhibitory) (intestine) (neurogenic) K56.7 - <u>adynamic K56.0</u></p>	MRG (URC:0190)	Major	January 2006

<p>Add subterms and codes</p>	<ul style="list-style-type: none"> - due to gallstone (in intestine) K56.3 - duodenal (chronic) K31.5 - mechanical NEC K56.6 - meconium E84.1† P75* - - <u>meaning meconium plug (without cystic fibrosis) P76.0</u> - newborn - - due to meconium E84.1† P75* - - - <u>meaning meconium plug (without cystic fibrosis) P76.0</u> - - transitory P76.1 - obstructive NEC K56.6 - paralytic K56.0 			
<p>Modify subterm Add subterm Add subterm Add one indent Add one indent Add one indent</p>	<p>Impaired, impairment (function)</p> <ul style="list-style-type: none"> - cognitive, persisting (due to) - - <u>mild F06.7</u> - - <u>persisting (due to)</u> - - - alcohol F10.7 - - - hallucinogen use F16.7 - - - sedatives F13.7 	<p>United Kingdom (URC:0183)</p>	<p>Major</p>	<p>January 2006</p>
<p>Revise code</p>	<p>Inflammation, inflamed, inflammatory (with exudation)</p> <ul style="list-style-type: none"> - respiratory, upper (see also Infection, respiratory upper) J06.9 - - acute, due to radiation <u>J70.0</u> 	<p>Australia (URC:0127)</p>	<p>Minor</p>	<p>January 2005</p>
<p>Add modifiers</p>	<p>Insufficiency, insufficient</p> <ul style="list-style-type: none"> ... - aortic (valve) I35.1 - - with - - - mitral (valve) disease (<u>unspecified origin</u>) I08.0 - - - - with tricuspid (valve) disease (<u>unspecified origin</u>) I08.3 - - - stenosis I35.2 - - - tricuspid (valve) disease (<u>unspecified origin</u>) I08.2 - - - - with mitral (valve) disease (<u>unspecified origin</u>) I08.3 - mitral I34.0 - - with - - - aortic valve disease (<u>unspecified origin</u>) I08.0 	<p>MRG (URC:0199)</p>	<p>Minor</p>	<p>January 2005</p>

	<ul style="list-style-type: none"> ---- with tricuspid (valve) disease (<u>unspecified origin</u>) I08.3 --- obstruction or stenosis I05.2 ---- with aortic valve disease (<u>unspecified origin</u>) I08.0 --- tricuspid (valve) disease (<u>unspecified origin</u>) I08.1 ---- with aortic (valve) disease (<u>unspecified origin</u>) I08.3 - tricuspid (valve) (rheumatic) I07.1 - - with --- aortic (valve) disease (<u>unspecified origin</u>) I08.2 ---- with mitral (valve) disease (<u>unspecified origin</u>) I08.3 --- mitral (valve) disease (<u>unspecified origin</u>) I08.1 ---- with aortic (valve) disease (<u>unspecified origin</u>) I08.3 --- obstruction or stenosis I07.2 ---- with aortic (valve) disease (<u>unspecified origin</u>) I08.2 ----- with mitral (valve) disease (<u>unspecified origin</u>) I08.3 			
Add subterm and code	<p>Intoxication</p> <ul style="list-style-type: none"> - foodborne A05.9 - - due to --- <i>Clostridium</i> ---- <i>botulinum</i> A05.1 ---- <i>difficile</i> A04.7 ---- <i>perfringens</i> A05.2 	MRG (URC:0167)	Major	January 2006
Modify subterm and revise code	<p>Jaundice (yellow) R17</p> <ul style="list-style-type: none"> - due to or associated with - - delivery due to delayed conjugation <u>P59.8</u> - - - preterm delivery P59.0 	Australia (URC:0129)	Minor	January 2005
Revise code	<p>Labour</p> <ul style="list-style-type: none"> - obstructed - - by or due to - - - cicatrix of cervix <u>O65.5</u> 	Australia (URC: 0144)	Major	January 2006
	<p>Labour (see also Delivery)</p> <ul style="list-style-type: none"> - obstructed - - by or due to 	UK (URC:0097)	Major	January 2006

Modify subterm	- - - persistent occipitoposterior, posterior or <u>occipitotransverse</u> (position) O64.0			
Add subterm and code	Mass - <u>lung R91</u>	Australia (URC:0133)	Minor	January 2005
Delete non-essential modifier and revise code	Moeller's glossitis (vitamin B deficiency) <u>K14.0</u>	Dutch Committee on ICD-10 Translation (URC: 0083)	Major	January 2006
Modify subterm and revise code Modify subterm and revise code	Neuritis M79.2 - diabetic (mono polyneuropathy) (see also E10-E14 with fourth character .4) E14.4† <u>G63.2</u> - - poly <u>mononeuropathy</u> E14.4† <u>G59.0*</u>	North America (URC:0207)	Minor	January 2005
Add modifiers	Panvalvular disease (unspecified origin) I08.9 - specified NEC (<u>unspecified origin</u>) I08.8	MRG (URC:0199)	Minor	January 2005
Delete code Add subterms and codes	Paralysis, paralytic (complete) (incomplete) - Duchenne's G12.2 - - birth injury P14.0 - - due to or associated with - - - motor neuron disease <u>G12.2</u> - - - muscular dystrophy <u>G71.0</u>	Australia (URC:0138)	Major	January 2006
	Perforation, perforated (nontraumatic) - tympanum (membrane) (persistent post-traumatic) (postinflammatory) H72.9 — with otitis media — see Otitis media	UK (URC:0185)	Major	January 2006
Modify subterm and revise code Add subterms and codes	Persistence, persistent (congenital) - occipitoposterior or transverse (position) <u>O32.8</u> - - affecting fetus or newborn P03.1 - - <u>causing obstructed labour O64.0</u> - <u>occipitotransverse (position) O64.0</u> - - <u>affecting fetus or newborn P03.1</u>	UK (URC:0097)	Major	January 2006
	Pregnancy (single) (uterine) - complicated by (see also Pregnancy, management, affected by)	Australia (URC:0131)	Minor	January 2005

<p>Modify subterm and revise code Add subterms and codes</p>	<p>-- abnormal, abnormality --- pelvic organs or tissues <u>NEC O34.9</u> ---- <u>affecting fetus or newborn P03.8</u> ---- <u>causing obstructed labour O65.5</u> ----- <u>affecting fetus or newborn P03.1</u> ----- <u>specified NEC O34.8</u></p>			
<p>Revise subterms (code range) and codes</p>	<p>Pregnancy - complicated by - - conditions in --- <u>A00-A07, O98.8</u> --- <u>A08, O98.5</u> --- <u>A09, O98.8</u> --- A15-A19, O98.0 --- <u>A24-A49, O98.8</u> --- A50-A53, O98.1 --- A54., O98.2 --- A55-A64, O98.3 --- <u>A65-A79, O98.8</u> --- A80-B09, B25-B34, O98.8 --- B15-B19, O98.4 --- <u>B25-B34, O98.5</u> --- <u>B35-B49, O98.8</u> --- B50-B64, O98.6 --- <u>B65-B88, O98.8</u> --- <u>B89, O98.2</u> --- <u>B90-B94, O99.8</u> --- <u>C00-D48, O99.8</u> --- D50-D64, O99.0 --- D65-D89, O99.1 --- <u>E00-E07, O99.2</u> --- <u>E10-E14, O24.-</u> --- <u>E15-E34, O99.2</u> --- E40-E46, O25 --- <u>E50-E89, O99.2</u> --- <u>F00-F99.52, O99.3</u></p>	<p>MRG (URC:0158)</p>	<p>Minor</p>	<p>January 2005</p>

	<p> <u>--- F54-F99, O99.3</u> --- G00-G99, O99.3 --- H00-H95, O99.8 --- I00-I09, <u>I20-I99</u>, O99.4 --- I10.-, preexisting O10.0 --- I11.-, preexisting O10.1 --- I12.-, preexisting O10.2 --- I13.-, preexisting O10.3 --- I15.-, preexisting O10.4 <u>--- I20-I99, O99.4</u> --- J00-J99, O99.5 --- K00-K9366, O99.6 --- K70-K77, O26.6 <u>--- K80-K93, O99.6</u> --- L00-L99, O99.7 <u>--- M00-M82, O99.8</u> <u>--- M83.2-M99, O99.8</u> --- N00-N07, O26.8 --- N10-N99, O99.8 --- N10-N12, N13.6, N15.1, O23.0 <u>--- N13.0-N13.5, O26.8</u> <u>--- N13.6, O23.3</u> <u>--- N13.7-N13.9, O26.8</u> <u>--- N14-N15.0, O99.8</u> <u>--- N15.1, O23.0</u> <u>--- N15.8-N15.9, O99.8</u> <u>--- N17-N19, O26.8</u> <u>--- N20-N39, O99.8</u> <u>--- N60-N64, O99.8</u> <u>--- N80-N90, O99.8</u> <u>--- N99.0, O75.4</u> <u>--- N99.8, O75.4</u> <u>--- N99.9, O75.4</u> --- Q00-Q99, NEC O99.8 --- R73.0, O99.8 </p>			
	<p>Presentation, fetal</p>	<p>UK</p>	<p>Major</p>	<p>January 2006</p>

Revise code Add subterms and codes	- face (mother) O32.3 - - causing obstructed labour O64.2 - - to pubes <u>O32.8</u> - - - causing obstructed labour O64.0 - <u>occipitoposterior (mother) O32.8</u> - - <u>causing obstructed labour O64.0</u>	(URC:0097)		
Delete subterm	Rupture, ruptured - tympanum, tympanic (membrane) (nontraumatic) (see also Perforation, tympanic membrane) H72.9 — with otitis media — see Otitis media	UK (URC:0185)	Major	January 2006
Add term and code	<u>SARS (Severe acute respiratory syndrome) U04.9</u>	MRG (URC:0204)	Major	October 2003
Add subterms and codes	Sclerosis, sclerotic - hepatic K74.1 - - <u>alcoholic K70.2</u> - liver K74.1 - - with fibrosis K74.2 <u>- - - alcoholic K70.2</u> - - alcoholic K70.2 - - cardiac K76.1	MRG (URC:0192)	Minor	January 2005
Add subterm and code Revise code Add subterm and code	Sinus – see also Fistula - <u>bradycardia R00.1</u> - tachycardia <u>R00.0</u> - - <u>paroxysmal I47.1</u>	Australia (URC:0041)	Major	January 2006
Add subterm and code Add subterm and code	Snapping - hip M24.8 - - <u>involving iliotibial band M76.3</u> - knee M23.8 - - <u>involving iliotibial band M76.3</u>	Germany (URC:0037)	Major	January 2006
	Stenosis (cicatricial) - see also Stricture. - mitral (chronic) (inactive) (valve) I05.0 - - with	MRG (URC:0199)	Minor	January 2005

Add modifier	<p>- - - aortic valve disease (<u>unspecified origin</u>) I08.0 . . . - pulmonary (artery) (congenital) Q25.6 . . . - - valve I37.0 . . . - - - rheumatic I09.8 - - - - with aortic, mitral or tricuspid (valve) disease (<u>unspecified origin</u>) I08.8 . . . - tricuspid (valve) I07.0 - - with - - - aortic (valve) disease (<u>unspecified origin</u>) I08.2 - - - incompetence, insufficiency or regurgitation I07.2 - - - - with aortic (valve) disease (<u>unspecified origin</u>) I08.2 - - - - - with mitral (valve) disease (<u>unspecified origin</u>) I08.3 - - - mitral (valve) disease (<u>unspecified origin</u>) I08.1 - - - - with aortic (valve) disease (<u>unspecified origin</u>) I08.3</p>			
Modify subterm	<p>Syndrome – <i>see also</i> Disease - lateral - - cutaneous nerve <u>of</u> thigh G57.1</p>	North America (URC:0123)	Minor	January 2005
Add subterm and code	<p>Syndrome – <i>see also</i> Disease - compartment (deep) (posterior) T79.6 - - <u>non-traumatic M62.2</u></p>	MRG (URC:0196)	Minor	January 2005
<p>Modify subterm, delete code Add subterm and code Add one indentation Add subterm and code</p>	<p>Syndrome – <i>see also</i> Disease - respiratory distress (idiopathic) (newborn) P22.0 - - <u>distress (idiopathic) (newborn) P22.0</u> - - - <u>adult J80</u> - - <u>severe acute U04.9</u> - <u>severe acute respiratory syndrome (SARS) U04.9</u></p>	MRG (URC:0204)	Major	October 2003

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003

Modify subterm and delete code Add subterms and codes	Syndrome – <i>see also</i> Disease - coronary, intermediate <u>I20.0</u> - - acute NEC <u>I24.9</u> - - intermediate <u>I20.0</u>	MRG (URC:0195)	Major	January 2006
Revise code Add subterm and code Revise code Add subterm and code	Tachycardia <u>R00.0</u> - sinoauricular <u>R00.0</u> - - <u>paroxysmal I47.1</u> - sinusal <u>R00.0</u> - - <u>paroxysmal I47.1</u>	Australia (URC:0041)	Major	January 2006
Revise code Revise code Revise code	Tetany (due to) <u>R29.0</u> - hyperpnea <u>R06.4</u> - - hysterical <u>F45.3</u> - hyperventilation (<i>see also</i> Hyperventilation) <u>R06.4</u> - - hysterical <u>F45.3</u>	Australia (URC: 0142)	Major	January 2006
Delete modifier Add subterm and code Add subterm and code	Thalassemia (anemia) (disease) <u>D56.9</u> - beta (severe) (sickle-cell) <u>D56.1</u> - - <u>sickle-cell D57.2</u> - <u>sickle-cell D57.2</u>	Australia (URC:0136)	Major	January 2006
Revise code	Vapor asphyxia or suffocation NEC <u>T59.9</u>	Australia (URC:0147)	Major	January 2006

Index to External Causes

Instruction	Alphabetic index entries	Source	Major/Minor update	Implementation date
Revise code	Accident (to) <u>X59.9</u>	MRG (URC:0201)	Major	January 2006
Revise code	Blow <u>X59.9</u>	MRG (URC:0201)	Major	January 2006

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003

Revise code	Casualty (not due to war) X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Crushed (accidentally) X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Decapitation (accidental circumstances) NEC X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Exposure (to) - factor(s) X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Found injured (dead) X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Fracture (circumstances unknown or unspecified) X59.0 - due to specified cause NEC X58.	MRG (URC:0201)	Major	January 2006
Revise code	Injury, injured (accidental(ly)) NEC X59.9 - inflicted (by) - - other person - - - stated as - - - - accidental X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Killed, killing (accidentally) NEC (see also Injury) X59.9 - self - - stated as - - - accident NEC X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Knocked down (accidentally) (by) NEC X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Laceration NEC (see also Injury) X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Mangled (accidentally) NEC X59.9	MRG (URC:0201)	Major	January 2006
Revise code	Wound (accidental) NEC (see also Injury) X59.9	MRG (URC:0201)	Major	January 2006

Table of Drugs and Chemicals

Instruction	Alphabetic index entries	Source	Major/Min or update	Implementation date
-------------	--------------------------	--------	---------------------	---------------------

Ratified by WHO-FIC Network at the annual meeting in Cologne, October 2003

Revise code	Etersalate	T39.0	X40.-	X60.-	Y10.-	Y45.1	Australia (URC:0133)	Major	January 2006
Revise code Delete subterm and codes	Formalin (<u>vapour</u>) —vapour	T59.2 T59.2	X47.- X47.-	X67.- X67.-	Y17.- Y17.-	Y56.0	Australia (URC:0137)	Major	January 2006