

REFERENCES

- Anon. 1996. *Enterobacter sakazakii* in infant formula. RiboPrinter™ Microbial Characterization System, application profile. Wilmington, DE: Dupont Central Research and Development.
- Biering, G., Karlsson, S., Clark, N.C., Karlsson, Jonsdottir, K.E., Ludvigsson, P., & Steingrímsson, O. 1989. Three cases of neonatal meningitis caused by *Enterobacter sakazakii* in powdered milk. *Journal of Clinical Microbiology*, **27**(9): 2054-2056.
- Block, C., Peleg, O., Minster, N., Bar-Oz, B., Simhon, A., Arad, I., & Shapiro, M. 2002. Cluster of neonatal infections in Jerusalem due to unusual biochemical variant of *Enterobacter sakazakii*. *European Journal of Clinical Microbiology and Infectious Diseases*, **21**(8): 613-616.
- Bornemann, R., Zerr, D.M., Heath, J., Koehler, J., Grandjean, M., Pallipamu, R., & Duchin, J. 2002. An outbreak of *Salmonella* serotype Saintpaul in a children's hospital. *Infection Control and Hospital Epidemiology*, **23**: 671-676.
- Breeuwer, P., Lardeau, A., Peterz, M., & Joosten, H.M. 2003. Desiccation and heat tolerance of *Enterobacter sakazakii*. *Journal of Applied Microbiology*, **95**: 967-973.
- Buchanan, R. 2003. Resistance – Thermal and Other. Presentation to the United States Food and Drug Administration Food Advisory Committee, 18-19 March 2003. Available at: http://www.fda.gov/ohrms/dockets/ac/03/slides/3939s1_Buchanan_files/frame.htm. Accessed 24 March 2004.
- CAC (Codex Alimentarius Commission). 1997. *Principles for the establishment and application of microbiological criteria for foods* (CAL/GL21). Available at: ftp://ftp.fao.org/codex/standard/en/CXG_021e.pdf.
- CAC. 1979. *Recommended international code of hygienic practice for foods for infants and children* (CAC/RCP21-1979). Available at: ftp://ftp.fao.org/codex/standard/en/CXP_021e.pdf.
- CDC (Centers for Disease Control and Prevention). 2002. *Enterobacter sakazakii* infections associated with the use of powdered infant formula – Tennessee, 2001. *Morbidity and Mortality Weekly Report*, **51**: 297-300.
- CDC. 1993. *Salmonella* serotype Tennessee in powdered milk products and infant formula – Canada and the United States. *Morbidity and Mortality Weekly Report*, **42**: 516-517.
- Clark, N.C., Hill, B.C., O'Hara, C.M., Steingrímsson, O., & Cooksey, R.C. 1990. Epidemiologic typing of *Enterobacter sakazakii* in two neonatal nosocomial outbreaks. *Diagnostic and Microbiological Infectious Diseases*, **13**: 467-472.

- Cohen, J., Marambio, E., Lynch, B., & Moreno, A.M. 1984. Infección por *Bacillus cereus* en recién nacidos. *Revista Chilena de Pediatría*, **55**(1): 20-25.
- Cooperstock, M.S., Steffen, E., Yolken, R., & Onderdonk, A. 1982. *Clostridium difficile* in normal infants and sudden infant death syndrome: An association with infant formula feeding. *Pediatrics*, **70**(1): 91-95.
- Donath, S., & Amir, L.H. 2000. Rates of breastfeeding in Australia by state and socio-economic status: Evidence from the 1995 National Health Survey. *Journal of Paediatrics and Child Health*, **36**: 164-168.
- Edelson-Mammel, S.G., & Buchanan, R.L. 2004. Thermal inactivation of *Enterobacter sakazakii* in rehydrated infant formula. *Journal of Food Protection*, **67**: 60-63.
- FAO/WHO. 2002. Principles and guidelines for incorporating microbiological risk assessment in the development of food safety standards, guidelines and related texts. Report of a joint FAO/WHO consultation, Kiel, Germany, 18-22 March 2002.
- Farmer, J.J., Asbury, M.A., Hickman, F.W., Brenner, D.J., & the *Enterobacteriaceae* Study Group. 1980. *Enterobacter sakazakii*: A new species of “*Enterobacteriaceae*” isolated from clinical specimens. *International Journal of Systematic Bacteriology*, **30**: 569-584.
- FSANZ (Food Standards Australia New Zealand). 2003. *Bacillus cereus* in infant formula: Microbiological risk assessment report.
- Gavini, F., Lefebvre, B., & Leclerc, H. 1983. Étude taxonomique de souches appartenant ou apparentées au genre *Erwinia*, groupe *Herbicola* et à l'espèce *Enterobacter agglomerans*. *Systematic and Applied Microbiology*, **4**: 218-235.
- ICMSF. 2002. *Microorganisms in foods 7. Microbiological testing in food safety management*. Kluwer Academic/Plenum Publishers.
- ICMSF (International Commission on Microbiological Specifications for Foods). 1986. *Microorganisms in foods 2. Sampling for microbiological analysis: Principles and specific applications*. 2nd ed. Toronto: University of Toronto Press.
- ICMSF. 1978. *Microorganisms in foods 1: Their significance and methods of enumeration represents a major step in establishing a common understanding of, and developing standard methods for, important foodborne microorganisms*. 2nd ed. (reprinted 1982, 1988 with revisions). Toronto: University of Toronto Press. ISBN: 0802022936. Out of print.
- Iversen, C., & Forsythe, S.J. 2004. Isolation of *Enterobacter sakazakii* and other *Enterobacteriaceae* from powdered infant formula milk and related products. *Food Microbiology*. In Press.
- Iversen, C., & Forsythe, S.J. 2003. Risk profile of *Enterobacter sakazakii*, an emergent pathogen associated

- with infant milk formula. *Trends in Food Science and Technology*, **14**: 443-454.
- Iversen, C., Lane, M., & Forsythe, S.J. 2004. The growth profile, thermotolerance and biofilm formation of *Enterobacter sakazakii* grown in infant formula milk. *Letters in Applied Microbiology*, **38**: 378-382.
- Iversen, C., Druggan, P., & Forsythe, S.J. 2004. A selective differential medium for *Enterobacter sakazakii*. *International Journal of Food Microbiology*. In Press.
- Kersting, M., & Dulon, M. 2002. *Fakten Zum Stillen in Deutschland. Monatssschr. Kinderheilkd*, **150**: 1196-1201.
- Kandhai, M.C., Reij, M.W., & Gorris, L.G.M. 2004. Occurrence of *Enterobacter sakazakii* in food production environments and households. *The Lancet*, **363**: 39-40.
- Kline, M.W. 1988. Pathogenesis of brain abscesses caused by *Citrobacter diversus* or *Enterobacter sakazakii*. *The Pediatric Infectious Disease Journal*, **7**: 891-892.
- Lai, K.K. 2001. *Enterobacter sakazakii* infections among neonates, infants, children, and adults. *Medicine*, **80**: 113-122.
- Miller, I.M., & Pegues, D.A. 2000. Salmonella species, including Salmonella typhi. p. 2348, in: G.L. Mandell, J.E. Bennett, & R. Dolin (eds). *Mandell, Douglas, and Bennett's principles and practice on infectious diseases*. 5th ed. Philadelphia PA: Churchill Livingstone.
- Muytjens, H.L., Roelofs-Willemse, H., & Jasper, G.H.J. 1988. Quality of powdered substitutes for breast milk with regard to members of the family *Enterobacteriaceae*. *Journal of Clinical Microbiology*, **26**: 743-746.
- Muytjens, H.L., van der Ros-van de Repe, J., & van Druten, H.A.M. 1984. Enzymatic profiles of *Enterobacter sakazakii* and related species with special reference to the α -glucosidase reaction and reproducibility of the test system. *Journal of Clinical Microbiology*, **20**: 684-686.
- Nazarowec-White, M., & Farber, J.M. 1997a. Thermal resistance of *Enterobacter sakazakii* in reconstituted dried-infant formula. *Letters in Applied Microbiology*, **24**: 9-13.
- Nazarowec-White, M., & Farber, J.M. 1997b. Incidence, survival and growth of *Enterobacter sakazakii* in infant formula. *Journal of Food Protection*, **60**: 226-230.
- Nazarowec-White, M., & Farber, J.M. 1999. Phenotypic and genotypic typing of food and clinical isolates of *Enterobacter sakazakii*. *Journal of Medical Microbiology*, **48**: 559-567.
- Nazarowec-White, M., McKellar, R.C., & Piyasena, P. 1999. Predictive modeling of *Enterobacter sakazakii* inactivation in bovine milk during high-temperature short-time pasteurization. *Food Research International*, **32**: 375-379.

- Noriega, F.R., Kotloff, K.L., Martin, M.A., & Schwalbe, R.S. 1990. Nosocomial bacteremia caused by *Enterobacter sakazakii* and *Leuconostoc mesenteroides* resulting from extrinsic contamination of infant formula. *The Pediatric Infectious Disease Journal*, **9**(6): 447-449.
- Olsen, S.J., Bishop, R., Brenner, F.W., Roels, T.H., Bean, N., Tauxe, R.V., & Slutsker, L. 2001. The changing epidemiology of *Salmonella*: Trends in serotypes isolated from humans in the United States, 1987-1997. *Journal of Infectious Diseases*, **183**: 753-761.
- Pagotto, F.J., Nazarowec-White, M., Bidawid, S., & Farber, J.M. 2003. *Enterobacter sakazakii*: infectivity and enterotoxin production *in vitro* and *in vivo*. *Journal of Food Protection*, **66**: 370-375.
- Picket, G., & Agate, G.H. 1967. Outbreak of salmonellosis due to a lactose-fermenting variant of *Salmonella* Newington. *Morbidity and Mortality*, **16**: 18.
- Pitout, J.D., Moland, E.S., Sanders, C.C., Thomson, K.S., & Fitzsimmons, S.R. 1997. Beta-lactamases and detection of beta-lactam resistance in *Enterobacter* spp. *Antimicrobial Agents and Chemotherapy*, **41**(1): 35-39.
- Rowan, N.J., & Anderson, J.G. 1998. Diarrhoeal enterotoxin production by psychrotrophic *Bacillus cereus* present in reconstituted milk-based infant formulae (MIF). *Letters in Applied Microbiology*, **26**(2): 161-165.
- Rowe, B., Begg, N.T., Hutchinson, D.N., Dawkins, H.C., Gilbert, R.J., Jacob, M., Hales, B.H., Rae, F.A., & Jepson, M. 1987. *Salmonella* Ealing infections associated with consumption of infant dried milk. *Lancet*, **2**: 900-903.
- Rowe, S.Y., Rocourt, J.R., Shiferaw, B., Kassenborg, H.D., Segler, S.D., Marcus, R., Daily, P.J., Hardnett, F.P., & Slutsker, L.; Emerging Infections Program FoodNet Working Group. 2004. Breast-feeding decreases the risk of sporadic salmonellosis among infants in FoodNet sites. *Clinical Infectious Diseases*, **38**(3): S262-270.
- Simmons, B.P., Gelfand, M.S., Haas, M., Metts, L., & Ferguson, J. 1989. *Enterobacter sakazakii* infections in neonates associated with intrinsic contamination of a powdered infant formula. *Infection Control and Hospital Epidemiology*, **10**: 398-401.
- Smeets, L.C., Voss, A., Muytjens, H.L., Meis, J.F.G.M., & Melchers, W.J.G. 1998. Genetische karakterisatie van *Enterobacter sakazakii*-isolaten van Nederlandse patiënten met neonatale meningitis. *Nederlands Tijdschrift voor Medische Microbiologie*, **6**: 113-115.
- Swaminathan, B., Barrett, T.J., Hunter, S.B., & Tauxe, R.V.; CDC PulseNet Task Force. 2001. PulseNet: the molecular subtyping network for foodborne bacterial disease surveillance. *Emerging Infectious Diseases*, **7**: 382-389.
- Threlfall, E.J., Ward, L.R., Hampton, M.D., Ridley, A.M., Rowe, B., Roberts, D., Gilbert, R.J., Van Someren, P., Wall, P.G., & Grimont, P. 1998. Molecular fingerprinting defines a strain of *Salmonella enterica*

- serotype Anatum responsible for an international outbreak associated with formula-dried milk. *Epidemiology and Infection*, **121**(2): 289-293.
- Thurm, V., & Gericke, B. 1994. Identification of infant food as a vehicle in a nosocomial outbreak of *Citrobacter freundii*: epidemiological subtyping by allozyme, whole-cell protein and antibiotic resistance. *Journal of Applied Bacteriology*, 553-558.
- USFDA (US Food and Drug Administration), Center for Food Safety and Applied Nutrition. 2002. *Isolation and enumeration of Enterobacter sakazakii from dehydrated powdered infant formula*. Available at <http://www.cfsan.fda.gov/~comm/mmesakaz.html>. Accessed August 2002.
- Usera, M.A., Echeita, A., Aladueña, A., Blanco, M.C., Reymundo, R., Prieto, M.I., Tello, O., Cano, R., Herrera, D., & Martinez-Navarro, F. 1996. Interregional foodborne salmonellosis outbreak due to powdered infant formula contaminated with lactose-fermenting *Salmonella virchow*. *European Journal of Epidemiology*, **12**(4): 377-381.
- Van Acker, J., de Smet, F., Muyltermans, G., Anne Naessens, A., & Lauwers, S. 2001. Outbreak of necrotizing enterocolitis associated with *Enterobacter sakazakii* in powdered milk formula. *Journal of Clinical Microbiology*, **39**(1): 293-297.
- WHO (World Health Organization). 2002. *The global strategy for infant and young child feeding*. Available at http://www.who.int/child-adolescent-health/New_Publications/NUTRITION/gs_iycf.pdf. Accessed 24 March 2004.
- WHO. 2001. New data on the prevention of mother-to-child transmission of HIV and their policy implications: conclusions and recommendations. WHO Technical Consultation on behalf of the UNFPA/UNICEF/WHO/UNAIDS Inter-Agency Task Team on Mother-to-Child Transmission of HIV. Report No. WHO/RHR/01.28. Geneva: WHO.
- WHO. 1994. *Mother-baby package: Implementing safe motherhood in countries*. WHO/FHE/MSM/94.11 Rev 1.

