

9

References

Bianchi F (2001) EUROCATOC : *A collaborative study on oral clefts in EUROCAT registries during the period 1980-1996. Preliminary analysis.* (Unpublished document presented at the WHO Registry Meeting on Craniofacial Anomalies, Baurú, Brazil, 4-6 December 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)

Calzolari E (2001) *Review of existing registries and their relative merits and drawbacks: EUROCAT.* (Unpublished document presented at the WHO Registry Meeting on Craniofacial Anomalies, Baurú, Brazil, 4-6 December 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)

Castilla EE (1990) The surveillance of birth defects in South-America: II. The search for geographic clusters: Endemics. *Advances in Mutagenesis Research*, 2:211-230.

Castilla EE, Orioli IM, Lugarinho R, Dutra GP, Lopez-Camelo JS, Campana HE, Spagnolo A, Mastroiacovo P (1990) Monthly and seasonal variations in the frequency of congenital anomalies. *International Journal of Epidemiology*, 19:399-404.

Castilla EE, Martínez Frías ML (1995) Congenital healed cleft lip. *American Journal of Medical Genetics*, 58:106-112.

Castilla EE, Lopez-Camelo JS, Campaña H (1999) The altitude as a risk factor for congenital anomalies. *American Journal of Medical Genetics*, 86:9-14.

Christensen K, Fogh-Anderson P (1994) Etiological subgroups in non-syndromic isolated cleft palate: a genetic epidemiological study of 52 Danish birth cohorts. *Clinical Genetics*, 46:329-335.

Conway H, Wagner KJ (1966) Incidence of clefts in New York City. *Cleft Palate Journal*, 3:284-290.

- Croen LA, Shaw GM, Wasserman CR, Tolarova MM (1998) Racial and ethnic variations in the prevalence of orofacial clefts in California, 1983-1992. *American Journal of Medical Genetics*, 79:42-47.
- Czeizel AE (1981) Schisis-association. *American Journal of Medical Genetics*, 10:25-35.
- Czeizel AE (1997) First 25 years of the Hungarian Congenital Abnormality Registry. *Teratology*, 55:299-305.
- Czeizel AE, Telegdi L, Tusnady G (1988a) *Multiple congenital abnormalities*. Akadémiai Kiadó, Budapest.
- Czeizel AE, Kovács M, Kiss P, Meher K, Szabó L, Oláh E, Kosztolányi G, Szemere G, Kovács M, Fekete G (1988b) A nationwide evaluation of multiple congenital abnormalities in Hungary. *Genetic Epidemiology*, 5:183-202.
- De Wals P, Weatherall JAC, Lechat M (1985) *Registration of congenital anomalies in EUROCAT centres, 1979-1983*. Louvain la Neuve, Cabay 4-144.
- Edmonds L (2001) *Birth defects ascertainment and registration in the USA*. (Unpublished document presented at the WHO Registry Meeting on Craniofacial Anomalies, Baurú, Brazil, 4-6 December 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- EUROCAT Working Group (1996) *EUROCAT Report 7. Surveillance of Congenital Anomalies in Europe 1990-1994*. Brussels, Institute of Hygiene and Epidemiology.
- EUROCAT Working Group (1997) *Fifteen years of surveillance of congenital anomalies in Europe 1980-1994*.
- Garcia-Godoy F (1980) Cleft lip and cleft palate in Santo Domingo. *Community Dentistry and Oral Epidemiology*, 8:89-91.
- Gorlin RJ, Cohen M, Hennekam CM (2001) *Syndromes of the head and neck*, 4th ed. Oxford, Oxford University Press.
- Hardjowasito, W (1998) *Report of Multinational Volunteer Medical Mission* (Cleft lip palate, Japan-Indonesia-Singapore in Timor Island, Province of Nusa Tenggara Timur, Indonesia, 03-12 July 1998).
- Hardjowasito W, Loekito RM (1990) Kasus Sumbing di Timor Tengah Utara (Suatu Kajian Silsilah). *Majalah Kedokteran Universitas Brawijaya Malang*, XIV(2), Agustus 1998*.
- Hidayat A, Ali M, Hardjowasito W (1997) Zinc supplementation during pregnancy and its effect on the incidence of cleft lip in the Province of Nusa Tenggara Timur, Indonesia. In Lee ST and Huang M eds. *Transaction 8th International Congress on Cleft Palate and Related Craniofacial Anomalies 7-12 September 1997, Singapore*.

* Unpublished.

Hidayat A, Kosen S, Hardjowassito W, Ali M, Soewito M, Hartanto F (1999) *Zinc supplementation during pregnancy, effect on progress and outcome of pregnancy in the province of Nusa Tenggara Timur, Indonesia. Final Report to Ministry of Health Republic of Indonesia, Jakarta.*

ICBDMS (1991) *Congenital malformations worldwide*. Elsevier, Amsterdam.

ICBDMS (2000) ICBDMS web site: www.icbd.org

ICBDMS (2001) *Annual Report 2001* (with data for 1999). Eds. Lowry B, Castilla EE, Mastroiacovo P, Siffel C. ISSN 0743-5703.

Iregbulem, LM (1982) The incidence of cleft lip and palate in Nigeria. *Cleft Palate Journal*, 19(3):201-205.

Källén B, Winberg J (1979) Dealing with suspicions of malformation frequency increase. Experience with the Swedish Register of Congenital Malformations. *Acta Paediatrica Scandinavica*, Suppl.275, 66-73.

Källén B, Castilla EE, Robert E, Lancaster PAL, Kringelbach M, Mutchinick O, Martinez-Frias ML, Mastroiacovo P (1992) An international case-control study in hypospadias – the problem with variability and the beauty of diversity. *European Journal of Epidemiology*, 8:256-263.

Khan A (1965) Congenital malformation in African neonates in Nairobi. *Journal of Tropical Medicine and Hygiene*, 68:272.

Kondo K (1987) Seasonal patterns of birth defects in Japan. Seasonal effects on reproduction and psychoses. *Progress in Biometeorology*, 5:133-138.

Last JM (1995) *A dictionary of epidemiology*, 3rd ed. Oxford, Oxford University Press, 144.

Lie RT, Vollset SE, Botting B, Skjærven R (1991) Statistical methods for surveillance of congenital malformations: when do the data indicate a true shift in the risk that an infant is affected by some type of malformation? *International Journal of Risk and Safety in Medicine*, 2:289-300.

Lie RT, Heuch I, Irgens LM (1994) Maximum likelihood estimation of the proportion of congenital malformations using double registration systems. *Biometrics*, 50:433-444.

Loekito RM (1995) *Bigonial width of father of cleft children: a dominant factor that influences the occurrence of cleft*. First Asia Pacific Anatomical Conference, Singapore 17-20 December 1995.

Loekito RM (1997) *Journal Penelitian ilmu-2 hayati* (Life Sciences), Lembaga Penelitian Universitas Brawijaya, 9(1)*.

Lowry RB, Thunem NY, Uh SH (1989) Birth prevalence of cleft lip and palate in British Columbia between 1952 and 1986: stability of rates. *CMAJ*, 140:1167-1170.

* Unpublished.

- McKusick VA (1998) *Mendelian inheritance in man: a catalog of human genes and genetic disorders*, XIIth ed. Johns Hopkins University Press, Baltimore.
- Mitchell LE, Beaty TH, Lidral AC, Munger RG, Murray JC, Saal HM, Wyszynski DF (2002) International Consortium for Oral Clefts Genetics. Guidelines for the design and analysis of studies on nonsyndromic cleft lip and cleft palate in humans. Summary report from a Workshop of the International Consortium for Oral Clefts Genetics. *Cleft Palate-Craniofacial Journal*, 39(1):93-100.
- Mossey PA, Little J (2002) Epidemiology of oral clefts: an international perspective. Chapter 12 in Wyszynski DF, ed. *Cleft lip and palate. From Origin to Treatment*. ISBN: 0-19-513906-2. Oxford, Oxford University Press, 127-158.
- Murray JC, Daack-Hirsch S, Buetow KH, Munger R, Espina L, Paglinawan N, Villanueva E, Rary J, Magee K, Magee W (1997) Clinical and epidemiologic studies of cleft lip and palate in the Philippines. *Cleft Palate Journal*, 34:7-10.
- National Birth Defects Prevention Network (2000) *Teratology*, 61:86-158.
- Neel J (1958) A study of major congenital defects in Japanese infants. *American Journal of Medical Genetics*, 10:398.
- Opitz JM, Czeizel AE, Evans JA, Hall JG, Lubinsky MS, Spranger JW (1987) Nosologic grouping in birth defects. In Vogel F, Sperling K eds. *Human Genetics*. Springer Verl, Berlin, 382-385.
- Robert-Gnansia E (2001) *Review of existing registries and their relative merits and drawbacks: EUROCAT*. (Unpublished document presented at the WHO Registry Meeting on Craniofacial Anomalies, Baurú, Brazil, 4-6 December 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- Rosano A, Mastroiacovo P (2001) *Global distribution of craniofacial anomalies*. (Unpublished document presented at the WHO Registry Meeting on Craniofacial Anomalies, Baurú, Brazil, 4-6 December 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- Saxén L, Lathi A (1974) Cleft lip and palate in Finland: incidence, secular, seasonal geographical variations. *Teratology*, 9:217-224.
- Sözen M, Suzuki K, Tolarova M, Bustos T, Iglesias J, Spritz R (2001) A nonsense mutation of PVRL1 (W185X) is associated with non-syndromic cleft lip palate in northern Venezuela. *Nature genetics*, 29:141-142.
- Spauwen PHM, Hardjowasito W, Bursma J, Latief BS (1993) Dental cast study of adult patients with unilateral cleft lip or cleft lip and palate in Indonesia compared with surgically treated patients in the Netherlands. *Cleft Palate-Craniofacial Journal*, 30:3.
- Spranger I, Benirschke K, Hall I, Lenz W, Lowry RB, Opitz JM, Pinsky L, Schwarzacher HG, Smith DW (1982) Errors of morphogenesis: concepts and terms. *Journal de Pediatria (Rio J)*, 100:160-165.

- Sutrisno, Andriani L (1999) Insidens Celah bibir dan langit-2 di Kec.Insana, TTU, NTT. *Majalah Cermin Dunia Kedokteran*, 1, 22*.
- Wacholder S, McLaughlin JK, Silverman DT, Mandel JS (1992a) Selection of controls in case-control studies. I. Principles. *American Journal of Epidemiology*, 135:1019-1028.
- Wacholder S, Silverman DT, McLaughlin JK, Mandel JS (1992b) Selection of controls in case-control studies. II. Types of controls. *American Journal of Epidemiology*, 135:1029-1041.
- Wacholder S, Silverman DT, McLaughlin JK, Mandel JS (1992c) Selection of controls in case-control studies. III. Design options. *American Journal of Epidemiology*, 135:1042-1050.
- Weinberg CR, Wilcox AJ, Lie RT (1998) A log-linear approach to the case-parent-triad data: assessing effects of disease genes that act either directly or through maternal effects and that may be subject to parental imprinting. *American Journal of Medical Genetics*, 62:969-78.
- World Health Organization (1998) *World Atlas of Birth Defects*, 1st ed. (WHO/HGN/ICBDMS/EUROCAT/Atlas/98.5; available on request from the Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- World Health Organization (2000) *Primary health care approaches for prevention and control of congenital and genetic disorders* (WHO/HGN/WG/00.1; available on request from the Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- World Health Organization (2002) *Global strategy to reduce the health-care burden of craniofacial anomalies*. (Available on request from the Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- World Health Organization (2003) *World Atlas of Birth Defects*, 2nd ed. (Available on request from the Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)
- Wilcox AJ, Weinberg CR, Lie RT (1998) Distinguishing the effects of maternal and offspring genes through studies of case-parent triads. *American Journal of Epidemiology*, 148:893-901.
- Xiao KZ (1989) Epidemiology of cleft lip and cleft palate in China. *Chung Hua I Hsueh Tsa Chih*, 69:192-194.
- Zhang J (2001) *Descriptive epidemiology of oral clefts and NTDs in China* (Unpublished paper presented at the WHO Meeting on the Prevention of Craniofacial Anomalies, Park City, Utah, USA, 24-26 May 2001; available on request from Human Genetics Programme of the World Health Organization, 1211 Geneva 27, Switzerland.)

* Unpublished.

