

Index

- a posteriori*, 285
- a priori*, 285
- acclimatization, 284
- acid rain, 284
- acute effect, 284
- adaptation, 12–14, 220–4, 270
 - ancillary benefits and costs, 70
 - anticipatory, 222, 243
 - assessment, 196, 245, 284
 - barriers to effective, 249
 - benefits, determining, 231–3
 - conclusions and recommendations, 278–9
 - coping ability and, 223–4
 - costs, 251–2, 284
 - definitions, 220–1, 284
 - detecting early health effects and, 66
 - developing planned, 221
 - evaluating options, 68–70, 247–53
 - monitoring health impacts and, 206
 - to multiple factors, 252
 - as policy option, 243
 - prevention and, 222–3
 - quantifying health impacts and, 140
 - reactive, 223, 243
 - research needs, 231–3, 279
 - systemic interrelationships, 252–3
 - to temperature changes, 142
 - vulnerability assessment and, 221–2
 - see also* maladaptation
- adaptive capacity, 69, 196, 225–31
 - characterizing uncertainties, 256
 - definition, 220–1, 284
 - determinants, 69, 226–31
 - economic resources, 226–7
 - equity, 230–1
 - health status/pre-existing disease burdens, 231
 - information and skills, 228–9
 - infrastructure, 229–30
 - institutions, 230
 - technology, 227–8
 - policy-focused assessment, 244–5
 - research needs, 231–3, 274
 - see also* coping ability/capacity
- Aedes*, 107, 305
- Aedes aegypti*, 83, 84, 103, 289
 - eradication programme, 122, 253
- Aedes albopictus*, 53, 83, 289
- Aedes camptorhynchus*, 53
- Aedes polynesiensis*, 191
- aeroallergens, 48, 284
- aerosols, 24, 284
- Africa
 - adaptive capacity, 226, 230, 231
 - Highland Malaria Project, 119–20
 - IPCC-TAR, 51–2
- age related macular degeneration (AMD), 167, 284
- Agenda 21 (Earth Summit 1992), 269, 270, 281–2
- agriculture, 123–4, 230
- air conditioning, 14, 228, 249, 253
- air mass, 284
- air pollutants
 - primary, 299
 - secondary, 301
- air pollution, 67
 - benefits of mitigation, 70
 - forest fires, 95
 - IPCC-TAR, 48, 53, 55
 - national health impact assessments, 187, 188
- Alachlor, 71
- albedo, 22, 284
- algal blooms, 50, 87, 111, 285, 300
 - see also* phytoplankton
- allergens, airborne, 48, 284
- allergy, 212
- Amazon region, 22
- amoebiasis, 49, 50, 285
- amplification, 285
- analogue studies, historical, 18, 273, 293
 - climate variability and change, 36–7, 62

- extreme events, 275
- limitations, 39
- animal diseases, 126
- animal reservoirs, 106
- Annex I countries, 285
- anomaly, 285
- Anopheles*, 53, 191, 296
- Anopheles albimanus*, 118
- Anopheles freeborni*, 118
- Anopheles gambiae*, 112, 118
- Antarctic region
 - ice cover, 7, 30
 - ozone hole, 160
- anthropogenic, 285
- anthropogenic emissions, 285
- anthroponoses, 105, 106–7, 285
- antibiotic resistance, 122
- Antigua and Barbuda, health impact
 - assessment, 184, 186, 190, 194, 195
- antimalarial drugs, 122, 230
- antioxidants, 169
- AOGCMs *see* Atmosphere-Ocean general circulation models
- aquarium trade, 254
- arbovirus infections, 53, 111–12, 285
 - see also* dengue/dengue haemorrhagic fever
- Arctic Climate Impact Assessment, 56
- Arctic region
 - effects of climate change, 1–2, 6
 - ozone hole, 160
- arid region/zone, 285
- Asia, IPCC-TAR, 52
- asthma, 212
- atmosphere, 19–20, 162, 285
- Atmosphere-Ocean general circulation models (AOGCMs), 33–5, 36, 40, 285, 287
- atopic eczema, 174, 285
- attributable burden of disease, estimating, 134–5
- attribution, 289
 - monitoring climate change impacts and, 205–6
- Australia
 - health impact assessment, 186
 - IPCC-TAR, 52–3
- Australian Institute of Marine Science (AIMS), 255
- autoimmune diseases, 169, 173, 285
- autonomy, respect for, 238
- Bangladesh, 93, 94, 114, 230
- basal metabolic rate, 286
- basic reproduction rate (R_0), 116–17, 286
- BCG vaccine, 171–2
- bed nets, 222
- beneficence, 238
- benefit-cost criterion, 240–1
- benefits
 - adaptation, 231–3
 - ancillary, 70
 - measurement, 241
- bilharziasis *see* schistosomiasis
- billion, 286
- biodiversity, 286
 - international convention, 268, 269
 - loss, 13
- biofuel, 286
- biomass, 286
- biome, 286
- biosphere, 286
- biotoxins, 49–50, 286
- black flies, 50
- bridge species, 107
- burden of disease, 134
 - adaptive capacity and pre-existing, 231
 - attributable, estimating, 134–5
 - avoidable, estimating, 135
 - conclusions and recommendations, 276–7
 - evidence available for estimating, 135–7
 - global estimates, 134
 - impact estimates for 2000, 136, 152
 - monitoring, 207
 - in WHO regions (2001), 232
- Cameroon, health impact assessment, 184, 186, 190
- campylobacter infections, 107
- Canada, policy-focused assessments, 183, 248
- cancer, 174
 - skin *see* skin cancer
- capacity building, 286
- carbon dioxide (CO₂), 22, 286
 - atmospheric concentrations, 22, 23, 24
 - fossil emissions, 291
 - projected emissions, 31–2
- carbon sink, 286
- cardiovascular disease (CVD)
 - adaptive capacity and, 231
 - temperature-related mortality, 141–3
- carrying capacity, 286
- cataracts, 163, 167–9, 286

- Centre for Research on the Epidemiology of Disasters (CRED), 92
- cereal grain yields, 11, 13, 48, 65
see also crop yields
- CFCs *see* chlorofluorocarbons
- Chagas' disease, 50
- chemical pollution, 13, 268
- children
 adaptive responses to heat, 249
 sunlight exposure, 175
- China, famines, 9
- Chlamydia trachomatis*, 304
- chlorofluorocarbons (CFCs), 24, 286–7
 Montreal Protocol, 161, 166, 167
 stratospheric ozone depletion, 159–60
- chloroquine, 122, 287
- cholera (*Vibrio cholerae*), 280, 287
 climate extremes and, 87
 climate sensitivity, 111
 ecological influences, 126
 effects of climate change, 114, 275
 IPCC-TAR, 49, 50, 51, 54
 national health impact assessment, 190
 predicting epidemics, 121
 seasonal fluctuations, 107
 transmission, 106–7
- chronic effect, 287
- ciguatera fish poisoning, 49–50, 191, 287
- climate, 24–6
 cycles, 2
 data requirements and sources, 208–9
 definition, 18, 287
 effects on disease transmission, 45–7
 exposure assessment, 36–9, 40
 extreme events *see* extreme climate events
 normals, 25, 273
 variables, 25
- climate change, 26–9
 20th century, 29–30
 anthropogenic, 31–3, 39, 270
 conclusions and recommendations, 271–3
 definitions, 287
 evidence of, 29–30, 204–5
 health impacts *see* health impacts of climate change
 impact assessments *see* impact assessments
 international conventions, 268
 past, 2, 26–7, 28
 projections, 31–3, 39, 272
 associated with specific scenarios, 138, 139
 rates, 36
 recent scientific assessments, 5–8, 270
 regional variations, 6–7, 29, 33
 research *see* research
 scientific consensus, 273–4
 vs climate variability, 18
 vs global warming, 223
see also global warming
 climate models, 33–6, 287
 for deriving scenarios, 256
 in national assessments, 194
 climate scenarios
 baseline, 137–8
 in impact assessment, 183, 184
 national, 194
see also emission scenarios
 climate sensitivity, 21, 32
 evidence of, for monitoring, 207
 infectious diseases, 104, 107–11
 species variations, 124–6
 climate system, 19–24, 288
 climate variability, 24–6, 79
 20th century, 29–30
 adaptation difficulties, 247
 coping ability and, 223
 definitions, 18, 24, 288
 modes, 25–6
 past, 26
 research needs, 274
 Climatological Standard Normals (CLINO), 273
 CLIMEX model, 115
 cloud effects, 20, 22
 cockroaches, 54
 cold-related mortality, 86–7, 89–90
 cardiovascular, 141–3
 factors affecting vulnerability, 89
 impact of climate change, 90, 143
see also winter mortality
 communicable diseases *see* infectious diseases
 communication
 assessment results, 261–2
 as policy response, 243
 Comparative Risk Assessment (CRA), 134–5, 140, 183
see also quantifying health impacts
 confidence interval, 288
 conflict resolution, 245
 confounding factors, 211, 288

conjunctiva, solar radiation effects, 169
 consensus, scientific, 273–4
 Conservation International (CI), 255
 contact hypersensitivity (CH), 170
 control, disease, 122, 211
 Convention on Biological Diversity, 268, 269
 copepods, 49, 87, 288
 coping ability/capacity, 223–4
 characterizing uncertainties, 256
 definition, 223, 288
 see also adaptive capacity
 coral bleaching, 254–5, 288
 coral reef fisheries, 254–5
 Coriolis force, 288
 cornea, solar radiation effects, 169
 COSMIC, 194
 cost-effective, 288
 costs
 adaptation, 231–3, 251–2, 284
 ancillary, 70
 in benefit-cost criterion, 240–1
 measurement, 241
 and responsibility, principles, 281
 crop yields, 13, 145, 146
 see also cereal grain yields
 cryosphere, 21, 288
 cryptosporidiosis (*Cryptosporidium* infection), 123, 288
 IPCC-TAR, 49, 50, 54, 56
 rainfall sensitivity, 85, 111
Culex, 107, 305
Culex nigripalpus, 112
Culex pipiens, 112, 123–4
Culex tarsalis, 116
Culicoides paraensis, 297
 cyclones, 48, 52–3, 94
 coping ability, 224
 cyclospora infections, 107
 cytokine profiles, epidermal, 170
 cytomegalovirus (CMV), 170, 288–9

 DALYs *see* disability-adjusted life years
 data requirements/sources, for
 monitoring, 208–11
 decision-support tools, 241, 259
 deer mice, 85, 242
 deforestation, 22, 122–3
 delayed type hypersensitivity (DTH), 170
 demography, 289
 adaptive capacity and, 231
 dengue/dengue haemorrhagic fever (DHF), 12, 72, 106, 289
 climate extremes and, 83–4
 coping ability, 224
 early warning system, 121
 eradication programme, 122
 IPCC-TAR, 49, 50, 53, 55
 national health impact assessments, 189, 191–2, 193
 simulation modelling and risk reduction, 117, 258–9
 time series analysis, 39
 desert, 289
 desertification, 268
 detection, 289
 developed countries
 coping ability, 224
 national assessments of health impacts, 186, 187–91
 National Communications to UNFCCC, 197
 developing countries
 adaptive capacity, 226–7, 228, 230–1
 coping ability, 224
 impact of weather extremes, 91
 national assessments of health impacts, 185, 186
 National Communications to UNFCCC, 197, 198–9
 diabetes mellitus, insulin-dependent (IDDM), 173
 diarrhoeal diseases, 103
 climate extremes and, 85–6, 93, 94
 climate sensitivity, 110–11
 environmental influences, 123, 124
 evidence for effects of climate, 113, 144
 exposure assessment, 37
 IPCC-TAR, 50, 52, 54
 monitoring, 215–16
 national health impact assessments, 191
 quantifying impact of climate change, 142–5, 152, 153
 relationship with temperature, 63–4
 seasonal fluctuations, 107
 see also water-borne diseases
 diphtheria, 289
 disability-adjusted life years (DALYs), 134, 289
 estimated impact of climate change, 152
 in WHO regions (2001), 232
 discounting, 241
 disease burden *see* burden of disease
 disease control programmes, 122, 211
 diurnal temperature range, 25, 289
 dose-response, 289

- droughts, 48
 - definition, 94, 289
 - diarrhoeal illness and, 85, 94
 - El Niño-related, 91
 - health impacts, 94
 - historical, 9–10, 30
 - malaria outbreaks, 82, 86, 94
 - mechanisms of health effects, 81
 - water-borne disease and, 50
- drug development, 230
- drug donations, 230
- drug resistance, 122
- Dutch Country Studies Programme, 190
- dysentery, 289
- early warning systems (EWS), 222, 289
 - ENSO-related disease outbreaks, 120–1
 - future needs, 274
 - hot weather, 250–1
 - vs monitoring long-term trends, 211–13
- Earth Summit (1992), 269
 - see also* Agenda 21
- ecological footprint, 4–5
- ecological influences
 - higher ultraviolet radiation exposures, 163
 - infectious disease/climate change links, 124–6
- ecological perspective, 3–5
- ecological studies, 61–2, 290
- ecological system/ecosystem, 290
- economic development/growth
 - environmental impact, 4–5, 267
 - health and, 227
- economic disruptions/losses, 51, 92
- economic resources, adaptive capacity and, 226–7
- economies in transition, 289
 - adaptive capacity, 225, 230
- eczema, atopic, 174, 285
- education and training, 228–9
- effect modification, 206–7
- effect modifier, 290
- efficiency aspects, public health policy, 238
- El Niño/Southern Oscillation (ENSO), 2, 25–6, 79, 290
 - 20th century events, 27, 30
 - coral reef damage, 255
 - diarrhoeal disease and, 85, 113, 215
 - early warning systems, 120–1
 - evidence for health impacts, 113, 114
 - exposure assessment, 37, 38, 39
 - hantavirus pulmonary syndrome and, 242
 - in history, 9
 - infectious diseases and, 81–6
 - IPCC-TAR, 51, 54–5
 - malaria and, 39, 41, 113
 - mechanisms of health impacts, 79–80
 - natural disasters related to, 91
- elderly
 - adaptive responses to heat, 249
 - temperature-related mortality, 87, 89–90
- EM-DAT database, 91–2, 148, 290
- emerging infectious diseases, 290
- emission, 290
- emission scenarios, 290
 - baseline, 137–8
 - considered for 2030, 138
 - IPCC-TAR (SRES), 30–1, 302
 - predicted climate changes using, 138, 139
 - see also* climate scenarios
- encephalitis, 111–12
 - see also* tick-borne encephalitis; *other specific types*
- endemic, 290
- energy, principle of conservation, 291
- ENSO *see* El Niño/Southern Oscillation
- enteric diseases *see* diarrhoeal diseases
- entomological inoculation rate (EIR), 290
- environmental changes, global, 2, 7, 267
 - ecological perspective, 3–5
 - health impacts, 13
 - international responses, 267–9, 281–2
 - interrelationships between, 7, 8
- environmental influences
 - infectious disease/climate change links, 122–6
 - monitoring, 210–11
- enzootic disease, 290
- epidemic potential (EP), 191–2
- epidemics, 290–1
 - effects of climate, 103, 107
 - forecasting, 96
- epidemiological methods, 192
- epidemiology, 291
- episode analysis, 37
- epizootic, 291

- equity
 - adaptive capacity and, 230–1
 - in international agreements, 281, 282
 - in public health policy, 238
- eradication, disease, 122
- erythema, 291
- Escherichia coli*, 111
- ethics, public health, 238–9
- Europe, 7
 - historical famines, 9
 - IPCC-TAR, 53–4
 - national assessments of health impacts, 185, 186
 - predicted health impacts of ozone depletion, 166, 167
- European Ministerial Conference on Environment and Health, 182
- evaporation, 291
- evapotranspiration, 291
- evolution, in response to climate change, 125–6
- experimental studies, 62
- exposure(s), 291
 - assessment, 36–9, 40, 137–9
 - conclusions and recommendations, 271–3
 - difficulties in studying, 61–2
 - directness of associations with disease, 62
 - scenarios, 137–8
 - see also* emission scenarios
- extreme climate events, 15, 79–102, 291
 - adaptive capacity, 225, 230
 - categories, 79
 - conclusions and recommendations, 274–5
 - coping ability, 224
 - forecasting, 96
 - IPCC-TAR, 47–8, 275
 - mechanisms of health impacts, 79–80, 81
 - monitoring, 212, 217
 - projections, 33, 34
 - quantifying future health impacts, 147–9
 - see also specific types*
- extrinsic incubation period, 291
- eye disorders, 163, 167–9
- famines, 9–10, 94
 - El Niño-related, 91
 - malaria mortality and, 82
 - see also* malnutrition
- feedback, 291
- Fiji
 - diarrhoeal disease, 85, 215–16
 - health impact assessment, 186, 191–2, 193
- filariasis, 191
 - lymphatic (Bancroftian), 50, 124, 295
 - see also* onchocerciasis
- fires, 48, 95
- first principle, 291
- fish, toxic poisoning, 49–50
- flies, 54
- floods, 291
 - adaptive capacity, 229–30
 - coastal, 147–8, 149
 - diarrhoeal illness and, 85, 93
 - El Niño-related, 91
 - health impacts, 93–4
 - inland, 147, 148, 149
 - IPCC-TAR, 48, 50, 52–3, 54, 55
 - mechanisms of health impacts, 80
 - quantifying health impacts, 147–9, 152, 153
 - US federal insurance, 252
- food-borne diseases (food poisoning), 12, 54
 - climate sensitivity, 110–11
 - monitoring, 212
 - relationship with temperature, 63–4
- food production/supply
 - adaptive capacity, 230
 - coral reef fisheries, 254–5
 - drought-related impairment, 94
 - future estimates, 145, 146
 - higher ultraviolet radiation exposures and, 163
 - impairments, 9–10, 11, 13
 - IPCC-TAR, 48
- forcing, radiative, 21–2, 300
 - by greenhouse gases, 22–4
- forecast (weather), 26, 299
- fossil fuels, 22, 291
- Fourier analysis, 291
- free radical, 292
- freshwater depletion, 13
- future effects, modelling, 66–8
- fuzzy logic/suitability, 292
- gases
 - greenhouse *see* greenhouse gases
 - ozone-destroying, 159–60, 161
- gastroenteritis, acute, 63–4
- general circulation, 24, 292
- generalized additive models (GAM), 38

generalized estimating equations (GEE), 38
 genetic engineering, 292
 geographical information system (GIS), 208, 292
 giardiasis, 85, 111, 123
 IPCC-TAR, 49, 50, 56
 glacial-interglacial transitions, 27
 glaciers, 29, 30, 292
 Global Positioning System (GPS), 292
 global warming, 292
 20th century, 2, 3, 27–9
 early indicators of health effects, 114–15
 interactions with ozone depletion, 11–12, 161
 physical and biological effects, 5, 114
 projections, 3, 5–6, 31–2, 39, 272
 recent scientific assessments, 5–8, 270
 vs global climate change, 223
 see also climate change; temperature
 gonotrophic cycle, 292
 Great Lakes Water Quality Agreement (GLWQA), 248
 greenhouse effect, 1, 20–1, 292
 vs stratospheric ozone depletion, 161–2
 see also climate change; global warming
 greenhouse gases (GHGs), 2, 19–24, 292
 exposure scenarios *see* emission scenarios
 mitigation *see* mitigation
 projected emissions, 31–2
 Greenland, Viking settlements, 9
 Gross Domestic Product (GDR), 292–3
 Gulf Stream, northern Atlantic, 7, 293

 HadCM2 global climate model (GCM), 138
Haemagogus, 305
 haemorrhagic, 293
 halocarbons, 293
 halogenated chemicals, 159–60
 hantavirus infection/hantavirus pulmonary syndrome (HPS), 106, 293
 El Niño events and, 55–6, 84–5, 120–1
 in south-western USA, 120–1, 242
 health
 adaptive capacity and, 231
 economic resources and, 226–7
 factors affecting, 238
 global environmental change and, 7, 8, 13
 markers, for monitoring, 208
 outcomes, for quantifying health impacts, 139–40
 see also population health
 Health Canada, guidelines to impact assessment, 200
 Health for All policy, 293
 health impact assessments (HIA), 181, 293
 adaptation and, 221–2
 global, 181
 key concepts, 182–3
 methods, 183–5, 192
 national *see* national assessments of health impacts
 need for guidelines, 200
 policy-focused *see* policy-focused assessment
 see also quantifying health impacts
 health impacts of climate change, 7, 10–12, 270–1
 in ancient history, 8–10
 detecting evidence of early, 12, 64–6
 difficulties in researching, 45
 direct, 11, 47–8
 establishing baseline relationships, 63–4
 indirect, 11, 48–51
 main pathways, 10
 modelling future, 66–8
 monitoring *see* monitoring
 national assessments, 181–203
 priority threats, 207–8
 quantifying *see* quantifying health impacts
 by region, IPCC-TAR, 51–6
 research *see* research
 scientific consensus, 273–4
 types, 44
 heat budget, 293
 heat island effect, 22, 293
 heat-related mortality, 87–9
 assessing prevention strategies, 249, 250–1
 attribution, 205
 cardiovascular, 141–3
 causes, 87
 IPCC-TAR, 47–8, 52, 53, 55
 monitoring systems, 211–13
 risk factors, 89
 heat stress, 47–8, 52, 53, 273
 heat stroke, 52, 87

heatwaves, 86–9
 adaptation difficulties, 247
 adaptation strategies, 249, 250–1
 definitions, 37, 88
 exposure assessment, 37
 impact of climate change, 90
 IPCC-TAR, 47–8, 52–3
 lag periods, 37
 mortality *see* heat-related mortality
 see also hot weather
 helminths, 293
 hepatitis B vaccine, 171
 herpes simplex infections, orolabial, 171
 “highest-valued,” 238
 Highland Malaria Project (HIMAL), 119–20
 Hippocrates, 8
 historical analogue studies *see* analogue studies, historical
 historical records
 characterizing uncertainty, 255–6
 infectious disease/climate links, 111–14
 history, human
 climate change and human health, 8–10
 climatic cycles and, 2
 HIV infection, 171
 homelessness, 231
 hot weather
 adaptation difficulties, 247
 adaptation strategies, 249, 250–1
 mortality related to *see* heat-related mortality
 watch/warning systems, 250–1
 see also heatwaves
 human capital, 228, 229
 Humboldt current, 293
 humidity
 absolute, 284
 relative, 300
 sensitivity, vector-borne diseases, 110
 Hurricane Andrew, 224
 Hurricane Mitch, 95, 229
 hurricanes, 66
 hydrological cycle, 293
 hydroxyl ions/radicals, 293
 hypothermia, 293

 ice
 glacial, 29
 sea, 29
 ice caps, 30
 ice sheet, 294

 ice storms, 55
 “if . . . then . . .” questions, 256
 illiteracy, 228
 immune-related disorders, 169–74
 immunosuppression, 294
 ultraviolet radiation-induced, 163, 169–74
 impact assessments, 183–5
 health *see* health impact assessments
 recent, 5–8
 see also under Intergovernmental Panel on Climate Change
 impact fraction (IF), 134, 135
 impacts, 294
 potential, 294
 residual, 294
 in vitro, 295
 in vivo, 295
 incidence, 294
 India, famines, 9–10
 Industrial Revolution, 294
 industrialization, 4–5
 inertia, 294
 infection rate, 294
 infectious diseases, 103–32, 273
 classification, 104, 105–7
 climate extremes and, 79–80, 93
 conclusions and recommendations, 275–6
 control programmes, 122, 211
 directly transmitted, 105–6
 documenting effects of climate change, 104, 111–21
 evidence from long-term trends, 114–15
 historical evidence, 111–14
 El Niño and, 81–6
 emerging, 290
 food-borne *see* food-borne diseases
 indirectly transmitted, 106–7
 integrated monitoring, 210
 modifying influences, 104–5, 121–6
 environmental, 122–6
 sociodemographic, 121–2
 national health impact assessments, 187, 189, 190
 predictive modelling, 11, 115–21
 ENSO early warning systems, 120–1
 landscape based approach, 117–18
 process-based (mathematical) approach, 116–17
 statistical based models, 115–16
 research needs, 127
 resurgence, 14, 225

- seasonality, 107
- ultraviolet-induced
 - immunosuppression and, 170–1
- vector-borne *see* vector-borne diseases
- water-borne *see* water-borne diseases
see also specific diseases
- influenza, 89, 103, 107, 170
- information
 - adaptive capacity and, 228–9
 - communication, 243, 261–2
 - dissemination methods, 262
- infrared radiation, 20, 21, 162, 294
- infrastructure
 - adaptive capacity and, 229–30
 - public health *see* public health infrastructure
- insecticides, 52, 228, 253, 294
- institutional inertia, 230
- institutions, social, 230
- insurance, US federal flood, 252
- integrated assessment, 67–8, 194–6, 294
 - adaptation options, 233
 - horizontal, 67
 - for prioritizing research needs, 260
 - regional, 195–6
 - between sectors, 194–5
 - vertical, 67
- Inter-Agency Committee on the Climate Agenda (IACCA), 270–1
- Inter-Agency Network on Climate and Human Health, 271, 272
- Intergovernmental Panel on Climate Change (IPCC), 43–60, 181, 294–5
 - adaptation and adaptive capacity, 220–1, 222, 226, 230
 - emission scenarios, 30–1, 137–8, 302
 - establishment, 43, 269
 - guidelines on impact assessment, 183
 - policy-making and, 239, 242–3
 - post-TAR assessments, 56
 - Second Assessment Report, 43, 242–3
 - Third Assessment Report (TAR), 5–6, 43, 47–56, 272
 - 20th century climate change, 29
 - anthropogenic climate change, 2, 31–3, 39, 270
 - direct effects on health, 47–8
 - extreme climate events, 47–8, 275
 - health impacts by region, 51–6
 - indirect effects on health, 48–51
 - projected temperature increase, 3, 5–6, 31–2, 272
 - uncertainty issues, 45, 74, 192, 193
 - vector-borne diseases *see under* vector-borne diseases
 - Working Group II (WGII), 44, 47
 - working groups and task force, 44
- intermediate host, 294
- international conventions/agreements, 267–9, 281–2
- International Joint Commission (IJC), United States-Canada, 248
- interquartile range, 295
- invasive species, 13
- IPCC *see* Intergovernmental Panel on Climate Change
- Irian Jaya, 86
- irrigation, crop, 123–4
- ischaemic heart disease (IHD), 37, 295
- Ixodes persulcatus*, 53
- Ixodes ricinus*, 53, 303
- Ixodes scapularis*, 118
- Japanese encephalitis, 50
- justice, 238
- Kiribati, health impact assessment, 186, 191–2, 193
- Korea, Democratic People’s Republic of, 230
- Kyoto Protocol, 270, 295
- La Niña, 26, 84, 290
- lag periods, 37
- land-use changes
 - data sources, 211
 - effects on climate, 22
 - infectious diseases and, 122–4
- Landsat Thematic Mapper, 295
- landscape based models, infectious diseases, 117–18
- Latin America, IPCC-TAR, 54–5
- latitudinal gradients
 - climate, 25
 - human disease, 165–6, 173, 174
 - human skin pigmentation, 164
 - vaccine efficacy, 171
- leishmaniasis, 11, 50, 53, 123, 189, 295
- lens opacities (cataracts), 163, 167–9, 286
- leptospirosis, 54, 85, 109–10, 189, 295
- life-support systems, global, 1, 4–5
- Listeria monocytogenes*, 170, 171
- literacy, 228
- literature review, 192–3
- “little ice age”, 27

- living conditions, 210–11
- logistical aspects, monitoring, 207–8
- lupus erythematosus, 173–4, 295
- Lyme disease, 53–4, 55, 295
 - ecological influences, 124, 125
 - predictive modelling, 118
- lymphocytes, 295
- lymphoma, non-Hodgkin's (NHL), 172, 297

- macular degeneration, age related (AMD), 167, 284
- maladaptation, 249, 251, 253, 295
- malaria (including *falciparum* malaria), 11, 106, 296
 - adaptation, 222
 - adaptive capacity, 231
 - climate extremes and, 82–3, 86
 - climate sensitivity, 46, 108
 - detection of climate-related change, 65
 - drought-related outbreaks, 82, 86, 94
 - El Niño events and, 39, 41, 113
 - evidence for effects of climate, 112–13
 - IPCC-TAR, 49, 50, 51, 52, 53, 54
 - modifying influences, 122
 - monitoring, 213–15
 - national health impact assessments, 187, 189, 190
 - predictive modelling, 115–18, 119–20, 150–1
 - quantifying impact of climate change, 150–2, 154
 - recent changes in distribution, 12, 40, 119
 - ultraviolet radiation-induced immunosuppression and, 170
 - unstable, 304
- Malaria-Potential-Occurrence-Zone model, 115–16
- malnutrition, 11
 - after natural disasters, 93
 - disease susceptibility and, 122
 - drought-related, 94
 - quantifying impacts, 145–7, 152, 153
 - see also* famines
- MARA (Mapping Malaria Risk in Africa) model, 117, 118, 119–20, 150, 151, 276, 296
- marine protected areas (MPAs), 255
- mathematical models, 296
- measuring health impacts *see* quantifying health impacts
- Medicines for Malaria venture, 230

- Mediterranean spotted fever, 189
- melanocyte stimulating hormone (MSH), 170
- melanoma, malignant, 164, 165
- melatonin, 170, 174, 296
- meningitis, meningococcal, 51–2, 190, 296
- mesoscale, 25
- mesosphere, 162, 296
- meta analysis, 296
- meteorological data
 - climate normals, 25, 273
 - sources for monitoring, 208–9, 212
- methane (CH₄), 22–3, 24, 296
- MIASMA model, 116–17
- micro climate, 296
- microscale, 25
- migration, human, 121–2
- minimum erythral dose (MED), 296
- minority groups, 231
- mitigation, 270, 296
 - ancillary benefits and costs, 70
 - Kyoto Protocol, 270
 - as policy response option, 241–3
- modelling, predictive *see* predictive modelling
- monitoring, 14, 204–19
 - conclusions and recommendations, 278
 - data requirements/sources, 208–11
 - definition, 204, 296
 - examples, 211–16
 - general principles, 207–8
 - evidence of climate sensitivity, 207
 - practicality, 207–8
 - public health burden, 207
 - methodological aspects, 204–7
 - attribution, 205–6
 - effect modification, 206–7
 - evidence of climate change, 204–5
 - systems, developing and implementing, 243–4
- Montreal Protocol, 160–1, 277, 296
 - Copenhagen amendments, 166, 167
 - predicted skin cancer rates and, 166, 167
- morbidity, 297
- mortality, 297
 - all-cause, 52–3, 209
 - temperature-related, 87–90, 141–3, 153
 - in WHO regions (2001), 232
- mosquito-borne diseases, 106
 - climate extremes and, 81–4

- evidence for effects of climate, 111–13
- IPCC-TAR, 49, 50, 53
- uncertainty in modelling, 72–3
see also specific diseases
- mosquitoes
 - climate sensitivity, 46, 108, 110
 - eradication programme, 122, 253
 - monitoring, 210
- mudslides, 147, 148, 149
- multi-sectoral assessments, 194–5
- multidisciplinary assessments, 245–6
 - uncertainty issues, 75
 - see also integrated assessment*
- multiple sclerosis (MS), 173
- Murray Valley encephalitis, 53
- national assessments of health impacts, 181–203
 - conclusions and recommendations, 277–8
 - defining, 185
 - developing methods and tools, 192–6
 - adaptation assessment, 196
 - integrated assessment, 194–6
 - literature reviews, 192–3
 - predictive modelling, 193
 - use of climate scenarios, 194
 - methods, 183–5
 - National Communications to UNFCCC, 197–9
 - review of published, 185–92
 - developed countries, 187–90
 - developing countries, 190–1
 - small island developing states, 191–2
- National Research Council (NRC), US, 71
- natural disasters, 79, 90–5, 273
 - El Niño-related, 91
 - health impacts, 92–5
 - historical accounts, 9
 - IPCC-TAR, 48, 55
 - quantifying health impacts, 147–9, 152
 - trends, 91–2
 - see also extreme climate events*
- natural processes, affecting global temperatures, 2, 5, 21
- The Nature Conservancy (TNC), 255
- New Zealand
 - Environmental Risk Management Authority, 230
 - health impact assessment, 186
 - IPCC-TAR, 52–3
- Newton's second law of motion, 297
- nitrous oxide (N₂O), 23, 24, 297
- no-regrets approach, 196, 250, 252
- non-communicable diseases, 231
- non-Hodgkin's lymphoma (NHL), 172, 297
- nonmaleficence, 238
- Normalised Difference Vegetation Index (NDVI), 117, 118, 121, 297
- normals, climate, 25, 273
- North America
 - IPCC-TAR, 55–6
 - predicted health impacts of ozone depletion, 166, 167
- North Atlantic–Arctic Oscillation (NAO–AO), 26
- North Atlantic Oscillation (NAO), 297
- nutrition, disease susceptibility and, 122
- observational studies, 62
- ocean currents, 19
- oceans, 19
 - thermal expansion, 29–30, 303
- onchocerciasis, 50, 124, 297
- organic pollutants, persistent, 5, 13, 268
- oropouche, 297
- osteomalacia, 174
- osteoporosis, 174
- outbreak, 297
- ozone (O₃), 23, 159, 298
 - ground level (tropospheric), 48, 53, 161–2
 - stratospheric, 159, 303
- ozone depletion, stratospheric, 159–80, 303
 - climate change and, 11–12, 161
 - conclusions and recommendations, 277
 - health impacts, 13, 163–74
 - international conventions, 268
 - Montreal Protocol *see* Montreal Protocol
 - vs* greenhouse effect, 161–2
- PACCLIM, 191–2, 194
- Pacific Decadal Oscillation (PDO), 26, 298
- Pacific Islands, 56, 191–2, 194
 - coral reef fisheries, 254
 - diarrhoeal disease, 85, 215–16
- Pacific Islands Climate Change Assistance Programme (PICCAP), 190

- Pakistan, malaria monitoring, 213–15
- paleoclimatology, 298
- Pan American Health Organization (PAHO), 122, 253
- pandemic, 298
- perfluoromethane, 24
- permafrost, 298
- Peru, childhood diarrhoeal disease, 85, 113, 215, 216
- pesticides (insecticides), 52, 228, 253, 294
- Peto, Richard, 133
- pH, 298
- Phlebotomus orientalis*, 118
- photoconjunctivitis, 169, 298
- photokeratitis (snow blindness), 163, 169, 298
- photoperiod, 298
- photosynthesis, 298
- phytoplankton, 107, 126, 298
see also algal blooms
- plague (bubonic), 52, 54, 84, 298
- plankton, 298
- plant diseases, 126
- Plasmodium falciparum*, 298
see also malaria
- Plasmodium vivax*, 298
see also malaria
- Plot, Robert, 9
- pneumonia, viral, 38
- polar regions, 56
see also Antarctic region; Arctic region
- policy-focused assessment, 182–3, 239, 244–63
- communicating results, 261–2
 - conclusions and recommendations, 280–1
 - definition, 237
 - evaluation of adaptation options, 247–53
 - examples, 242, 248, 250–1, 254–5, 258
 - formulating research agenda, 260–1
 - as multidisciplinary activity, 245–6
 - stakeholder engagement, 246–7
 - uncertainty analysis, 253–8
 - vs* policy formulation, 240, 263
- policy formulation, 237–66
- adaptation options, 69–70
 - ancillary benefits and costs, 70
 - conclusions and recommendations, 280–1
 - decision-making criteria, 240–1
 - decision-support tools, 241
 - health impact assessments for *see* policy-focused assessment
 - informing, 70–1, 74
 - outside public health arena, 239
 - public health aspects, 238–9
 - quantifying health impacts, 133
 - response options, 241–4
 - scientific uncertainty and, 239, 253, 262
 - vs* policy-focused assessment, 240, 263
- policy-relevant assessment, 237
- polio (poliomyelitis), 299
- poor countries
- adaptive capacity, 226–7, 230–1
 - recommendations, 279
- population
- adaptive responses *see* adaptation
 - age structure, 210
 - changes, monitoring, 210–11
 - displacement, 51, 79–80
 - vulnerability *see* vulnerability, population
- population-based studies, 61–2
- population health, 7, 299
- summary measures, 134
- Portugal, health impact assessment, 186, 188–9, 194, 195
- post-traumatic stress disorder, 94
- poverty, 210–11
- adaptive capacity and, 226
 - elimination, to increase adaptive capacity, 245
 - vulnerability and, 14
- ppb, 299
- ppm, 299
- precautionary principle, 240, 269, 274, 280, 281, 299
- precipitation *see* rainfall
- prediction (weather), 26, 299
- predictive modelling, 62
- infectious diseases, 11, 115–21
 - national health impact assessments, 193
- prevalence, 299
- prevention, 222–3
- primary, 222
 - secondary, 222–3
 - tertiary, 223
- primary health care, 299
- principal components analysis, 299
- process-based models, infectious diseases, 116–17
- projections, 26, 299
- PROMED, 208, 299–300

- proxy, 300
- psychological effects, natural disasters, 94
- pterygium, 163, 169, 300
- public–private sector collaboration, 230
- public health
 - burden *see* burden of disease
 - ethics, 238–9
 - measures enhancing adaptive capacity, 225
 - messages, ultraviolet radiation exposure, 174–5
 - policy formulation, 238–9
- public health infrastructure, 14
 - adaptive capacity, 225, 229
 - recommendations, 127, 222, 279
 - trained and skilled personnel, 229
- public health managers, 229
- public transport, 70

- qualitative analysis, 300
- Quality Adjusted Life Year (QALY), 300
- quantifying health impacts, 133–58
 - conclusions and recommendations, 276–7
 - estimates for 2000, 136, 152
 - methodology, 134–41
 - burden of disease estimation, 134–7
 - definition of risk factor, 137
 - estimating risk factor–disease relationships, 140–1
 - exposure assessment, 137–9
 - health outcomes assessed, 139–40
 - specific health impacts, 141–6
 - see also* health impact assessments
- quantitative analysis, 300
- quantitative risk assessment (QRA), 133, 182–3

- rabies, 106
- rainfall (precipitation)
 - changing patterns, 6–7, 30, 32–3
 - events, extreme, 6–7, 30
 - diarrhoeal illness and, 85
 - exposure assessment, 38
 - IPCC-TAR, 49
 - mechanisms of health effects, 80
 - mosquito-borne diseases and, 81–2, 83–4
 - rodent-borne diseases and, 84–5
 - see also* droughts; floods
 - sensitivity, infectious diseases, 108–10, 111
 - vegetation change and, 22
- rangeland, 300
- rates of disease, 210
- red tides, 111, 300
 - see also* algal blooms
- ReefBase, 255
- regional approaches
 - climate modelling, 35–6
 - integrated impact assessment, 195–6
- relative risk, 134, 135
- remote sensing satellites, 117–18, 211, 300, 301
- reproduction rate, basic (R_0), 116–17, 286
- research
 - agenda, formulating, 260–1
 - main tasks *see under* scientists
 - methodological difficulties, 61–3
 - needs, 271, 272, 274
 - ongoing investments, 244
 - time scales, 61
- researchers, 229
 - see also* scientists
- reservoir host, 106, 300
- respiratory disease, 94, 141
- retinopathy, acute solar (eclipse), 169
- rheumatoid arthritis (RA), 173
- ricketts, 174, 175
- Rift Valley fever, 51, 107, 121, 300–301
- Rio Declaration on Environment and Development, 269
- risk assessment, 70–1
 - comparative *see* Comparative Risk Assessment
 - quantitative, 133, 182–3
 - see also* quantifying health impacts
 - vs* health impact assessment, 245
- risk communication, 261
- risk factors
 - data acquisition, 210–11
 - definition, 137
 - estimating burden of disease attributable to, 134–5
 - estimating disease relationships, 140–1
- risk management, 70–1, 225, 240–1
- river blindness (onchocerciasis), 50, 124, 297
- Rocky Mountain spotted fever, 55
- rodent-borne diseases, 52, 54
 - climate extremes and, 84–5
 - climate sensitivity, 109–10
 - policy-focused assessment, 242
- Ross River virus disease, 53
- run-off, 301

- Saint Louis encephalitis virus (SLEV), 111–12, 116
- salinization, 301
- Salmonella typhi* (typhoid), 49, 50, 54, 304
- salmonellosis (*Salmonella* infections), 64, 301
- sandflies, 50, 118, 295
- sanitation, 225, 229
- satellites
 - meteorological data collection, 208
 - for predictive modelling, 117–18, 120–1
 - remote sensing, 117–18, 211, 300, 301
- saturation deficit, 301
- scenario-based models, 39, 66–8
- scenarios, 30–1, 256, 301
 - analysis, 256–7
 - see also* climate scenarios; emission scenarios
- schistosomiasis, 11, 50, 301
- schizophrenia, 174
- scientific assessments, recent, 5–8
- scientists, 229
 - challenges for, 61–78, 274
 - main tasks, 63–75
 - dealing with uncertainty, 71–5
 - developing scenario-based models, 66–8
 - establishing baseline relationships, 63–4
 - estimating ancillary benefits/costs, 70
 - evaluating adaptation options, 68–70
 - evidence for early health effects, 64–6
 - informing policy, 70–1
- sea ice, 29
- sea level rise, 6, 29–30, 33
 - adaptation strategies, 252
 - effects on vector-borne diseases, 109, 110
 - health impacts, 51, 56, 147–8
 - projections, 138
- sea surface temperature (SST), 301
- seasonal affective disorder, 174
- seasonal forecasts, 96
- seasonal variations/seasonality, 25, 301
 - infectious diseases, 107
- sensitivity, 301
 - analyses, 67, 256
 - climate *see* climate sensitivity
- sentinel site, 302
- seroprevalence, 302
- serotype, 302
- shellfish poisoning, 49–50, 111
- skills, 228–9
- skin cancer, 163–7
 - ozone depletion and, 166–7
 - ultraviolet radiation (UVR) and, 165–6
- skin disorders, 163–7, 174
- skin pigmentation, human, 164
- sleeping sickness, 50, 304
- Small Island Developing States (SIDS)
 - IPCC-TAR, 56
 - national assessments of health impacts, 191–2
 - National Communications to UNFCCC, 197, 198–9
- smog, photochemical, 12, 55, 161–2
- smoking, 169
- snails, water, 50, 301
- Snow, John, 280
- snow blindness (photokeratitis), 163, 169, 298
- snow cover, 29
- snowshoe hare virus (SHV), 302
- social disruptions, 51
- social scientists, 229
- sociodemographic influences, infectious diseases, 121–2
- socioeconomic status
 - data sources, 210–11
 - vulnerability and, 14, 142
- solar activity, 2, 21, 302
- solar radiation (sunlight), 20, 21, 162, 302
 - health impacts of higher exposures, 163–74
 - lens opacities and, 167–9
 - public health message re exposure, 174–5
 - skin cancer and, 165–6
 - see also* ultraviolet radiation
- solar retinopathy, 169
- soot, 24
- Southern Oscillation, 26
 - see also* El Niño/Southern Oscillation
- spatial and temporal scale/resolution, 302
- Special Report on Emission Scenarios (SRES), 30–1, 302
- spectral analysis, 291
- spirochaete, 302
- SRES (Special Report on Emission Scenarios), 30–1, 302

- Sri Lanka, health impact assessment, 186, 190
- stakeholders, 246, 303
 communication with, 261–2
 conflict resolution, 245
 conflicting desires, 239
 engagement, in health impact assessment, 246–7
 needs assessment, 194, 260
- statistical based models, infectious diseases, 115–16
- storms, 48
- stratosphere, 20, 159, 162, 303
 ozone depletion *see* ozone depletion, stratospheric
 ozone layer, 159, 303
- stressor, 303
- suicide, 94
- sulphate particles, 24
- summer *see* heatwaves; hot weather
- Sun, 19
- sun-bathing, 164–5
- sunlight *see* solar radiation
- surveillance, 14, 303
 future needs, 127, 278
 systems, developing and implementing, 243–4
- susceptibility, 303
see also vulnerability
- sustainability (sustainable development), 239, 269, 281, 303
- synoptic, 303
- synoptic climatological analysis, 37
- synoptic scale, 24
- systemic lupus erythematosus (SLE), 173–4, 295
- T lymphocytes, 295
 helper type 1 (T_H1), 169–70, 173
 helper type 2 (T_H2), 169–70, 173–4
- TAR *see* Intergovernmental Panel on Climate Change (IPCC), Third Assessment Report
- technological advances
 adaptive, 227–8, 253
 environmental impact, 267
- temperature
 -related mortality, 87–90, 141–3, 153
see also cold-related mortality; heat-related mortality
- ambient
 diarrhoeal illness and, 85
 food poisoning and, 64
 mosquito-borne diseases and, 82
 in atmospheric layers, 20
- diurnal range, 25, 289
- extremes, 30, 86–90
 monitoring, 212, 217
 projections, 33
see also heatwaves
- global average, 2, 3, 5, 6
 increasing *see* global warming
 past changes, 26–7, 28
 projected changes, 31–2, 39, 272
- sea surface (SST), 301
- sensitivity
 vector-borne diseases, 108, 109
 water-borne diseases, 111
 spatial gradients, 25
- thermal expansion, 29–30, 303
- thermohaline circulation, 303
- threshold, 303
- tick-borne encephalitis (TBE), 303
 changes in distribution, 53–4, 65, 114–15
 effects of climate change, 114–15
 integrated monitoring, 210
- ticks, 110, 125
 hard, 46, 53–4, 118, 293
 soft, 302
- tide gauge, 303
- time-series analyses, 38–9, 86–7, 205, 304
- trachoma, 304
- trade, international, 121–2
- training and education, 228–9
- transmission (disease)
 classification, 105–7
 direct, 105–6, 289
 effects of climate, 45–7
 human movements and, 121–2
 indirect, 106–7, 294
 potential, 116–17
- transport policy, 70
- transportation infrastructure, 229–30
- travel, human, 121–2
- triatome bugs, 50
Trichinella spiralis, 170
- troposphere, 19–20, 162, 304
- tropopause, 20, 162, 304
- trypanosomiasis, 124, 304
 African, 50, 304
 American, 50, 304
- tsetse flies, 46, 50, 304
- tuberculosis (TB), 174, 304
- typhoid (*Salmonella typhi*), 49, 50, 54, 304
- ultraviolet A radiation (UVA), 162, 165, 167, 304

- ultraviolet B radiation (UVB), 162, 304
 - lens opacities and, 167
 - skin cancer and, 165, 166
- ultraviolet radiation (UVR), 159, 162, 304
 - changes in ground-level, 160–1
 - health impacts of higher exposures, 163–74
 - immune system effects, 169–74
 - lens opacities and, 167–9
 - measurement, 162–3
 - predicted future exposures, 161
 - public health message re exposure, 174–5
 - skin cancer and, 165–6
 - standard erythemal doses (SEDs), 163
- uncertainty, 71–5, 304
 - assessment/characterization, 62–3, 253–8
 - benefits, 257–8
 - historical records, 255–6
 - IPCC approach, 45, 74, 192, 193
 - quantitative and qualitative description, 257
 - scenario analyses, 256–7
 - general issues, 74–5
 - policy-making and, 239, 253, 262
 - research needs, 274
- unemployment, 231
- UNEP *see* United Nations Environment Programme
- UNFCCC *see* United Nations Framework Convention on Climate Change
- United Kingdom, health impact assessment, 186, 187–8, 194
- United Kingdom Climate Impacts Programme (UKCIP), 195
- United Nations Conference on Environment and Development (Earth Summit, 1992), 269
 - see also* Agenda 21
- United Nations Conference on the Human Environment (1972), 268
- United Nations Environment Programme (UNEP)
 - country studies programme, 183–4, 190, 196
 - inter-agency collaborations, 270–1, 272
 - IPCC establishment, 43, 269
- United Nations Framework Convention on Climate Change (UNFCCC), 1, 304
 - Annex I countries, 285
 - key principles, 281–2
 - National Communications to, 185, 197–9
 - objectives, 221, 269–70
- United States of America (USA)
 - country studies programme, 190–1
 - federal flood insurance, 252
 - hantavirus pulmonary syndrome, 120–1, 242
 - health impact assessment, 184–5, 185, 186, 187, 188
 - policy-focused assessments, 242, 248, 250–1
- urban heat island, 22, 293
- urban populations, vulnerability to heat, 249
- urbanization, 123, 124
- UVR *see* ultraviolet radiation
- vaccine efficacy, 171–2
- vector-borne diseases, 106, 107, 273, 305
 - attribution, 206
 - climate extremes and, 81–4
 - climate sensitivity, 46, 108–10
 - evidence for effects of climate, 111–13, 114–15
 - IPCC-TAR, 48–9, 50, 53, 54, 55–6, 72–3
 - monitoring, 212, 213–15, 217
 - national health impact assessments, 187, 189, 191, 193
 - predictive modelling, 11, 115–18
 - seasonal fluctuations, 107
 - see also specific diseases*
- vectors, 106, 107, 304–305
 - control measures, 228, 253
 - monitoring, 210
 - see also* mosquitoes; ticks
- vegetation, changes in, 22
- Vibrio cholerae* infection *see* cholera
- vitamin D
 - autoimmune diseases and, 173
 - deficiency, 174, 175
 - immunomodulatory effects, 170, 171, 173, 174
 - supplementation, 175
 - synthesis, 172
- volcanic activity, 2, 21
- vulnerability, population, 12–14, 68–9, 305
 - assessment, adaptation and, 221–2
 - characterizing uncertainties, 256

- conclusions and recommendations, 279
- data acquisition, 210–11
- effect modifiers, 206
- policy-focused assessment, 244–5, 249
- weather extremes, 91
- wastes, hazardous, 268
- watch/warning systems, hot weather, 250–1
- water-borne diseases, 14, 106–7, 273
 - climate extremes and, 80, 85
 - climate sensitivity, 110–11
 - evidence for effects of climate, 113–14
 - IPCC-TAR, 49–50, 52, 54, 56
 - monitoring, 212
 - weather exposure assessment, 38
 - see also* diarrhoeal diseases
- water development projects, 14, 123–4
- water stress, 305
- water supplies, 13, 50, 54, 225, 229
- water vapour, 22, 305
- watershed, 305
- wealthy nations, adaptive capacity, 226
- weather, 18, 24–6
 - exposure assessment, 36–9, 40
 - extreme events *see* extreme climate events
 - research needs, 39
 - scales of operation, 24–5
- West Nile virus (WNV), 112, 189, 305
- western equine encephalitis (WEE), 116
- wetlands, 252, 268
- “what if . . .” questions, 256
- wheat yields, 65
- white-footed mice, 125
- whiteness (albedo), 22, 284–5
- WHO *see* World Health Organization
- wildlife diseases, 126
- win-win strategies, 245
- windstorms, 94
- winter mortality, 48, 53
 - excess, 11, 89–90
 - impact of climate change, 90
 - see also* cold-related mortality
- WMO *see* World Meteorological Organization
- World Health Organization (WHO), 230
 - Comparative Risk Assessment, 134
 - global burden of disease estimates, 134
 - inter-agency collaborations, 270–1, 272
 - PROMED, 208, 299–300
- World Meteorological Organization (WMO), 43, 138, 269
 - climate normals, 25, 273
 - inter-agency collaborations, 270–1, 272
- World Wildlife Fund (WWF), 255
- Wyeomia smithii*, 108
- yellow fever, 50, 103, 305
 - eradication programme, 122, 253
 - national health impact assessments, 189
- Yersinia pestis* *see* plague
- Zambia, health impact assessment, 186, 190
- zoonoses, 105–7, 124, 305
- zooplankton, 49, 107, 126, 305
- zooxanthellae, 254, 305