



Haiti full list of needed medical supplies

The items highlighted in blue are those most needed as of 27 January, 2010

DESIGNATION
aciclovir 200 mg, dispersible, blister
adhesive tape 1.25 cm x 5 m
adhesive tape 10.0cmx5m, perforated woven tearable
adhesive tape 2.5 cm x 5 m
alcohol disinfect., propanol 70% + det.(UN1274),5L
alcohol swabs (3 cm x 3 cm)
Ambu Mark IV baby resuscitator, incl. mask OA
Ambu Mark IV resuscitator, incl. mask No. 2+5
aminophylline 100 mg
aminophylline 250 mg/10 ml, for injection
amoxic.+clavulanic acid,125+31.25mg/5ml, pwd susp.
amoxicillin 1g + clavulanic acid 200mg, pwd f inj.
amoxicillin 250 mg
amoxicillin 500 mg
amoxicillin 500 mg + clavulanic acid 125 mg, bl.
ampicillin 1 gram, powder for injection
ampicillin 500 mg, powder for injection
apron utility, 120 cm, opaque, plastic, reusable
apron with neckband, opaque, plastic, disposable
atenolol 50 mg
atropine sulphate 1 mg/ml, 1 ml, for injection
atenolol 50 mg
bandage crepe 10.0 cm x 4 m
bandage crepe 6.0 cm x 4 m
bandage, elastic 8.0 cm x 2.5 m (5.0 m stretched)
bandage, hydrophilic 10.0 cm x 10 m, w.o.w.
bandage, hydrophilic 10.0 cm x 5 m, selfedged
bandage, hydrophilic 7.5 cm x 10 m, w.o.w.
bandage, hydrophilic 7.5 cm x 5 m, selfedged
bandage, hydrophilic 8.0 cm x 4 m, selfedged
bandage, triangular 96 x 96 x 136 cm, selfedged
benzathine penicillin 2.4 miu, powder for inj.
benzylbenzoate 25% application, 1 L
benzylpenicillin 5 miu, powder for injection
blade for surgical knives size 10
blade for surgical knives size 11
blade for surgical knives size 12
blade for surgical knives size 15
blade for surgical knives size 20
blade for surgical knives size 21
blade for surgical knives size 22
blade for surgical knives size 23
blade for surgical knives size 24
blanket, survival, disposable, 210 x 160 cm
blood giving set w. air inlet & ndle, ster., disp.
blood taking set with needle, sterile, disposable
bupivacaine HCl 0.5%, 20 ml, for injection
calcium gluconate 1 g/10 ml (2.23 mmol), injection
captopril 25 mg, blister
carbamazepine 200 mg
carbimazole 5 mg
catheter Foley, balloon 5-15ml,Ch 12,sterile,disp.
catheter Foley, balloon 5-15ml,Ch 14,sterile,disp.



<i>catheter Foley, balloon 5-15ml, Ch 16, sterile, disp.</i>
<i>catheter Foley, balloon 5-15ml, Ch 18, sterile, disp.</i>
<i>cefalexin 500 mg, blister</i>
<i>ceftriaxon 1 gram, powder for injection</i>
<i>chloramphenicol 1gr (as sodium succinate), for inj</i>
<i>chloramphenicol 250 mg</i>
<i>chloramphenicol 500 mg/2 ml in oil, for injection</i>
<i>chlorhexidine gluconate 20%, solution, 5 L(UN3082)</i>
<i>chloroq. phosphate 10 mg base/ml, oral sol., 60 ml</i>
<i>chloroquine phosphate 150 mg base</i>
<i>chlorpromazine HCl 25 mg, coated</i>
<i>chlorpromazine HCl 25 mg/5 ml, oral sol., 150 ml</i>
<i>ciprofloxacin 2 mg/ml, 100 ml infusion</i>
<i>ciprofloxacin 500 mg</i>
<i>clotrimazole 1% cream, 20 g</i>
<i>clotrimazole vaginal 500 mg, blister</i>
<i>clotrimazole vaginal 500 mg, with applicator</i>
<i>cloxacillin 125 mg/5 ml, pwd for oral sol, 100 ml</i>
<i>cloxacillin 250 mg</i>
<i>cloxacillin 500 mg</i>
<i>cloxacillin 500 mg, powder for injection</i>
<i>co-trimoxazole 100 mg + 20 mg</i>
<i>co-trimoxazole 200mg + 40mg/5 ml, oral susp, 100ml</i>
<i>co-trimoxazole 400 mg + 80 mg</i>
<i>co-trimoxazole 480mg /5 ml, for injection</i>
<i>co-trimoxazole 800 mg + 160 mg</i>
<i>cotton wool absorbent BP/EurP., 500 g</i>
<i>cotton wool absorbent BP/EurP., 500 g zig-zag</i>
<i>dexamethasone phosphate 0.1% eye drops, 5ml</i>
<i>dexamethasone sodium phosphate 5 mg/ml, 1 ml, inj.</i>
<i>dextrose 10% in water, 500 ml</i>
<i>dextrose 2.5% in sodium chloride 0.45%, 500 ml</i>
<i>dextrose 5% in water, 1000 ml</i>
<i>dextrose 50%, 50 ml, for injection</i>
<i>diclofenac sodium 75 mg/3 ml, for injection</i>
<i>diethylcarbamazine citrate 100 mg</i>
<i>diethylcarbamazine citrate 50 mg</i>
<i>digoxin 0.25 mg, blister</i>
<i>dopamine HCl 200 mg/5 ml, for injection</i>
<i>doxycycline 100 mg (as hyclate)</i>
<i>enalapril maleate 5 mg, blister</i>
<i>epinephrine 1 mg/ml, 1 ml (adrenaline), injection</i>
<i>ergometrine maleate 0.2 mg</i>
<i>erythromycin 250 mg (as stearate)</i>
<i>erythromycin 500 mg (as stearate)</i>
<i>examination gloves, latex, pre-powd., disp., medium</i>
<i>examination gloves, latex, pwd-free, disp., medium</i>
<i>feeding tube, Ch 05, sterile, disp., 40 cm, luer</i>
<i>feeding tube, Ch 06, sterile, disp., 40 cm, luer</i>
<i>feeding tube, Ch 08, sterile, disp., 40 cm, luer</i>
<i>feeding tube, Ch 10, sterile, disp., 40 cm, luer</i>
<i>fentanyl 0.1 mg/2 ml, for injection (nt)</i>
<i>ferrous sulphate 200 mg + folic acid 0.25 mg</i>
<i>fluconazole 150 mg</i>
<i>fluphenazine decanoate 25 mg/ml, 1 ml, for inj.</i>
<i>folic acid 5 mg</i>
<i>furosemide 20 mg/2 ml, for injection</i>



**World Health
Organization**

furosemide 40 mg



gauze compresses 10 x 10cm, 12 ply, non sterile
gauze compresses 10x10cm, 12 ply, sterile per 1pce
gauze hydrophilic, 90 cm x 91 m, 13heavy (17g/m2)
gauze impregnated with paraffin, sterile, 10x10cm
gauze compresses 75x75mm12 ply sterile per 2
gentamicin 80 mg/2 ml, for injection
griseofulvin 500 mg
gynaecological gloves,latex,ster., pre-pwd, medium
haloperidol 5 mg tabs
haloperidol 5 mg/ml, 1 ml, for injection
halothane 250 ml (in case of air shipment:UN2810)
handle for surgical blades no.3
handle for surgical blades no.4
headcap, operating, green, disposable
heparine sodium 5000 iu/ml, 5 ml, for injection
hydralazine 20 mg, powder for injection
hydralazine HCl 25 mg
hydrochlorothiazide 50 mg
ibuprofen 400 mg, film coated
infusion giving set with air inlet and needle
iron dextran 100 mg/2 ml, for injection
IV placement unit 18G, sterile, disposable
IV placement unit 18G, w.inj.port&wings,ster,disp
IV placement unit 20G, sterile, disposable
IV placement unit 20G, w.inj.port&wings,ster,disp
IV placement unit 22G, sterile, disposable
IV placement unit 22G, w.inj.port&wings,ster,disp
IV placement unit 24G, sterile, disposable
IV placement unit 24G, w.inj.port&wings,ster,disp
IV stand on wheels, double
ketamine 50 mg/ml, 10 ml, for injection
lidocaine HCl 2% 20 ml, for injection
lidocaine HCl 5% + dextrose 7.5%, 2ml, spinal inj.
magnesium sulphate 50%, 20 ml, for injection
mannitol 20% solution, 500 ml
metformin HCl 500 mg
methyl dopa 250 mg, film coated
methylergometrine maleate 0.2mg/ml, 1ml, inj. (*)
metoclopramide HCl 10 mg
metoclopramide HCl 10 mg/2 ml, for injection
metronidazole 500 mg, vaginal
metronidazole 5mg/ml, 100ml inj.
miconazole 2% cream, 30 g
morphine sulphate 10 mg/ml, 1 ml, for inj. (nt)
morphine sulphate 30 mg, controlled release (nt)
mucus extractor type De Lee, disp., Ch 10 + filter
naloxone 0.4 mg/ml, 1 ml, for injection
needle holder Mayo-Hegar, 16.0 cm, straight
needle luer 18Gx 1.1/2" (1.2x 38 mm), ster., disp.
needle luer 19Gx 1.1/2" (1.1x 38 mm), ster., disp.
needle luer 20Gx 1.1/2" (0.9x 38 mm), ster., disp.
needle luer 21Gx 1.1/2" (0.8x 38 mm), ster., disp.
needle luer 22Gx 1.1/4" (0.7x 32 mm), ster., disp.
needle luer 23G x 1" (0.6 x 25 mm), sterile, disp.
needle luer 23Gx 1.1/4" (0.6x 30 mm), ster., disp.
needle luer 24Gx 1" (0.55x 25 mm), sterile, disp.
needle luer 25Gx 5/8" (0.5x 16 mm), sterile, disp.



**World Health
Organization**

needle luer 26Gx 1/2" (0.45x 12 mm), sterile, disp



<i>neomycin 0.5% + bacitracin 500 iu/g ointment, 15 g</i>
<i>nifedipine retard 20 mg</i>
<i>nitroglycerine 0.5 mg (glyceryl trinitrate)</i>
<i>nystatin 100.000 iu oral non-coated</i>
<i>nystatin 100.000 iu, vaginal</i>
<i>nystatin 100.000 iu/ml oral suspension, 30 ml</i>
<i>nystatin 500.000 iu oral coated</i>
<i>oxygen concentrator DeVilbiss 515 KS</i>
<i>oxygen mask for adults with tube</i>
<i>oxytocin 10 iu/ml, 1 ml, for injection (*)</i>
<i>pancuronium bromide 4 mg/2 ml, for injection (**)</i>
<i>paracetamol 100 mg</i>
<i>paracetamol 120 mg/5 ml oral solution, 60 ml</i>
<i>paracetamol 500 mg</i>
<i>pentazocine 30 mg/ml, 1 ml, for injection (pt)</i>
<i>pethidine hydrochloride 100mg/2 ml, injection (nt)</i>
<i>phenobarbital 30 mg (pt)</i>
<i>phenobarbital 50 mg (pt)</i>
<i>phenobarbital sodium 200 mg/2 ml, injection (pt)</i>
<i>plaster of Paris bandage 10.0 cm x 2.7 m</i>
<i>plaster of Paris bandage 15.0 cm x 2.7 m</i>
<i>plaster of Paris bandage 20.0 cm x 2.7 m</i>
<i>plaster of Paris bandage 7.5 cm x 2.7 m</i>
<i>potassium chloride 1 g/10 ml, for injection</i>
<i>prednisolone 5 mg</i>
<i>proc.penicillin 3miu/benz.penicillin 1miu, pwd inj</i>
<i>procaine penicillin 3 MIU powder for inj</i>
<i>promethazine HCl 25 mg, coated</i>
<i>promethazine HCl 5 mg/5 ml oral solution, 100 ml</i>
<i>promethazine HCl 50 mg/2 ml, for injection</i>
<i>pvp iodine 7.5% surgical scrub (betadine), 500 ml</i>
<i>ringer's lactate (Hartmann's solution), 1000 ml</i>
<i>safety box, to dispose used syringes & needles, 5L</i>
<i>safety box carton 20-25L for disp. used syr. & ndl</i>
<i>salbutamol 0.5 mg/ml, 1 ml, for injection</i>
<i>salbutamol 4 mg</i>
<i>scalp vein infusion set 19 g, sterile, disposable</i>
<i>scalp vein infusion set 21 g, sterile, disposable</i>
<i>scalp vein infusion set 23 g, sterile, disposable</i>
<i>scalp vein infusion set 25 g, sterile, disposable</i>
<i>scissors bandage, Lister, 16.0 cm, curved</i>
<i>scissors surgical, blunt/blunt, straight, 14.0 cm</i>
<i>scissors surgical, sharp/blunt, straight, 14.0 cm</i>
<i>scissors surgical, sharp/sharp, straight, 14.0 cm</i>
<i>scissors surgical sh/bl curved 14cm</i>
<i>silver sulfadiazine 1% cream, 50 g</i>
<i>slidebox for 100 slides, 75 x 26mm, plastic</i>
<i>sodium bicarbonate 8.4%, 20 ml, for injection</i>
<i>sodium chloride 0.9%, 1000 ml</i>
<i>sphygmomanometer anaeroid for adults, s.k.</i>
<i>sphygmomanometer anaeroid for children</i>
<i>sphygmomanometer anaeroid simple</i>
<i>spinal needle 20G x 90 mm sterile, disposable</i>
<i>spinal needle 22G x 40 mm sterile, disposable</i>
<i>spinal needle 22G x 90 mm sterile, disposable</i>
<i>spinal needle 25G x 90 mm sterile, disposable</i>
<i>sterilisation tape 19mmx55m (for dry heat ster.)</i>



**World Health
Organization**

stethoscope, foetal, metal



<i>stethoscope, foetal, wood</i>
<i>stethoscope, nurse type, lightweight, single cup</i>
<i>stethoscope, Littman type, lightwght, dble cup, spares</i>
<i>stomach tube, Ch 06, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 08, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 10, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 12, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 12, sterile, disposable, 80 cm</i>
<i>stomach tube, Ch 14, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 14, sterile, disposable, 80 cm</i>
<i>stomach tube, Ch 16, sterile, disp., 125cm(06SGx03)</i>
<i>stomach tube, Ch 16, sterile, disposable, 80 cm</i>
<i>stomach tube, Ch 18, sterile, disp., 125cm(06SGx03)</i>
<i>suction pump, foot/hand operated, "Twin", 600 ml</i>
<i>suction tube no. 08, sterile, disposable</i>
<i>suction tube no. 10, sterile, disposable</i>
<i>suction tube no. 14, sterile, disposable</i>
<i>suction tube no. 16, sterile, disposable</i>
<i>surgical face mask, disp., with metal nose piece</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 6.0</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 6.5</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 7.0</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 7.5</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 8.0</i>
<i>surgical gloves, latex, sterile, pre-pwd, size 8.5</i>
<i>surgical gloves, latex, sterile, pwd-free, size 6.5</i>
<i>surgical gloves, latex, sterile, pwd-free, size 7.0</i>
<i>surgical gloves, latex, sterile, pwd-free, size 7.5</i>
<i>surgical gloves, latex, sterile, pwd-free, size 8.0</i>
<i>surgical gloves, latex, sterile, pwd-free, size 8.5</i>
<i>surgical scrub brush, sterilisable, plastic</i>
<i>suture catgut chromic (0) 1 x 150 cm, S114H</i>
<i>suture catgut chromic (1) 1 x 150 cm</i>
<i>suture catgut chromic (2) 1 x 150 cm</i>
<i>suture catgut chromic (2/0) 1 x 150 cm, S113H</i>
<i>suture catgut chromic (3/0) 1 x 150 cm, S112H</i>
<i>suture needles, assorted sizes, cutting</i>
<i>suture needles, assorted sizes, round body</i>
<i>suture polyamide (1) 100cm+1 1/2 rb ndl 30mm, W745</i>
<i>suture polyamide (2/0) 75cm+3/8ct nl 30 mm, 7798H</i>
<i>suture polyamide (3/0) 45cm+3/8ct ndl 18 mm, 7506H</i>
<i>suture polyamide (3/0) 45cm+3/8ct ndl 24.5 mm, 663H</i>
<i>suture polyamide(4/0) 45cm+ 3/8ct ndl 18.5mm, 662H</i>
<i>suture polyester (0) 150 cm, non-abs., braided</i>
<i>suture polyester (2/0) 150 cm, non-abs., braided</i>
<i>suture polyester (3/0) 150 cm, non-abs., braided</i>
<i>suture silk (0) 75 cm + 3/8 ct ndl 30 mm, 680H</i>
<i>suture silk (2/0) 45 cm + 3/8ct ndl 24.5 mm, 7633H</i>
<i>suture silk (3/0) 45 cm + 3/8 ct ndl 30mm, 676H</i>
<i>suture silk (4/0) 45 cm + 3/8 ct ndl 18.5 mm, 683H</i>
<i>suture synth.abs.(0) 70cm+1/2rb ndl 40mm, V352H</i>
<i>suture synth.abs.(1) 70cm+1/2rb ndl 36.5mm, V325H</i>
<i>suture synth.abs.(1) 70cm+1/2rb ndl 48mm, V365H</i>
<i>suture synth.abs.(1) 90cm+1/2ct ndl 36.5mm, V519H</i>
<i>suture synth.abs.(2) 90cm+1/2rb ndl 40mm, V360H</i>
<i>suture synth.abs.(2/0) 70cm+1/2rb ndl 26mm, V317H</i>
<i>suture synth.abs.(2/0) 70cm+3/8ct ndl 24.5mm, V453H</i>



**World Health
Organization**

suture synth.abs.(2/0) 70cm+3/8ct ndl 30mm, V586H



suture synth.abs.(3/0) 45cm+3/8ct ndl 18.5mm,V393H
suture synth.abs.(3/0) 70cm+1/2rb ndl 17.5mm,V305H
suture synth.abs.(3/0) 70cm+1/2rb ndl 26mm, V316H
suture synth.abs.(4/0) 45cm+3/8ct ndl 18.5mm,V392H
suture synth.abs.(4/0) 70cm+1/2rb ndl 17.5mm,V304H
suture synthetic absorbable (0) 2 x 70 cm, V626H
suture synthetic absorbable (1) 2 x 70 cm, V627H
suture synthetic absorbable (2) 2 x 70 cm, V628H
suture synthetic absorbable (2/0) 2 x 70 cm, V625H
suture synthetic absorbable (3/0) 2 x 70 cm, V624H
suture Vicryl® (0) 70cm + 1/2 rb ndl 40mm, V352H
suture Vicryl® (1) 70cm + 1/2 rb ndl 48mm, V365H
suture Vicryl® (1) 90cm + 1/2 ct ndl 36.5mm, V519H
suture Vicryl® (2/0) 70cm + 1/2 rb ndl 26mm, V317H
suture Vicryl® (2/0) 70cm + 3/8 ct ndl 30mm, V586H
suture Vicryl® (3/0) 45cm+3/8ct ndl 18.5mm, V393H
suture Vicryl® (3/0) 70cm+1/2rb ndl 17.5mm, V305H
suture Vicryl® (4/0) 45cm+3/8ct ndl 18.5mm, V392H
suture Vicrylâ (0) 2 x 70 cm, V626H
suture Vicrylâ (1) 2 x 70 cm, V627H
suture Vicrylâ (2/0) 2 x 70 cm, V625H
suture Vicrylâ (3/0) 2 x 70 cm, V624H
suxamethonium chloride 100 mg/2 ml, inj.(**)
syringe luer 10 ml sterile, disp., without needle
syringe luer 10 ml, with bypacked needle 21Gx 1.5"
syringe luer 2 ml sterile, disp., without needle
syringe luer 2 ml, with bypacked ndle 23G x 1.1/4"
syringe luer 5 ml sterile, disp., without needle
syringe luer 5 ml, with bypacked needle 21G x 1.5"
syringe luer 5 ml, with bypacked needle 22Gx1.1/4"
tetanus antitoxin 1.500 iu, 1 ml, for inj.
thermometer digital
thiopental sodium 1 gram, powder for injection
thiopental sodium 500 mg, powder for injection
tramadol HCl 100 mg/2 ml, for injection
tramadol HCl 50 mg
undercast padding, synthetic, 7.5 cm x 2.7 m
undercast padding, 100 % cotton
urine collecting bag 2000 ml, with tap and valve
vitamin K1 (phytomenadione) 1 mg/ml, 1 ml, inj.
washbottle plastic 250 ml, complete squeeze type
x-ray developer pwd for 22.5 litre (UN2811)
x-ray film 18x24cm, blue sens., non-interleaved
x-ray film 18x24cm, green sens., non-interleaved
x-ray film 24x30cm, blue sens., non-interleaved
x-ray film 24x30cm, blue sens., non-interleaved
x-ray film 24x30cm, green sens., non-interleaved
x-ray film 30 x 40cm, blue sens., non-interleaved
x-ray film 30 x 40cm, green sens., non-interleaved
x-ray film 35x35cm, blue sens., non-interleaved
x-ray film 35x35cm, green sens., non-interleaved
x-ray film 35x43cm, blue sens., non-interleaved
x-ray film 35x43cm, green sens., non-interleaved
x-ray fixer powder for 22.5 litre(for manual use)



**World Health
Organization**

les plus importants



**World Health
Organization**



**World Health
Organization**



**World Health
Organization**



**World Health
Organization**