


# World

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# World

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# World

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# World

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# World

## Deaths in 2000 attributable to Undernutrition and Diet-related Risks and Physical Inactivity




Source: WHR 2002



# World

## Disease Burden (DALYs) in 2000 attributable to Undernutrition and Diet-related Risks and Physical Inactivity




Source: WHR 2002



# AFRICA

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# AFRICA

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# AMERICAS

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# AMERICAS

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# EASTERN MEDITERRANEAN

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# EASTERN MEDITERRANEAN

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# EUROPE

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# EUROPE

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# SOUTH-EAST ASIA

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# SOUTH-EAST ASIA

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# WESTERN PACIFIC

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# WESTERN PACIFIC

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors




Source: WHR 2002



# WHO Regions

## Deaths in 2000 attributable to selected leading risk factors




Source: WHR 2002



# WHO Regions

## Disease burden (DALYs) in 2000 attributable to selected leading risk factors

- Blood pressure
- Cholesterol
- High Body Mass Index
- Fruit and vegetable intake
- Physical inactivity




Source: WHR 2002



# World

## Deaths in 2000 attributable to selected leading risk factors, by sex




Source: WHR 2002



# World

## Deaths in 2000 attributable to selected leading risk factors, by sex



Source: WHR 2002

