


Colombia: WHO and UNICEF estimates of immunization coverage: 2016 revision



BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

DATA SOURCES.

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

ABBREVIATIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HepB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

Hib3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

RotaC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Colombia - BCG

COL - BCG



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2010: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2009: Estimate based on coverage reported by national government supported by survey. Survey evidence of 97 percent based on 1 survey(s). GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2006: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2005: Estimate based on coverage reported by national government. GoC=R+ S+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	94	96	93	93	90	84	83	89	85	89	90	88
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●	●	●●	●●	●●	●●	●●
Official	94	96	93	93	90	84	83	89	85	89	90	88
Administrative	94	96	93	93	90	84	83	89	85	89	90	88
Survey	NA	NA	NA	NA	97	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - DTP1

COL - DTP1



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: DTP1 coverage estimated based on DTP3 coverage of 91. Estimate challenged by: R-
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: DTP1 coverage estimated based on DTP3 coverage of 85. Estimate challenged by: R-
- 2010: DTP1 coverage estimated based on DTP3 coverage of 88. Estimate challenged by: R-
- 2009: DTP1 coverage estimated based on DTP3 coverage of 92. Estimate challenged by: R-
- 2008: DTP1 coverage estimated based on DTP3 coverage of 92. Estimate challenged by: R-
- 2007: DTP1 coverage estimated based on DTP3 coverage of 93. Estimate challenged by: R-
- 2006: DTP1 coverage estimated based on DTP3 coverage of 93. Estimate challenged by: D-R-
- 2005: DTP1 coverage estimated based on DTP3 coverage of 93. Estimate challenged by: R-

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	97	97	97	97	97	96	95	91	97	91	93	93
Estimate GoC	•	•	•	•	•	•	•	••	•	••	••	••
Official	92	92	91	90	91	81	84	91	89	91	93	93
Administrative	92	92	91	90	91	81	84	91	89	91	93	93
Survey	NA	NA	NA	NA	97	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - DTP3

COL - DTP3



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on reported administrative data. Government official report excluded due to inconsistency in adjustment to administrative data for component vaccines. Estimate challenged by: D-
- 2010: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2009: Estimate based on coverage reported by national government supported by survey. Survey evidence of 92 percent based on 1 survey(s). Colombia Demographic and Health Survey 2010 card or history results of 90 percent modified for recall bias to 92 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 82 percent and 3d dose card only coverage of 78 percent. GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2006: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2005: Estimate based on coverage reported by national government. GoC=R+ S+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	93	93	93	92	92	88	85	91	91	90	91	91
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●	●	●●	●●	●●	●●	●●
Official	93	93	93	92	92	88	85	91	91	90	91	91
Administrative	93	93	93	92	92	88	85	91	91	90	91	91
Survey	NA	NA	NA	NA	90	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - Pol3

COL - Pol3



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2010: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2009: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). Colombia Demographic and Health Survey 2010 card or history results of 82 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 94 percent, 1st dose card only coverage of 80 percent and 3d dose card only coverage of 76 percent. GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2006: Estimate based on coverage reported by national government. GoC=R+ D+
- 2005: Estimate based on coverage reported by national government. GoC=R+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	93	94	93	92	92	88	85	91	91	90	91	91
Estimate GoC	••	••	•••	•••	•••	•	•	••	••	••	••	••
Official	93	94	93	92	92	88	85	91	91	90	91	91
Administrative	93	94	93	92	92	88	85	91	91	90	91	91
Survey	NA	NA	NA	NA	82	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - IPV1

COL - IPV1



Description:

2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2015: Estimate based on coverage reported by national government. IPV introduced in February 2015. GoC=R+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	92	92
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	●●	●●
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	92	92
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	92	92
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - MCV1

COL - MCV1



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+
- 2010: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+
- 2009: Estimate based on coverage reported by national government. Colombia Demographic and Health Survey 2010 results ignored by working group. Measles vaccination is recommend between 12-23 months of age. Survey cohort underestimates coverage. GoC=Assigned by working group. Estimate is supported by D+
- 2008: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+
- 2007: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+
- 2006: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+
- 2005: Estimate based on coverage reported by national government. GoC=Assigned by working group. Estimate is supported by D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	96	95	93	95	89	88	88	94	92	91	94	93
Estimate GoC	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	96	95	93	95	89	88	88	94	92	91	94	93
Administrative	96	95	93	95	89	88	88	94	92	91	94	93
Survey	NA	NA	NA	NA	81	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - MCV2

COL - MCV2



Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2015: Estimate based on coverage reported by national government. GoC=R+ D+

2014: Estimate based on coverage reported by national government. . GoC=R+ D+

2013: Estimate based on coverage reported by national government. Decline in coverage not explained. GoC=R+ D+

2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+

2011: Estimate based on coverage reported by national government. GoC=R+ D+

2010: Estimate based on coverage reported by national government. GoC=R+ D+

2009: Estimate based on coverage reported by national government. GoC=R+ D+

2008: Estimate based on coverage reported by national government. GoC=R+ D+

2007: Estimate based on reported administrative data. Estimate challenged by: D-

2006: Estimate based on coverage reported by national government. GoC=R+

2005: Estimate based on coverage reported by national government. GoC=R+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	73	85	93	70	71	74	76	80	72	88	86	87
Estimate GoC	••	••	•	••	••	••	••	••	••	••	••	••
Official	73	85	NA	70	71	74	76	80	72	88	86	87
Administrative	73	85	93	70	71	74	76	80	72	88	86	87
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - RCV1

COL - RCV1



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	96	95	93	95	89	88	88	94	92	91	94	93
Estimate GoC	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

2016: Estimate based on estimated MCV1. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2015: Estimate based on estimated MCV1. GoC=R+ D+

2014: Estimate based on estimated MCV1. GoC=R+ D+

2013: Estimate based on estimated MCV1. GoC=R+ D+

2012: Estimate based on estimated MCV1. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+

2011: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

2010: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

2009: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+


2008: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

2007: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

2006: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

2005: Estimate based on estimated MCV1. GoC=Assigned by working group. Estimate is supported by D+

Colombia - HepBB



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	87	80	NA	92	89	74	85	85	82	86	87	NA
Administrative	NA	80	93	92	89	74	85	85	82	86	87	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - HepB3

COL - HepB3



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on reported administrative data. Government official report excluded due to inconsistency in adjustment to administrative data for component vaccines. Estimate challenged by: D-
- 2010: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2009: Estimate based on coverage reported by national government supported by survey. Survey evidence of 92 percent based on 1 survey(s). Colombia Demographic and Health Survey 2010 card or history results of 90 percent modified for recall bias to 92 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 82 percent and 3d dose card only coverage of 78 percent. GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2006: Estimate based on coverage reported by national government. GoC=R+ D+
- 2005: Estimate based on coverage reported by national government. GoC=R+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	93	93	93	92	92	88	85	92	91	90	91	91
Estimate GoC	●●	●●	●●●	●●●	●●●	●	●	●●	●●	●●	●●	●●
Official	93	93	93	92	92	88	85	92	91	90	91	91
Administrative	93	93	93	92	92	88	85	92	91	90	91	91
Survey	NA	NA	NA	NA	90	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - Hib3

COL - Hib3



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2010: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2009: Estimate based on coverage reported by national government supported by survey. Survey evidence of 92 percent based on 1 survey(s). Colombia Demographic and Health Survey 2010 card or history results of 90 percent modified for recall bias to 92 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 82 percent and 3d dose card only coverage of 78 percent. GoC=R+ S+ D+
- 2008: Estimate based on reported data. GoC=R+ S+ D+
- 2007: Estimate based on reported data. GoC=R+ S+ D+
- 2006: Estimate based on reported data. GoC=R+ D+
- 2005: Estimate based on reported data. GoC=R+ D+

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	93	93	93	92	92	88	85	91	91	90	91	91
Estimate GoC	●●	●●	●●●	●●●	●●●	●	●	●●	●●	●●	●●	●●
Official	93	93	93	92	92	88	85	91	91	90	91	91
Administrative	93	93	93	92	92	88	85	91	91	90	91	91
Survey	NA	NA	NA	NA	90	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - RotaC

COL - RotaC



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2010: Estimate based on coverage reported by national government. GoC=R+ D+
- 2009: Eighty-two percent coverage achieved in 67 percent of the total population. Rotavirus vaccine introduced in 2009. Estimate challenged by: R-

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	55	74	78	87	87	89	91	90
Estimate GoC	NA	NA	NA	NA	•	••	•	••	••	••	••	••
Official	NA	NA	NA	NA	82	74	78	87	87	89	91	90
Administrative	NA	NA	NA	NA	82	74	78	87	87	89	91	90
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - PcV3

COL - PcV3



Description:

- 2016: Estimate based on coverage reported by national government. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. . GoC=R+ D+
- 2010: Seventy-one percent coverage achieved in 31 percent of total population. Pneumococcal conjugate vaccine was introduced in 2010. Estimate challenged by: R-

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	22	46	84	87	89	91	89
Estimate GoC	NA	NA	NA	NA	NA	•	••	••	••	••	••	••
Official	NA	NA	NA	NA	NA	71	46	84	87	89	91	89
Administrative	NA	NA	NA	NA	NA	71	46	84	87	89	91	89
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Colombia - YFV

COL - YFV



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	88	84	81	80	79	88	92	92	92	92	92
Estimate GoC	NA	•	•••	•••	•	•••	•	••	••	••	•	•
Official	NA	88	84	81	95	79	88	92	92	92	54	77
Administrative	NA	88	84	81	95	79	88	92	92	92	54	77
Survey	NA	NA	NA	NA	77	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2016: Estimate based on extrapolation from data reported by national government. Reported data excluded due to unexplained sudden change in coverage from 54 level to 77 percent. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. Estimate challenged by: D-
- 2015: Estimate based on extrapolation from data reported by national government. Reported data excluded due to decline in reported coverage from 92 percent to 54 percent with increase to 77 percent. Estimate challenged by: D-
- 2014: Estimate based on coverage reported by national government. GoC=R+ D+
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. Change in reported coverage from 2011 to 2012 partially attributable to change in denominators. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: D-S-
- 2010: Estimate based on coverage reported by national government. Estimate based on reported data. GoC=R+ S+ D+
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 77 percent based on 1 survey(s). Reported data excluded due to an unexplained increase from 81 percent to 95 percent with decrease 79 percent. Estimate challenged by: D-
- 2008: Estimate based on reported data. Decline attributed to vaccine shortage. GoC=R+ S+ D+
- 2007: Estimate based on reported data. GoC=R+ S+ D+
- 2006: Estimate based on reported data. YFV introduced in 2003 reporting started in 2006 Estimate challenged by: D-

Colombia - survey details

2009 Encuesta Nacional de Demografía y Salud 2010, República de Colombia

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	97	12-23 m	3046	83
BCG	Card	82	12-23 m	3046	83
BCG	Card or History	97	12-23 m	3046	83
BCG	History	15	12-23 m	3046	83
DTP1	C or H <12 months	97	12-23 m	3046	83
DTP1	Card	82	12-23 m	3046	83
DTP1	Card or History	97	12-23 m	3046	83
DTP1	History	15	12-23 m	3046	83
DTP3	C or H <12 months	86	12-23 m	3046	83
DTP3	Card	78	12-23 m	3046	83
DTP3	Card or History	90	12-23 m	3046	83
DTP3	History	12	12-23 m	3046	83
HepB1	C or H <12 months	97	12-23 m	3046	83
HepB1	Card	82	12-23 m	3046	83
HepB1	Card or History	97	12-23 m	3046	83
HepB1	History	15	12-23 m	3046	83
HepB3	C or H <12 months	86	12-23 m	3046	83
HepB3	Card	78	12-23 m	3046	83
HepB3	Card or History	90	12-23 m	3046	83
HepB3	History	12	12-23 m	3046	83
Hib1	C or H <12 months	97	12-23 m	3046	83
Hib1	Card	82	12-23 m	3046	83
Hib1	Card or History	97	12-23 m	3046	83
Hib1	History	15	12-23 m	3046	83
Hib3	C or H <12 months	86	12-23 m	3046	83
Hib3	Card	78	12-23 m	3046	83
Hib3	Card or History	90	12-23 m	3046	83
Hib3	History	12	12-23 m	3046	83
MCV1	C or H <12 months	3	12-23 m	3046	83
MCV1	Card	68	12-23 m	3046	83
MCV1	Card or History	81	12-23 m	3046	83
MCV1	History	13	12-23 m	3046	83
Pol1	C or H <12 months	93	12-23 m	3046	83
Pol1	Card	80	12-23 m	3046	83
Pol1	Card or History	94	12-23 m	3046	83
Pol1	History	14	12-23 m	3046	83
Pol3	C or H <12 months	79	12-23 m	3046	83

Pol3	Card	76	12-23 m	3046	83
Pol3	Card or History	82	12-23 m	3046	83
Pol3	History	6	12-23 m	3046	83
YFV	Card or History	77	12-23 m	3046	83

2004 Salud sexual y reproductiva en Colombia, Encuesta nacional de demografía y salud 2005

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	96	12-23 m	2705	78
BCG	Card	76	12-23 m	2705	78
BCG	Card or History	97	12-23 m	2705	78
BCG	History	20	12-23 m	2705	78
DTP1	C or H <12 months	96	12-23 m	2705	78
DTP1	Card	77	12-23 m	2705	78
DTP1	Card or History	97	12-23 m	2705	78
DTP1	History	20	12-23 m	2705	78
DTP3	C or H <12 months	76	12-23 m	2705	78
DTP3	Card	71	12-23 m	2705	78
DTP3	Card or History	81	12-23 m	2705	78
DTP3	History	10	12-23 m	2705	78
MCV1	C or H <12 months	52	12-23 m	2705	78
MCV1	Card	65	12-23 m	2705	78
MCV1	Card or History	82	12-23 m	2705	78
MCV1	History	17	12-23 m	2705	78
Pol1	C or H <12 months	88	12-23 m	2705	78
Pol1	Card	71	12-23 m	2705	78
Pol1	Card or History	89	12-23 m	2705	78
Pol1	History	18	12-23 m	2705	78
Pol3	C or H <12 months	65	12-23 m	2705	78
Pol3	Card	64	12-23 m	2705	78
Pol3	Card or History	69	12-23 m	2705	78
Pol3	History	5	12-23 m	2705	78

1999 Salud Sexual y Reproductiva en Colombia, Resultados Encuesta Nacional de Demografía y Salud 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
---------	---------------------	----------	------------	--------	------------

Colombia - survey details

BCG	C or H <12 months	92	12-23 m	890	75
BCG	Card	70	12-23 m	890	75
BCG	Card or History	93	12-23 m	890	75
BCG	History	23	12-23 m	890	75
DTP1	C or H <12 months	93	12-23 m	890	75
DTP1	Card	73	12-23 m	890	75
DTP1	Card or History	95	12-23 m	890	75
DTP1	History	22	12-23 m	890	75
DTP3	C or H <12 months	67	12-23 m	890	75
DTP3	Card	63	12-23 m	890	75
DTP3	Card or History	77	12-23 m	890	75
DTP3	History	13	12-23 m	890	75
HepB3	Card or History	77	12-23 m	890	75
MCV1	Card	52	12-23 m	890	75
MCV1	Card or History	71	12-23 m	890	75
MCV1	History	19	12-23 m	890	75
Pol1	C or H <12 months	95	12-23 m	890	75
Pol1	Card	74	12-23 m	890	75
Pol1	Card or History	97	12-23 m	890	75
Pol1	History	24	12-23 m	890	75
Pol3	C or H <12 months	63	12-23 m	890	75
Pol3	Card	62	12-23 m	890	75
Pol3	Card or History	71	12-23 m	890	75
Pol3	History	9	12-23 m	890	75

1998 Salud Sexual y Reproductiva en Colombia, Resultados Encuesta Nacional de Demografía y Salud 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	92	24-35 m	894	75
DTP1	C or H <12 months	94	24-35 m	894	75
DTP3	C or H <12 months	71	24-35 m	894	75
Pol1	C or H <12 months	94	24-35 m	894	75
Pol3	C or H <12 months	60	24-35 m	894	75

1997 Salud Sexual y Reproductiva en Colombia, Resultados Encuesta Nacional de Demografía y Salud 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	93	36-47 m	848	75
DTP1	C or H <12 months	93	36-47 m	848	75
DTP3	C or H <12 months	74	36-47 m	848	75
Pol1	C or H <12 months	94	36-47 m	848	75
Pol3	C or H <12 months	63	36-47 m	848	75

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

http://www.who.int/immunization/monitoring_surveillance/routine/coverage/en/index4.html