

**BACKGROUND NOTE:** Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

\*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

\*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

\*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

## DATA SOURCES.

**ADMINISTRATIVE coverage:** Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

**OFFICIAL coverage:** Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

**SURVEY coverage:** Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

## ABBREVIATIONS

**BCG:** percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

**DTP1 / DTP3:** percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

**Pol3:** percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

**IPV1:** percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

**MCV1:** percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

**MCV2:** percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

**RCV1:** percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

**HepBB:** percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

**HepB3:** percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

**Hib3:** percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

**RotaC:** percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


**PcV3:** percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

**YFV:** percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

**Disclaimer:** All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

# Nigeria - BCG

NGA - BCG



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	49	52	53	65	76	62	57	51	57	64	64	64
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	42	NA	62	NA	66	60	87	69	73	58	58
Administrative	49	44	53	74	75	76	63	89	94	97	NA	NA
Survey	69	52	50	NA	76	62	NA	51	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 64 percent changed from previous revision value of 68 percent. Estimate challenged by: D-R-

2014: Estimate of 64 percent assigned by working group. Estimate is based on estimated DTP1 coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-S-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate of 57 percent changed from previous revision value of 58 percent. Estimate challenged by: D-R-

2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 51 percent based on 1 survey(s). Reported data excluded due to an unexplained increase from 60 percent to 87 percent with decrease 69 percent. Estimate challenged by: D-R-S-

2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values Reported data excluded due to decline in reported coverage from 76 percent to 60 percent with increase to 87 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress


# Nigeria - BCG

---

- report for 2011). Estimate challenged by: R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 62 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Estimate of 76 percent assigned by working group. Estimate based on survey results. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-
- 2008: Reported data calibrated to 2007 and 2009 levels. Reported data excluded. Estimates based on survey results. Fluctuations in reported data suggest poor quality administrative recording and reporting. Estimate challenged by: R-S-
- 2007: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 50 percent based on 1 survey(s). Estimate challenged by: S-
- 2006: Estimate of 52 percent assigned by working group. Estimates based on survey results. Fluctuations in reported data suggest poor quality administrative recording and reporting. Estimate challenged by: D-R-
- 2005: Estimate based on interpolation between 2002 and 2006 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Estimate challenged by: R-

# Nigeria - DTP1

NGA - DTP1



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	48	49	52	63	73	60	56	51	58	64	64	64
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	87	NA	66	NA	84	68	67	72	76	55	55
Administrative	45	92	77	83	91	95	71	69	98	102	NA	NA
Survey	72	49	52	NA	73	60	NA	*	NA	64	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 64 percent changed from previous revision value of 70 percent. Estimate challenged by: D-R-

2014: Estimate of 64 percent assigned by working group. Estimate is based on survey. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-S-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stockout. Estimate challenged by: D-R-

2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 51 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-S-

2011: Reported data calibrated to 2010 and 2012 levels. Reported data excluded. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress

# Nigeria - DTP1


---

report for 2011). Estimate challenged by: D-R-S-

- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 60 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 73 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-
- 2008: Reported data calibrated to 2007 and 2009 levels. Reported data excluded due to decline in reported coverage from 77 percent to 66 percent with increase to 91 percent. Estimate challenged by: D-R-S-
- 2007: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 52 percent based on 1 survey(s). Estimate challenged by: D-R-S-
- 2006: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 49 percent based on 1 survey(s). Estimate challenged by: D-R-
- 2005: Estimate based on interpolation between 2002 and 2006 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Estimate challenged by: R-

# Nigeria - DTP3

NGA - DTP3



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	36	40	42	53	63	54	48	42	46	49	49	49
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	72	NA	57	NA	74	61	57	65	70	45	45
Administrative	38	77	69	71	79	85	63	58	89	97	NA	NA
Survey	54	30	35	NA	68	45	NA	*	NA	49	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 49 percent changed from previous revision value of 56 percent. Estimate challenged by: D-R-

2014: Estimate is based on survey coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate may be underestimated due to inability to adjust for recall bias due to absent information. Estimate challenged by: D-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stockout. Estimate challenged by: D-R-

2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. Nigeria Demographic and Health Survey 2013 card or history results of 38 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 51 percent, 1st dose card only coverage of 27 percent and 3d dose card only coverage of 22 percent. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-S-

2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some

# Nigeria - DTP3

---

vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-

2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 54 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 45 percent modified for recall bias to 54 percent based on 1st dose card or history coverage of 60 percent, 1st dose card only coverage of 29 percent and 3d dose card only coverage of 26 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-

2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 63 percent based on 1 survey(s). Nigeria 2010 National Immunization Coverage Survey card or history results of 68 percent modified for recall bias to 63 percent based on 1st dose card or history coverage of 73 percent, 1st dose card only coverage of 29 percent and 3d dose card only coverage of 25 percent. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-

2008: Reported data calibrated to 2007 and 2009 levels. Reported data excluded due to decline in reported coverage from 69 percent to 57 percent with increase to 79 percent. Estimate challenged by: D-R-S-

2007: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Nigeria Demographic and Health Survey 2008 card or history results of 35 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 52 percent, 1st dose card only coverage of 25 percent and 3d dose card only coverage of 20 percent. Estimate challenged by: D-R-S-


2006: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 40 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2007 card or history results of 30 percent modified for recall bias to 40 percent based on 1st dose card or history coverage of 49 percent, 1st dose card only coverage of 17 percent and 3d dose card only coverage of 14 percent. Reported data excluded. Includes data from supplementation immunization activities (CHD) Estimate challenged by: D-R-

2005: Estimate based on interpolation between 2002 and 2006 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Nigeria National Immunization Coverage Survey (2006) card or history results of 54 percent modified for recall bias to 52 percent based on 1st dose card or history coverage of 72 percent, 1st dose card only coverage of 36 percent and 3d dose card only coverage of 26 percent. Estimate challenged by: R-



# Nigeria - Pol3

NGA - Pol3



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	45	46	54	60	66	54	48	42	46	49	49	49
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	67	NA	50	NA	69	74	77	67	72	37	37
Administrative	32	49	62	61	70	79	77	78	92	96	NA	NA
Survey	61	29	39	NA	74	49	NA	54	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 49 percent changed from previous revision value of 55 percent. Estimate challenged by: D-R-

2014: Estimate of 49 percent assigned by working group. Estimate is based on estimated DTP3 coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate challenged by: D-R-

2012: Estimate of 42 percent assigned by working group. Estimate based on survey result adjusted for recall bias for third dose of DTP containing vaccine. Survey result for polio for 2010 birth cohort ignored due to likely inclusion of campaign doses. Nigeria Demographic and Health Survey 2013 results ignored by working group. Survey result for polio vaccine likely includes campaign doses due to reliance on caregiver recall in face of low retention of home-based records. Nigeria Demographic and Health Survey 2013 card or history results of 54 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 76 percent, 1st dose card only coverage of 27 percent and 3d dose card only coverage of 23 percent. Estimate challenged by: D-R-


2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate is based on third dose of DTP containing vaccine. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker

strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-

- 2010: Estimate of 54 percent assigned by working group. Estimate is based on DTP3 levels. Nigeria Multiple Indicator Cluster Survey 2011 results ignored by working group. Survey results likely include campaign doses. Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 49 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 76 percent, 1st dose card only coverage of 28 percent and 3d dose card only coverage of 25 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Estimate of 66 percent assigned by working group. Estimate based on survey results. Nigeria 2010 National Immunization Coverage Survey card or history results of 74 percent modified for recall bias to 66 percent based on 1st dose card or history coverage of 78 percent, 1st dose card only coverage of 27 percent and 3d dose card only coverage of 23 percent. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-
- 2008: Reported data calibrated to 2007 and 2009 levels. Reported data excluded due to decline in reported coverage from 62 percent to 50 percent with increase to 70 percent. Estimate challenged by: R-S-
- 2007: Estimate of 54 percent assigned by working group. Anchor point resolved to survey data. Fluctuations in reported data suggest poor quality administrative recording and reporting. Nigeria Demographic and Health Survey 2008 card or history results of 39 percent modified for recall bias to 54 percent based on 1st dose card or history coverage of 68 percent, 1st dose card only coverage of 24 percent and 3d dose card only coverage of 19 percent. Estimate challenged by: R-S-
- 2006: Estimate of 46 percent assigned by working group. Anchor point resolved to survey data. Fluctuations in reported data suggest poor quality administrative recording and reporting. Nigeria Multiple Indicator Cluster Survey 2007 card or history results of 29 percent modified for recall bias to 46 percent based on 1st dose card or history coverage of 56 percent, 1st dose card only coverage of 16 percent and 3d dose card only coverage of 13 percent. Estimate challenged by: R-
- 2005: Estimate based on interpolation between 2002 and 2006 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Nigeria National Immunization Coverage Survey (2006) card or history results of 61 percent modified for recall bias to 54 percent based on 1st dose card or history coverage of 78 percent, 1st dose card only coverage of 32 percent and 3d dose card only coverage of 22 percent. Estimate challenged by: D-R-

# Nigeria - IPV1

NGA - IPV1



## Description:

2016: Estimate is based on the estimated coverage level for DTP3. Estimated coverage level is likely overestimated based on reported administrative coverage levels. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Estimate challenged by: D-R-

2015: IPV introduced in February 2015. Programme reports 83 percent coverage among 62 percent of the population. Estimate is based on the estimated DTP3 coverage level. Government reports an exceptionally high year-to-year increase in the number of surviving infants compared to the UN Population Division. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate of 30 percent changed from previous revision value of 35 percent. Estimate challenged by: D-R-

	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	49
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	●	●
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45	45
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Nigeria - MCV1

NGA - MCV1



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	41	44	41	53	64	56	49	42	46	51	51	51
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	112	NA	68	NA	85	93	78	73	73	43	43
Administrative	38	114	86	86	90	97	97	80	100	97	NA	NA
Survey	62	44	41	NA	64	56	NA	*	NA	51	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 51 percent changed from previous revision value of 54 percent. Estimate challenged by: D-R-

2014: Estimate of 51 percent assigned by working group. Estimate is based on survey coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV1 stockout. Estimate of 46 percent changed from previous revision value of 47 percent. Estimate challenged by: D-R-

2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. Estimate challenged by: D-R-S-

2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock

# Nigeria - MCV1

---

outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-

2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 56 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-

2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 64 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-


2008: Reported data calibrated to 2007 and 2009 levels. Reported data excluded due to decline in reported coverage from 86 percent to 68 percent with increase to 90 percent. Estimate challenged by: D-R-S-

2007: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 41 percent based on 1 survey(s). Estimate challenged by: D-R-S-

2006: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 44 percent based on 1 survey(s). Reported data excluded because 112 percent greater than 100 percent. Reported data excluded due to an unexplained increase from 38 percent to 112 percent with decrease 86 percent. Estimate challenged by: D-R-

2005: Estimate based on interpolation between 2002 and 2006 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Estimate challenged by: R-

# Nigeria - MCV2




	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Nigeria - RCV1



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Nigeria - HepBB

NGA - HepBB



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	0	2	10	20	29	30	32	32	32	32	32
Estimate GoC	NA	•	•	•	•	••	•	•	•	•	•	•
Official	NA	3	2	NA	80	NA	NA	12	12	54	36	36
Administrative	NA	3	2	1	NA	NA	1	12	17	78	NA	NA
Survey	NA	NA	NA	NA	NA	29	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2016: Estimate is based on data calibrated from 2010. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received June 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-
- 2015: Estimate is based on data calibrated from 2010. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-
- 2014: Estimate is based on data calibrated from 2010. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Reported data excluded. Reported data excluded due to an unexplained increase from 12 percent to 54 percent with decrease 36 percent. Estimate challenged by: D-R-
- 2013: Estimate is based on data calibrated from 2010. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Reported data excluded. Estimate challenged by: D-R-
- 2012: Estimate is based on data calibrated from 2010. Reported data excluded. Estimate challenged by: D-R-
- 2011: Reported data calibrated to 2010 and 2012 levels. Reported data excluded. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate of 30 percent changed from previous revision value of 31 percent. Estimate challenged by: D-R-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 29 percent based on 1 survey(s). Estimate based on level established by the



# Nigeria - HepBB

---

2009 survey and follows trend in the reported data. Institutional delivery is 45 percent. Survey results support the trends but not the coverage levels intertemporally and across vaccines. GoC=S+

2009: Reported data calibrated to 2007 and 2010 levels. Reported data excluded. . Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-


2008: Reported data calibrated to 2007 and 2010 levels. Reported data excluded. . Estimate of 10 percent changed from previous revision value of 11 percent. Estimate challenged by: R-S-

2007: Estimate of 2 percent assigned by working group. . Reported data excluded. . Estimate challenged by: R-

2006: Reported data calibrated to 2007 levels. HepB birth dose introduced in 2004. Reporting began in 2006. Estimate challenged by: R-

# Nigeria - HepB3

NGA - HepB3



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	18	27	42	41	63	49	46	42	46	49	49	49
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	36	NA	50	NA	66	57	84	65	70	45	45
Administrative	27	38	51	62	72	75	59	86	89	97	NA	NA
Survey	41	NA	NA	NA	NA	36	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 49 percent changed from previous revision value of 56 percent. Estimate challenged by: D-R-

2014: Estimate of 49 percent assigned by working group. Estimate is based on estimated DTP3 coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-

2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stockout. Estimate of 46 percent changed from previous revision value of 45 percent. Estimate challenged by: D-R-

2012: Estimate of 42 percent assigned by working group. Estimate is based on survey result for third dose of DTP containing vaccine. Inconsistent reporting for the third dose of HepB vaccine compared to other antigens. Reported data excluded. Sudden unexplained change from the previous year. Reported data excluded due to an unexplained increase from 57 percent to 84 percent with decrease 65 percent. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-

2011: Reported data calibrated to 2010 and 2012 levels. Reported data excluded due to decline in reported coverage from 75 percent to 57 percent with increase to 84 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several

# Nigeria - HepB3

---

northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-

2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 49 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 36 percent modified for recall bias to 49 percent based on 1st dose card or history coverage of 55 percent, 1st dose card only coverage of 29 percent and 3d dose card only coverage of 26 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-

2009: Estimate of 63 percent assigned by working group. Estimates based on DTP3 levels. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-

2008: Reported data calibrated to 2007 and 2009 levels. Estimate challenged by: D-R-


2007: Estimate of 42 percent assigned by working group. Estimates based on DTP3 levels. Estimate challenged by: R-

2006: Reported data calibrated to 2007 levels. Estimate challenged by: D-R-

2005: Reported data calibrated to 2007 levels. Nigeria National Immunization Coverage Survey (2006) results ignored by working group. Survey results not consistent with comparable survey data. Nigeria National Immunization Coverage Survey (2006) card or history results of 41 percent modified for recall bias to 37 percent based on 1st dose card or history coverage of 56 percent, 1st dose card only coverage of 30 percent and 3d dose card only coverage of 20 percent. HepB vaccine introduced in 2004. Reporting started in 2005. Estimate challenged by: R-

# Nigeria - Hib3

NGA - Hib3



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	10	30	49	49	49
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	•	•	•	•	•
Official	NA	NA	NA	NA	NA	NA	NA	62	55	70	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	63	75	97	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2016: Estimate is based on an extrapolation from survey results for DTP containing vaccine for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Estimate challenged by: D-
- 2015: Estimate is based on an extrapolation from survey results for DTP containing vaccine for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate of 49 percent changed from previous revision value of 56 percent. Estimate challenged by: D-
- 2014: Estimate of 49 percent assigned by working group. Estimate is based on estimated DTP3 coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Reported data excluded due to unexplained sudden change in coverage from 55 level to 70 percent. Estimate challenged by: D-R-
- 2013: Estimate based on interpolation between 2012 and 2014 levels. . Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stockout. Estimate may overestimate coverage as DTP-HepB-Hib continued to be introduced across the country during the year but was not nationally available in all areas until 2014. Estimate of 30 percent changed from previous revision value of 45 percent. Estimate challenged by: D-R-
- 2012: Estimate of 10 percent assigned by working group. Sixty three percent coverage achieved in 16 percent of the national target population. Hib vaccine introduced in May 2012 at subnational level as part of the DTP-HepB-Hib presentation. Estimate challenged by: R-

# Nigeria - RotaC



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Nigeria - PcV3

NGA - PcV3



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13	26
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	•	•
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29	29
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

## Description:

2016: Programme reports 83 percent coverage achieved in 65 percent of the national target population. Estimate is based on the relative relationships between estimated DTP3 coverage, the reported number of children vaccinated with DTP3 and the reported number of children vaccinated with PcV3. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received June 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Pneumococcal conjugate vaccine partially introduced in 2015 in 10 of 37 states. Programme reports 73 percent coverage in 21 percent of the target population. Estimate is based on estimated DTP3 coverage level. Government reports an exceptionally high year-to-year increase in the number of surviving infants compared to the UN Population Division. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Pneumococcal conjugate vaccine introduced in 2015. Reported official government estimate received June 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: R-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Nigeria - YFV

NGA - YFV



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Estimate	36	44	51	50	69	50	38	24	47	51	51	51
Estimate GoC	●●●	●	●●●	●	●	●	●	●	●	●	●	●
Official	NA	37	51	50	NA	78	72	46	64	71	41	41
Administrative	36	40	51	64	69	89	75	46	88	94	NA	NA
Survey	43	NA	NA	NA	60	50	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2015 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

2016: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Government of Nigeria will use the MICS-NICS results as a reference point and baseline for the country and looks forward to support from partners to improve estimates of national immunization coverage. Reported official government estimate received June 2017 is based on preliminary 2016 MICS-NICS results applied to the 2016 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate challenged by: D-R-

2015: Estimate is based on an extrapolation from survey results for the 2014 birth cohort. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received June 2017 is based on preliminary 2016 MICS-NICS results applied to the 2015 birth cohort. WHO and UNICEF await the final results of the Nigeria MICS-NICS for the 2015 birth cohort and encourage a comprehensive review and revision of the historical time-series. Estimate of 51 percent changed from previous revision value of 54 percent. Estimate challenged by: D-R-

2014: Estimate of 51 percent assigned by working group. Estimate is based on estimated MCV1 coverage level. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-

2013: Estimate of 47 percent assigned by working group. Estimate is based on estimated MCV1 coverage level. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate challenged by: D-R-

2012: Estimate of 24 percent assigned by working group. Five-month vaccine stockout reported at the national level. Estimate is based on survey result for MCV1 adjusted based on the relative relationship between reported admin coverage for MCV1 and YFV to include the YFV stock-out during 2012. Reported data excluded due to decline in reported coverage from 72 percent to 46 percent with increase to 64 percent. Estimate challenged by: D-R-S-

2011: Estimate is based on coverage for MCV1 adjusted based on the relative relationship between reported admin coverage for MCV1 and YFV. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities

# Nigeria - YFV

---

(measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-

2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 50 percent based on 1 survey(s). Reported data excluded due to an unexplained increase from 69 percent to 89 percent with decrease 72 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-

2009: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 60 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: S-

2008: Estimate based on coverage reported by national government. Estimate challenged by: D-

2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+

2006: Estimate based on interpolation between 2005 and 2009 levels. Fluctuation in reported data suggest poor quality administrative recording and reporting. Estimate challenged by: R-

2005: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 43 percent based on 1 survey(s). GoC=R+ S+ D+



# Nigeria - survey details

## 2014 Nigeria National Nutrition and Health Survey, 2015

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	Card or History	64	12-23 m	4205	34
DTP3	Card or History	49	12-23 m	4205	34
MCV1	Card or History	51	12-23 m	4205	34

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	Card or History	34	12-23 m	3625	-
DTP3	Card or History	25	12-23 m	3625	-
MCV1	Card or History	27	12-23 m	3625	-

## 2012 Nigeria Demographic and Health Survey 2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	50	12-23 m	5900	28
BCG	Card	27	12-23 m	1650	28
BCG	Card or History	51	12-23 m	5900	28
BCG	History	24	12-23 m	4250	28
DTP1	C or H <12 months	50	12-23 m	5900	28
DTP1	Card	27	12-23 m	1650	28
DTP1	Card or History	51	12-23 m	5900	28
DTP1	History	24	12-23 m	4250	28
DTP3	C or H <12 months	36	12-23 m	5900	28
DTP3	Card	22	12-23 m	1650	28
DTP3	Card or History	38	12-23 m	5900	28
DTP3	History	16	12-23 m	4250	28
MCV1	C or H <12 months	35	12-23 m	5900	28
MCV1	Card	21	12-23 m	1650	28
MCV1	Card or History	42	12-23 m	5900	28
MCV1	History	21	12-23 m	4250	28
Pol1	C or H <12 months	75	12-23 m	5900	28
Pol1	Card	27	12-23 m	1650	28
Pol1	Card or History	76	12-23 m	5900	28
Pol1	History	50	12-23 m	4250	28
Pol3	C or H <12 months	51	12-23 m	5900	28
Pol3	Card	23	12-23 m	1650	28
Pol3	Card or History	54	12-23 m	5900	28
Pol3	History	31	12-23 m	4250	28

## 2010 Nigeria Multiple Indicator Cluster Survey 2011

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	62	12-23 m	-	24
BCG	Card	28	12-23 m	-	24
BCG	Card or History	62	12-23 m	4986	24
BCG	History	34	12-23 m	-	24
DTP1	C or H <12 months	59	12-23 m	-	24
DTP1	Card	29	12-23 m	-	24
DTP1	Card or History	60	12-23 m	4986	24
DTP1	History	31	12-23 m	-	24
DTP3	C or H <12 months	43	12-23 m	4986	24
DTP3	Card	26	12-23 m	-	24
DTP3	Card or History	45	12-23 m	4986	24
DTP3	History	18	12-23 m	-	24
HepB1	C or H <12 months	54	12-23 m	4986	24
HepB1	Card	29	12-23 m	-	24
HepB1	Card or History	55	12-23 m	4986	24
HepB1	History	26	12-23 m	-	24
HepB3	C or H <12 months	34	12-23 m	4986	24
HepB3	Card	26	12-23 m	-	24
HepB3	Card or History	36	12-23 m	4986	24
HepB3	History	10	12-23 m	-	24
HepBB	C or H <12 months	29	12-23 m	4986	24
HepBB	Card	18	12-23 m	-	24
HepBB	Card or History	29	12-23 m	4986	24
HepBB	History	12	12-23 m	-	24
MCV1	C or H <12 months	49	12-23 m	4986	24
MCV1	Card	24	12-23 m	-	24
MCV1	Card or History	56	12-23 m	4986	24
MCV1	History	32	12-23 m	-	24
Pol1	C or H <12 months	75	12-23 m	4986	24
Pol1	Card	28	12-23 m	-	24

## 2012 Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013

# Nigeria - survey details

Pol1	Card or History	76	12-23 m	4986	24
Pol1	History	48	12-23 m	-	24
Pol3	C or H <12 months	46	12-23 m	4986	24
Pol3	Card	25	12-23 m	-	24
Pol3	Card or History	49	12-23 m	4986	24
Pol3	History	24	12-23 m	-	24
YFV	C or H <12 months	40	12-23 m	4986	24
YFV	Card	23	12-23 m	-	24
YFV	Card or History	50	12-23 m	4986	24
YFV	History	27	12-23 m	-	24

## 2009 Nigeria 2010 National Immunization Coverage Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	33	12-23 m	19551	40
BCG	Card or History	76	12-23 m	19551	40
DTP1	Card	29	12-23 m	19551	40
DTP1	Card or History	73	12-23 m	19551	40
DTP3	Card	25	12-23 m	19551	40
DTP3	Card or History	68	12-23 m	19551	40
MCV1	Card	22	12-23 m	19551	40
MCV1	Card or History	64	12-23 m	19551	40
Pol1	Card	27	12-23 m	19551	40
Pol1	Card or History	78	12-23 m	19551	40
Pol3	Card	23	12-23 m	19551	40
Pol3	Card or History	74	12-23 m	19551	40
YFV	Card	20	12-23 m	19551	40
YFV	Card or History	60	12-23 m	19551	40

## 2007 Nigeria Demographic and Health Survey 2008

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	48	12-23 m	4945	26
BCG	Card	24	12-23 m	4945	26
BCG	Card or History	50	12-23 m	4945	26
BCG	History	26	12-23 m	4945	26
DTP1	C or H <12 months	49	12-23 m	4945	26

DTP1	Card	25	12-23 m	4945	26
DTP1	Card or History	52	12-23 m	4945	26
DTP1	History	27	12-23 m	4945	26
DTP3	C or H <12 months	33	12-23 m	4945	26
DTP3	Card	20	12-23 m	4945	26
DTP3	Card or History	35	12-23 m	4945	26
DTP3	History	15	12-23 m	4945	26
MCV1	C or H <12 months	34	12-23 m	4945	26
MCV1	Card	19	12-23 m	4945	26
MCV1	Card or History	41	12-23 m	4945	26
MCV1	History	22	12-23 m	4945	26
Pol1	C or H <12 months	64	12-23 m	4945	26
Pol1	Card	24	12-23 m	4945	26
Pol1	Card or History	68	12-23 m	4945	26
Pol1	History	43	12-23 m	4945	26
Pol3	C or H <12 months	36	12-23 m	4945	26
Pol3	Card	19	12-23 m	4945	26
Pol3	Card or History	39	12-23 m	4945	26
Pol3	History	20	12-23 m	4945	26

## 2006 Nigeria Multiple Indicator Cluster Survey 2007

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	50	12-23 m	3187	18
BCG	Card	17	12-23 m	3187	18
BCG	Card or History	52	12-23 m	3187	18
BCG	History	35	12-23 m	3187	18
DTP1	C or H <12 months	46	12-23 m	3187	18
DTP1	Card	17	12-23 m	3187	18
DTP1	Card or History	49	12-23 m	3187	18
DTP1	History	32	12-23 m	3187	18
DTP3	C or H <12 months	28	12-23 m	3187	18
DTP3	Card	14	12-23 m	3187	18
DTP3	Card or History	30	12-23 m	3187	18
DTP3	History	16	12-23 m	3187	18
MCV1	C or H <12 months	38	12-23 m	3187	18
MCV1	Card	14	12-23 m	3187	18
MCV1	Card or History	44	12-23 m	3187	18
MCV1	History	30	12-23 m	3187	18

# Nigeria - survey details

Pol1	C or H <12 months	52	12-23 m	3187	18
Pol1	Card	16	12-23 m	3187	18
Pol1	Card or History	56	12-23 m	3187	18
Pol1	History	40	12-23 m	3187	18
Pol3	C or H <12 months	28	12-23 m	3187	18
Pol3	Card	13	12-23 m	3187	18
Pol3	Card or History	29	12-23 m	3187	18
Pol3	History	16	12-23 m	3187	18

BCG	History	28	12-23 m	999	21
DTP1	C or H <12 months	39	12-23 m	999	21
DTP1	Card	18	12-23 m	999	21
DTP1	Card or History	43	12-23 m	999	21
DTP1	History	25	12-23 m	999	21
DTP3	C or H <12 months	20	12-23 m	999	21
DTP3	Card	10	12-23 m	999	21
DTP3	Card or History	21	12-23 m	999	21
DTP3	History	11	12-23 m	999	21
MCV1	C or H <12 months	31	12-23 m	999	21
MCV1	Card	14	12-23 m	999	21
MCV1	Card or History	36	12-23 m	999	21
MCV1	History	22	12-23 m	999	21
Pol1	C or H <12 months	64	12-23 m	999	21
Pol1	Card	18	12-23 m	999	21
Pol1	Card or History	67	12-23 m	999	21
Pol1	History	49	12-23 m	999	21
Pol3	C or H <12 months	27	12-23 m	999	21
Pol3	Card	11	12-23 m	999	21
Pol3	Card or History	29	12-23 m	999	21
Pol3	History	19	12-23 m	999	21

## 2005 Nigeria National Immunization Coverage Survey (2006)

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	54	12-23 m	23414	50
BCG	Card or History	69	12-23 m	23414	50
DTP1	Card	36	12-23 m	23414	50
DTP1	Card or History	72	12-23 m	23414	50
DTP3	Card	26	12-23 m	23414	50
DTP3	Card or History	54	12-23 m	23414	50
HepB1	Card	30	12-23 m	23414	50
HepB1	Card or History	56	12-23 m	23414	50
HepB3	Card	20	12-23 m	23414	50
HepB3	Card or History	41	12-23 m	23414	50
MCV1	Card	26	12-23 m	23414	50
MCV1	Card or History	62	12-23 m	23414	50
Pol1	Card	32	12-23 m	23414	50
Pol1	Card or History	78	12-23 m	23414	50
Pol3	Card	22	12-23 m	23414	50
Pol3	Card or History	61	12-23 m	23414	50
YFV	Card	20	12-23 m	23414	50
YFV	Card or History	43	12-23 m	23414	50

## 2002 Nigeria National Immunization Coverage Survey 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	29	12-23 m	40777	28
DTP1	Card or History	43	12-23 m	40777	28
DTP3	Card or History	25	12-23 m	40777	28
MCV1	Card or History	25	12-23 m	40777	28
Pol1	Card or History	63	12-23 m	40777	28
Pol3	Card or History	39	12-23 m	40777	28

## 2002 Nigeria Demographic and Health Survey 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	47	12-23 m	999	21
BCG	Card	20	12-23 m	999	21
BCG	Card or History	48	12-23 m	999	21

## 1998 MICS Nigeria, 1999

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	17	12-23 m	2841	25
BCG	Card or History	43	12-23 m	2841	25

## Nigeria - survey details

BCG	History	26	12-23 m	2841	25
DTP1	Card	16	12-23 m	2841	25
DTP1	Card or History	41	12-23 m	2841	25
DTP1	History	25	12-23 m	2841	25
DTP3	Card	12	12-23 m	2841	25
DTP3	Card or History	23	12-23 m	2841	25
DTP3	History	11	12-23 m	2841	25
MCV1	Card	16	12-23 m	2841	25
MCV1	Card or History	35	12-23 m	2841	25
Pol1	Card	12	12-23 m	2841	25
Pol1	Card or History	37	12-23 m	2841	25
Pol3	Card or History	19	12-23 m	2841	25

### 1998 Nigeria Demographic and Health Survey 1999, 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	52	12-23 m	1161	-
BCG	Card	19	12-23 m	1161	-
BCG	Card or History	54	12-23 m	1161	-
BCG	History	35	12-23 m	1161	-

DTP1	C or H <12 months	46	12-23 m	1161	-
DTP1	Card	16	12-23 m	1161	-
DTP1	Card or History	47	12-23 m	1161	-
DTP1	History	31	12-23 m	1161	-
DTP3	C or H <12 months	25	12-23 m	1161	-
DTP3	Card	11	12-23 m	1161	-
DTP3	Card or History	26	12-23 m	1161	-
DTP3	History	16	12-23 m	1161	-
MCV1	C or H <12 months	32	12-23 m	1161	-
MCV1	Card	13	12-23 m	1161	-
MCV1	Card or History	40	12-23 m	1161	-
MCV1	History	27	12-23 m	1161	-
Pol1	C or H <12 months	54	12-23 m	1161	-
Pol1	Card	18	12-23 m	1161	-
Pol1	Card or History	57	12-23 m	1161	-
Pol1	History	39	12-23 m	1161	-
Pol3	C or H <12 months	23	12-23 m	1161	-
Pol3	Card	10	12-23 m	1161	-
Pol3	Card or History	25	12-23 m	1161	-
Pol3	History	15	12-23 m	1161	-

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

[http://www.who.int/immunization/monitoring\\_surveillance/routine/coverage/en/index4.html](http://www.who.int/immunization/monitoring_surveillance/routine/coverage/en/index4.html)