


# Cabo Verde

African Region





## I. Epidemiological profile

Population (UN)	2016	%	Parasites and vectors
Number of active foci	20		Plasmodium species: <i>P. falciparum</i> (100%), <i>P. vivax</i> (0%)
Number of people living within active foci	171,000	32	Major anopheles species: <i>An. arabiensis</i>
Malaria-free (0 cases)	369,000	68	Reported confirmed cases (health facility): 48
Total	539,600		Confirmed cases at community level: -
			Reported deaths: 1





## II. Intervention policies and strategies

Intervention	Policies/strategies	Yes/No	Adopted	Antimalarial treatment policy	Medicine	Year adopted					
ITN	ITNs/ LLINs distributed free of charge	No	-	First-line treatment of unconfirmed malaria	AL	2007					
	ITNs/ LLINs distributed to all age groups	No	-	First-line treatment of <i>P. falciparum</i>	AL	2007					
IRS	IRS is recommended	Yes	1998	Treatment failure of <i>P. falciparum</i>	QN	-					
	DDT is authorized for IRS	No	-	Treatment of severe malaria	QN	-					
Larval control	Use of larval control recommended	Yes	-	Treatment of <i>P. vivax</i>	-	-					
IPT	IPT used to prevent malaria during pregnancy	No	-	Dosage of Primaquine for radical treatment of <i>P. vivax</i>	-	-					
Diagnosis	Patients of all ages should receive diagnostic test	Yes	1998	Type of RDT used	P.f + all species (Combo)						
	Malaria diagnosis is free of charge in the public sector	Yes	1975								
Treatment	ACT is free of charge for all ages in public sector	Yes	2008	<b>Therapeutic efficacy tests (clinical and parasitological failure, %)</b>							
	The sale of oral artemisinin-based monotherapies (oAMTs)	Are allowed	-	Medicine	Year(s)	Min	Median	Max	Follow-up	No. of studies	Species
	Single dose of primaquine is used as gametocidal medicine for <i>P. falciparum</i>	Yes	-								
	Primaquine is used for radical treatment of <i>P. vivax</i>	No	-								
	G6PD test is a requirement before treatment with primaquine	No	-								
	Directly observed treatment with primaquine is undertaken	Yes	-								
	System for monitoring adverse reactions to antimalarials exists	No	2007								
Surveillance	ACD for case investigation (reactive)	Yes	2001	<b>Insecticide resistance tests (mosquito mortality, %)</b>							
	ACD of febrile cases at community level (pro-active)	Yes	2001	Insecticide class	Years	Min	Mean	Max	No. of sites	Species	
	Mass screening is undertaken	No	2001								
	Uncomplicated <i>P. falciparum</i> cases routinely admitted	Yes	2007								
	Uncomplicated <i>P. vivax</i> cases routinely admitted	No	-								
	Foci and case investigation undertaken	Yes	-								
Case reporting from private sector is mandatory	Yes	-									



## III. Financing



## IV. Coverage



## V. Impact



**Notes:**  
Reported confirmed cases and reported deaths are indigenous only