

REFERENCES

- Abbey SE, Garfinkel PE (1991) Neurasthenia and chronic fatigue syndrome: the role of culture in the making of a diagnosis. *American journal of psychiatry*, 148: 1638-1646.
- Affleck JW, Burns J, Forrest AD (1976) Long-term follow-up of schizophrenic patients in Edinburgh. *Acta psychiatrica scandinavica*, 53: 227-237.
- Albus M et al. (1994) The impact of familial loading on gender differences in age at onset of schizophrenia. *Acta psychiatrica scandinavica*, 89: 132-134.
- Amaddeo F et al. (1995) Mortality among psychiatric patients. A ten year case-register study in an area with a community-based system of care. *British journal of psychiatry*, 166: 783-788.
- American Psychiatric Association (1980) *Diagnostic and Statistical Manual of Mental Disorders*, third edition. Washington, American Psychiatric Association.
- American Psychiatric Association (1987) *Diagnostic and Statistical Manual of Mental Disorders*, third edition revised. Washington, American Psychiatric Association.
- Andreasen NC, Carpenter WT Jr (1993) Diagnosis and classification of schizophrenia. *Schizophrenia bulletin*, 19: 199-214.
- Andreasen NC et al. (1981) Reliability of lifetime diagnosis. *Archives of general psychiatry*, 38: 400-405.
- Angermeyer MC, Kuhn L (1988) Gender differences in age at onset of schizophrenia. *European archives of psychiatry and neurological sciences*, 237: 351-364.
- Angermeyer MC, Kuhn L, Goldstein JM (1990) Gender and the course of schizophrenia: differences in treated outcomes. *Schizophrenia bulletin*, 16(2): 293-307.
- Angold A (1988) Childhood and adolescent depression. I. Epidemiological and aetiological aspects. *British journal of psychiatry*, 152: 601-617.
- Angold A, Rutter M (1992) Effects of age and pubertal status on depression in a large clinical sample. *Developmental psychopathology*, 4: 5-28.

- Angold A, Worthman W (1993) Puberty onset of gender differences in rates of depression: a developmental, epidemiologic and neuroendocrine perspective. *Journal of affective disorders*, 29: 145-158.
- Angst J, Dobler-Mikola A (1984) Do the diagnostic criteria determine the sex ratio in depression? *Journal of affective disorders*, 7: 189-198.
- Angst J, Dobler-Mikola A (1985) The Zürich study. A prospective epidemiological study of depressive, neurotic and psychosomatic syndromes. *European archives of psychiatry and neurological sciences*, 234: 408-416.
- Anthony JC (1987) A potential artifact in determining rates of depression. Letter. *Archives of general psychiatry*, 44: 759.
- Aro H (1994) Risk and protective factors in depression: a developmental perspective. In: Lönnqvist J, Sahi T, eds. *Depression: Preventive and Risk Factors*. Acta psychiatrica scandinavica, 89, suppl. 377: 59-64. Copenhagen, Munksgaard.
- Avis NE et al. (1994) A longitudinal analysis of the association between menopause and depression. *Annals of epidemiology*, 4: 214-220.
- Backstrom T (1990) Neuroendocrinology of premenstrual syndrome. *Clinical obstetrics and gynaecology*, 35: 612-628.
- Bardenstein KK, McGlashan TH (1990) Gender differences in affective, schizoaffective, and schizophrenic disorders. A review. *Schizophrenia research*, 3: 159-172.
- Barr CL et al. (1994) Linkage study of susceptibility locus for schizophrenia in the pseudoautosomal region. *Schizophrenia bulletin*, 20: 277-286.
- Bebbington P, Tansella M (1989) Gender, marital status and treated affective disorders in South Verona: a case register study. *Journal of affective disorders*, 17: 83-91.
- Bebbington P et al. (1981) Epidemiology of mental disorders in Camberwell. *Psychological medicine*, 11: 561-579.
- Bebbington PE et al. (1988) The Camberwell Collaborative Depression Study. I. Depressed probands: adversity and the form of depression. *British journal of psychiatry*, 152: 754-765.
- Beck AT et al. (1979) *Cognitive Therapy of Depression*. New York: Guilford.

- Beiser M et al. (1993) Establishing the onset of psychotic illness. *American journal of psychiatry*, 150: 1349-1354.
- Beiser M et al. (1994) Biological and psychosocial predictors of job performance following a first episode of psychosis. *American journal of psychiatry*, 151: 857-863.
- Bellodi L et al. (1986) Family study of schizophrenia; exploratory analysis for relevant factors. *Schizophrenia bulletin*, 12: 120-128.
- Beratis S, Gabriel J, Hoidas S (1994) Age at onset in subtypes of schizophrenic disorders. *Schizophrenia bulletin*, 20(2): 287-296.
- Bland RC (1977) Demographic aspects of functional psychoses in Canada. *Acta psychiatrica scandinavica*, 55: 369-380.
- Bland RC, Orn H (1978) 14-year outcome in early schizophrenia. *Acta psychiatrica scandinavica*, 58: 327-338.
- Bland RC, Newman SC, Orn H (1988a) Period prevalence of psychiatric disorders in Edmonton. In: Bland RC, Newman SC, Orn H, eds. *Epidemiology of Psychiatric Disorders in Edmonton*. *Acta psychiatrica scandinavica*, 77, Suppl. 338: 33-42. Copenhagen, Munksgaard.
- Bland RC, Orn H, Newman SC (1988b) Lifetime prevalence of psychiatric disorders in Edmonton. In: Bland RC, Newman SC, Orn H, eds. *Epidemiology of Psychiatric Disorders in Edmonton*. *Acta psychiatrica scandinavica*, 77, Suppl. 338: 24-32. Copenhagen, Munksgaard.
- Bland RC, Newman SC, Orn H (1988c) Age of onset of psychiatric disorders. In: Bland RC, Newman SC, Orn H, eds. *Epidemiology of Psychiatric Disorders in Edmonton*. *Acta psychiatrica scandinavica*, 77, Suppl. 338: 43-49. Copenhagen, Munksgaard.
- Blatt SJ (1974) Level of object representation in anaclitic and introjective depression. *Psychoanalytic study of the child*, 29: 107-157.
- Blazer DG et al. (1994) The prevalence and distribution of major depression in a national community sample: the national comorbidity survey. *American journal of psychiatry*, 151: 979-986.
- Blehar MC, Oren DA (1995) Women's increased vulnerability to mood disorders: integrating psychobiology and epidemiology. *Depression*, 3: 3-12.

- Bøjhølm S, Strömngren E (1989) Prevalence of schizophrenia on the island of Bornholm in 1935 and in 1983. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. Acta psychiatrica scandinavica, 79, suppl. 348: 157-166. Copenhagen, Munksgaard.
- Bowlby J (1971) *Attachment and Loss, vol. 1: Attachment*. Harmondsworth, Pelican Books.
- Bowlby J (1973) *Attachment and Loss, vol. 2: Separation: Anxiety and Anger*. Harmondsworth, Pelican Books.
- Bowlby J (1980) *Attachment and Loss, vol. 3: Loss, Sadness and Depression*. London, Hogarth Press.
- Breier A (1988) Small sample studies: unique contributions for large sample outcome studies. *Schizophrenia bulletin*, 14(4): 589-593.
- Breier A et al. (1992) Course of illness and predictors of outcome in chronic schizophrenia: implications for pathophysiology. *British journal of psychiatry*, 161 (Suppl 18): 38-43.
- Brenner MH (1973) *Mental Illness and the Economy*. Cambridge, Massachusetts, Harvard University Press. Quoted in: Warner R (1985) *Recovery from Schizophrenia. Psychiatry and Political Economy*, p. 54. Boston, Massachusetts, Routledge & Kegan.
- Bromet EJ et al. (1986) Long-term reliability of diagnosing lifetime major depression in a community sample. *Archives of general psychiatry*, 43: 435-440.
- Brown GW, Prudo R (1981) Psychiatric disorder in a rural and an urban population: 1. Aetiology of depression. *Psychological medicine*, 11: 581-599.
- Brown G., Bhrolchain M, Harris T (1975) Social class and psychiatric disturbance among women in an urban population. *Sociology*, 9: 225-254.
- Burke KC et al. (1990) Age at onset of selected mental disorders in five community populations. *Archives of general psychiatry*, 47: 511-518.
- Burke KC et al. (1991) Comparing age at onset of major depression and other psychiatric disorders by birth cohorts in five US community populations. *Archives of general psychiatry*, 48: 789-795.
- Canino GJ et al. (1987) The prevalence of specific psychiatric disorders in Puerto Rico. *Archives of general psychiatry*, 44: 727-735.

- Castle DJ, Murray RM (1991) The neurodevelopmental basis of sex differences in schizophrenia. *Psychological medicine*, 21: 565-575.
- Castle DJ, Wessely S, Murray RM (1993) Sex and schizophrenia: effects of diagnostic stringency, and associations with premorbid variables. *British journal of psychiatry*, 162: 658-664.
- Castle DJ et al. (1994) The subtyping of schizophrenia in men and women: a latent class analysis. *Psychological medicine*, 24: 41-51.
- Chen CN et al. (1993) The Shatin community mental health survey in Hong Kong. II. Major findings. *Archives of general psychiatry*, 50: 125-133.
- Ciompi L (1980) Catamnestic long-term study on the course of life and aging of schizophrenics. *Schizophrenia bulletin*, 6(4): 606-618.
- Colombo M., Cox G, Dunner DL (1990) Assortative mating in affective and anxiety disorders: preliminary findings. *Psychiatric genetics*, 1: 35-44.
- Cooke DJ (1987) The significance of life events as a cause of psychological and physical disorder. In: Cooper B, ed. *Psychiatric Epidemiology*, pp. 67-80. Croom Helm.
- Cooper JE et al. (1972) *Psychiatric Diagnosis in New York and London*. Maudsley Monograph No 20. London, University Press.
- Cooper JE et al. (1987) The incidence of schizophrenia in Nottingham. *British journal of psychiatry*, 151: 619-626.
- Coryell W, Endicott J, Keller M (1992) Major depression in a nonclinical sample. Demographic and clinical risk factors for first onset. *Archives of general psychiatry*, 49: 117-125.
- Costa e Silva JA, Freeman HL, eds (1994) *Dysthymia in Clinical Practice*. Acta psychiatrica scandinavica 89, suppl. 383. Copenhagen, Munksgaard.
- Cross-National Collaborative Group (1992) The changing rate major depression. *Journal of the American Medical Association*, 268: 3098-3105.
- Crow TJ (1986) Secular changes in affective disorder and variations in the psychosis gene. *Archives of general psychiatry*, 43: 1013-1014.

Crow TJ (1988) Sex chromosomes and psychosis: the case for a pseudoautosomal locus. *British journal of psychiatry*, 153: 675-683.

Crow TJ et al. (1989) Developmental arrest of cerebral asymmetries in early onset schizophrenia. *Psychiatry research*, 29: 247-253.

de Alarcon J et al. (1992) Evidence for decline in schizophrenia. (Abstract). *Schizophrenia research*, 6: 101.

DeLisi LE (1992) The significance of age of onset for schizophrenia. *Schizophrenia bulletin*, 18: 209-215.

Der G, Bebbington P (1987) Depression in inner London. A register study. *Social psychiatry*, 22: 73-84.

De Salvia D et al. (1993) Prevalence and incidence of schizophrenic disorders in Portogruaro. An Italian case register study. *Journal of nervous and mental disease*, 181: 275-282.

Dohrenwend BP (1989) The problem of validity in field studies of psychological disorders revisited. In: Robins LN, Barrett JE, eds. *The Validity of Psychiatric Diagnosis*, pp 35-53. New York, Raven Press.

Done DJ et al. (1994) Childhood antecedents of schizophrenia and affective illness: social adjustment at age 7 and 11. *British medical journal*, 309: 699-703.

Dunn G, Skuse D (1981) The natural history of depression in general practice: stochastic models. *Psychological medicine*, 11: 755-764.

Dunner DL et al. (1976) Assortative mating in primary affective disorder. *Biological psychiatry*, 11: 43-51.

Eagles JM, Whalley LJ (1985) Ageing and affective disorders: the age at first onset of affective disorders in Scotland, 1969-1978. *British journal of psychiatry*, 147: 180-187.

Eaton WW, Day R, Kramer M (1988) The use of epidemiology for risk factor research in schizophrenia: an overview and methodologic critique. In: Tsuang MT, Simpsons JC, eds. *Handbook of Schizophrenia*, pp. 169-204. New York, Elsevier.

Eaton WW et al. (1989) The incidence of specific DIS/DSM-III mental disorders: data from the NIMH epidemiologic catchment area program. *Acta psychiatrica scandinavica*, 79: 163-178.

Eaton WW et al. (1992) Long-term course of hospitalization for schizophrenia: part I. Risk for rehospitalization. *Schizophrenia bulletin*, 18(2): 217-228.

Egeland JA, Hostetter AM (1983) Amish Study, I: affective disorders among the Amish, 1976-1980. *American journal of psychiatry*, 140: 56-61.

Elliot D, Huizinger D, Morse BJ (1985) *The Dynamics of Deviant Behavior. A National Survey*. Progress Report. Boulder, Colorado, Behavioral Research Institute.

Endicott J (1993) The menstrual cycle and mood disorders. *Journal of affective disorders*, 29: 193-200.

Endicott et al. (1982) Diagnostic criteria for schizophrenia. Reliabilities and agreement between systems. *Archives of general psychiatry*, 39: 884-889.

Endicott J et al. (1986) Diagnosis of schizophrenia. Prediction of short-term outcome. *Archives of general psychiatry*, 43: 13-19.

Ernst C, Angst J (1992) The Zürich study. XII. Sex differences in depression. Evidence from longitudinal epidemiological data. *European archives of psychiatry and clinical neuroscience*, 241: 222-230.

Faraone SV, Lyons MJ, Tsuang MT (1987) Sex differences in affective disorder: genetic transmission. *Genetic epidemiology*, 4: 331-343.

Faraone SV et al. (1994) Gender differences in age at onset of schizophrenia. *British journal of psychiatry*, 164: 625-629.

Faravelli C et al. (1990) Epidemiology of mood disorders: a community survey in Florence. *Journal of affective disorders*, 20: 135-141.

Farmer A, McGuffin P (1989) The classification of the depressions. Contemporary confusion revisited. *British journal of psychiatry*, 155, 437-443.

Farrer LA et al. (1989) Reliability of self-reported age at onset of major depression. *Journal of psychiatric research*, 23: 35-47.

Fendrich M et al. (1990) Two-year recall of lifetime diagnoses in offspring at high and low risk for major depression. *Archives of general psychiatry*, 47: 1121-1127.

- Fennig S, Schwartz JE, Bromet EJ (1994) Are diagnostic criteria, time of episode and occupational impairment important determinants of the female: male ratio for major depression? *Journal of affective disorders*, 30: 147-154.
- Flaum M. et al. (1995) Effects of diagnosis, laterality, and gender on brain morphology in schizophrenia. *American journal of psychiatry*, 152: 704-714
- Flor Henry P (1985) Schizophrenia: sex differences. *Canadian journal of psychiatry*, 30: 319-322.
- Flor Henry P (1990) Influence of gender in schizophrenia as related to other psychopathological syndromes. *Schizophrenia bulletin*, 16: 211-227.
- Fogarty F et al. (1994) Mania. In: Bland RC et al., eds. *Epidemiology of Psychiatric Disorders in Edmonton: Phenomenology and Comorbidity*. Acta psychiatrica scandinavica 89, suppl. 376: 16-23. Copenhagen, Munksgaard.
- Folnegovic Z, Folnegovic-Smalc V, Kulcar Z (1990a) The incidence of schizophrenia in Croatia. *British journal of psychiatry*, 156: 363-365.
- Folnegovic Z et al. (1990b) Characteristics of male and female schizophrenics at first admission. *British journal of psychiatry*, 156: 365-368.
- Frank E, Carpenter LL, Kupfer DJ (1988) Sex differences in recurrent depression: are there any that are significant? *American journal of psychiatry*, 145: 41-45.
- Freeman H, Alpert M (1986) Prevalence of schizophrenia in an urban population. *British journal of psychiatry*, 149: 603-611.
- Fremming KH (1951) The expectations of mental infirmity in a sample of the Danish population. *Occasional paper on eugenics*, number seven. London, Cassel & Co.
- Galbaud du Fort G, Kovess V, Boivin J-F (1994) Spouse similarity for psychological distress and well-being: a population study. *Psychological medicine*, 24: 431-447.
- Galdos PM, vanOs JJ, Murray RM (1993) Puberty and the onset of psychosis. *Schizophrenia research*, 10: 7-14.
- Gater RA, Dean C, Morris J (1989) The contribution of childbearing to the sex difference in first admission rates for affective psychosis. *Psychological medicine*, 19: 719-724.

Gershon ES et al. (1973) Assortative mating in the affective disorders. *Biological psychiatry*, 7: 63-74.

Gershon ES et al. (1987) Birth-cohort changes in manic and depressive disorders in relatives of bipolar and schizo-affective patients. *Archives of general psychiatry*, 44: 314-319.

Goldacre M, Shiwach R, Yeates D (1994) Estimating incidence and prevalence of treated psychiatric disorders from routine statistics: the example of schizophrenia in Oxfordshire. *Journal of epidemiology and community health*, 48: 318-322.

Goldstein JM (1988) Gender differences in the course of schizophrenia. *American journal of psychiatry*, 145: 684-689.

Goldstein JM, Kreisman D (1988) Gender, family environment and schizophrenia. *Psychological medicine*, 18: 861-872.

Goldstein JM, Tsuang MT (1990) Gender and schizophrenia: an introduction and synthesis of findings. *Schizophrenia bulletin*, 16: 179-183.

Goldstein G, Hall W, Andrews G (1984) The incidence of schizophrenia in New South Wales, Australia. *Acta psychiatrica scandinavica*, 70: 220-227.

Goldstein JM et al. (1990a) The role of gender in identifying subtypes of schizophrenia: a latent class analytic approach. *Schizophrenia bulletin*, 16: 263-275.

Goldstein JM et al. (1990b) Sex differences in the familial transmission of schizophrenia. *British journal of psychiatry*, 156: 819-826.

Goldstein JM et al. (1993) Gender and mortality in schizophrenia: do women act like men? *Psychological medicine*, 23: 941-948.

Goldstein JM et al. (1994) Are schizophrenic men at higher risk for developmental deficits than schizophrenic women? Implications for adult neuropsychological functions. *Journal of psychiatric research*, 28: 483-498.

Goodwin FK, Redfield Jamison K (1990) *Manic-Depressive Illness*, pp 157-185. New York, Oxford University Press.

Goodwin FK, Blehar MC (1993) Introduction. Special edition: toward a new psychobiology of depression in women. *Journal of affective disorders*, 29: 75-76.

Gorwood P et al. (1995) Gender and age at onset in schizophrenia: impact of family history. *American journal of psychiatry*, 152: 208-212.

Gottesman II (1994) Schizophrenia epigenesis: past, present, and future. In: Rund BR, ed. *Schizophrenia: New Perspectives on Development and Treatment*. Acta psychiatrica scandinavica, 90, suppl. 384: 26-33. Copenhagen, Munksgaard.

Gove W (1979) Sex differences in the epidemiology of mental disorder: evidence and explanations. In: Bumberg E, Franks V, eds. *Gender and Disordered Behavior: Sex Differences in Psychopathology*, pp. 23-68. New York, Brunner/Mazel.

Gozio C et al. (1992) Gender differences in schizophrenia. *Psychopathologia*, 11: 65-72.

Gureje O (1991) Gender and schizophrenia: age at onset and sociodemographic attributes. *Acta psychiatrica scandinavica*, 83: 402-405.

Häfner H (1988) What is schizophrenia? Changing perspectives in epidemiology. *European archives of psychiatry and neurological sciences*, 238: 63-72.

Häfner H et al. (1989) How does gender influence age at first hospitalization for schizophrenia? *Psychological medicine*, 19: 903-918.

Haas GL et al. (1990) Gender and schizophrenia outcome: a clinical trial of an inpatient family intervention. *Schizophrenia bulletin*, 16: 277-292.

Häfner H et al. (1991a) An animal model for the effects of estradiol on dopamine-mediated behavior: implications for sex differences in schizophrenia. *Psychiatry research*, 38: 125-134.

Häfner H et al. (1991b) Oestradiol enhances the vulnerability threshold for schizophrenia in women by an early effect on dopaminergic neurotransmission. Evidence from an epidemiological study and from animal experiments. *European archives of psychiatry and clinical neuroscience*, 241: 65-68.

Häfner et al. (1993a) The influence of age and sex on the onset and early course of schizophrenia. *British journal of psychiatry*, 162: 80-86.

Häfner H et al. (1993b) Generating and testing a causal explanation of the gender difference in age at first onset of schizophrenia. *Psychological medicine*, 23: 925-940.

Häfner et al. (submitted for publication) Causes and consequences of the gender difference in age of onset of schizophrenia: a review of results from branch 1 (gender) of the ABC (age, beginning, course) schizophrenia study. *Schizophrenia bulletin*.

Hagnell O (1966) A prospective study of the incidence of mental disorder. Lund, Svenska Bokförlaget. Quoted in: Hagnell O (1989) Repeated incidence and prevalence studies of mental disorders in a total population followed during 25 years. The Lundby Study, Sweden. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. Acta psychiatrica scandinavica, 79, suppl. 348: 61-77. Copenhagen, Munksgaard.

Hagnell O (1989) Repeated incidence and prevalence studies of mental disorders in a total population followed during 25 years. The Lundby Study, Sweden. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. Acta psychiatrica scandinavica, 79, suppl. 348: 61-77. Copenhagen, Munksgaard.

Hagnell O et al. (1982) Are we entering an age of melancholy ? Depressive illnesses in a prospective epidemiological study over 25 years: the Lundby study, Sweden. *Psychological medicine*, 12: 279-289.

Halbreich U, Lumley LA (1993) The multiple interactional biological processes that might lead to depression and gender differences in its appearance. *Journal of affective disorders*, 29: 159-173.

Hambrecht M, Maurer K, Hafner H (1992a) Gender differences in schizophrenia in three cultures. Results of the WHO collaborative study on psychiatric disability. *Social psychiatry and psychiatric epidemiology*, 27: 117-121.

Hambrecht M et al. (1992b) Transnational stability of gender differences in schizophrenia? An analysis based on the WHO Determinants of Outcome of Severe Mental Disorders. *European Archives of psychiatry and clinical neuroscience*, 242: 6-12.

Hambrecht M, Maurer K, Häfner H (1992c) Evidence for a gender bias in epidemiological studies of schizophrenia. *Schizophrenia research*, 8: 223-231.

Hambrecht M, Häfner H, Löffler W (1994a) Beginning schizophrenia observed by significant others. *Social psychiatry and psychiatric epidemiology*, 29: 53-60.

Hambrecht M et al. (1994b) Higher morbidity risk for schizophrenia in males: fact or fiction? *Comprehensive psychiatry*, 35: 39-49.

Harding CM et al. (1987a) The Vermont longitudinal study of persons with severe mental illness, I: methodology, study sample, and overall status 32 years later. *American journal of psychiatry*, 144: 718-726.

Harding CM et al. (1987b) The Vermont longitudinal study of persons with severe mental illness, II: long-term outcome of subjects who retrospectively met DSM-III criteria for schizophrenia. *American journal of psychiatry*, 144: 727-735.

Harrison G, Mason P (1995) Schizophrenia-falling incidence and better outcome? *British Journal of psychiatry*, 163: 535-541.

Hasin D, Link B (1988) Age and recognition of depression: implications for a cohort effect in major depression. *Psychological medicine*, 18: 683-688.

Hegarty JD et al. (1994) One hundred years of schizophrenia: a meta-analysis of the outcome literature. *American journal of psychiatry*, 151: 1409-1416.

Helgason T (1964) Epidemiology of mental disorder in Iceland. *Acta psichiastica scandinavica*, suppl. 173. Quoted in: Helgason T, Magnusson H (1989) The first 80 years of life. A psychiatric epidemiological study. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. *Acta psichiastica scandinavica*, 79, suppl. 348: 85-94. Copenhagen, Munksgaard.

Helgason T (1977) *Psychiatric Services and Mental Illness in Iceland*. *Acta psichiastica scandinavica supplementum* 268.

Helgason T (1979) Epidemiological investigations concerning affective disorders. In: Schou M, Stromgren E, eds. *Origin, Prevention and Treatment of Affective Disorders*, pp 241-255. London, Academic Press.

Helgason T, Magnusson H (1989) The first 80 years of life. A psychiatric epidemiological study. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. *Acta psichiastica scandinavica*, 79, suppl. 348: 85-94. Copenhagen, Munksgaard.

Heller W (1993) Gender differences in depression: perspectives from neuropsychology. *Journal of affective disorders*, 29: 129-143.

Henderson AS (1994) Does aging protect against depression? Editorial. *Social psychiatry and psychiatric epidemiology*, 29: 107-109.

Henderson AS et al. (1979) Psychiatric disorder in Canberra. A standardised study of prevalence. *Acta psichiastica scandinavica*, 60: 355-374.

- Herrman H (1989) Schizophrenia and biological determinism. *Australian and New Zealand journal of psychiatry*, 23: 48-52.
- Hickling FW, Rodgers-Johnson P (1995) The incidence of first contact schizophrenia in Jamaica. *British journal of psychiatry*, 167: 193-196.
- Hirschfeld RMA et al. (1984) Personality and gender-related differences in depression. *Journal of affective disorders*, 7: 211-221.
- Hogarty GE, Goldberg SC, Schooler NR (1974) Drugs and psychotherapy in the aftercare of schizophrenic patients. III. Adjustment of nonrelapsed patients. *Archives of general psychiatry*, 31: 609-618.
- Hollifield M et al. (1990) Anxiety and depression in a village in Lesotho, Africa: a comparison with the United States. *British journal of psychiatry*, 156: 343-350.
- Hunt N et al. (1993) The incidence of mania in two areas in the United Kingdom. *Social psychiatry and psychiatric epidemiology*, 28: 281-284.
- Hwu HG, Yeh EK, Chang LY (1989) Prevalence of psychiatric disorders in Taiwan defined by the Chinese Diagnostic Interview Schedule. *Acta psychiatrica scandinavica*, 79: 136-147.
- Iacono WG, Beiser M (1992) Where are the women in first-episode studies of schizophrenia? *Schizophrenia bulletin*, 18(3): 471-480.
- Jablensky A (1986) Epidemiology of schizophrenia: a European perspective. *Schizophrenia bulletin*, 12: 52-73.
- Jablensky A (1987) Prediction of the course and outcome of depression. Editorial. *Psychological medicine*, 17: 1-9.
- Jablensky A (1995) Schizophrenia: recent epidemiologic issues. *Epidemiologic reviews*, 17: 10-20.
- Jablensky A et al. (1986) *Schizophrenia: Manifestations, Incidence and Course in Different Cultures. A World Health Organization Ten-country Study*. Psychological medicine monograph supplement 20. Cambridge, Cambridge University Press.
- Jones P et al. (1994a) Child development risk factors for adult schizophrenia in the British 1946 birth cohort. *Lancet*, 344: 1398-1402.

- Jones PB et al. (1994b) Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. *Psychological medicine* 24: 995-1011.
- Jorm AF (1987) Sex and age differences in depression: a quantitative synthesis of published research. *Australian and New Zealand journal of psychiatry*, 21: 46-53.
- Joyce PR et al. (1990) Birth cohort trends in major depression: increasing rates and earlier onset in New Zealand. *Journal of affective disorders*, 18: 83-89.
- Kaplan HI, Sadock BJ (1991) *Synopsis of Psychiatry, Behavioral Sciences, Clinical Psychiatry*, sixth edition. Baltimore, Maryland: Williams & Wilkins.
- Kazanetz EP (1989) The delineation of schizophrenia from other psychiatric illnesses. *British journal of psychiatry*, 155: 160-165.
- Keith SJ, Matthews SM (1991) The diagnosis of schizophrenia: a review of onset and duration issues. *Schizophrenia bulletin*, 17: 51-67.
- Keller MB et al. (1992) Time to recovery, chronicity, and levels of psychopathology in major depression: a five year prospective follow-up of 431 subjects. *Archives of general psychiatry*, 49: 809-816.
- Kendell RE (1988) What is a case? Food for thought for epidemiologists. *Archives of general psychiatry*, 45: 374-376.
- Kendell RE, Kemp IW (1989) Maternal influenza in the etiology of schizophrenia. *Archives of general psychiatry*, 46: 878-882.
- Kendell RE, Malcolm DE, Adams W (1993) The problem of detecting changes in the incidence of schizophrenia. *British journal of psychiatry*, 162: 212-218.
- Kendler KS, Eaton WW (1988) The proband method in psychiatric epidemiology: a bias associated with differences in family size. *Acta psychiatrica scandinavica*, 77: 511-514.
- Kendler KS, Tsuang MT, Hays P (1987) Age at onset in schizophrenia: a familial perspective. *Archives of general psychiatry*, 44: 881-890.
- Kendler KS et al. (1993) The prediction of major depression in women: toward an integrated etiologic model. *American journal of psychiatry*, 150: 1139-1148.

- Keshavan MS, Schuler NR (1992) First episode studies in schizophrenia: criteria and characterization. *Schizophrenia bulletin*, 18: 491-513.
- Keshavan MS, Anderson S, Pettegrew JW (1994) Is schizophrenia due to excessive synaptic pruning in the prefrontal cortex? The Feinberg hypothesis revisited. *Journal of psychiatric research*, 28: 239-265.
- Kessler RC, McRae JA (1981) Trends in sex and psychological distress. *American sociological review*, 41: 443-452.
- Kessler RC, McLeod JD (1984) Sex differences in vulnerability to undesirable life events. *American sociological review*, 49: 620-631.
- Kessler RC et al. (1993) Sex and depression in the national comorbidity survey I: lifetime prevalence, chronicity and recurrence. *Journal of affective disorders*, 29: 85-96.
- Kessler RC et al. (1994) Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the national comorbidity survey. *Archives of general psychiatry*, 51: 8-19.
- Klerman GL (1987) A potential artifact in determining rates of depression. *Archives of general psychiatry*, 44: 759-760.
- Klerman GL (1988) The current age of youthful melancholia. Evidence for increase in depression among adolescents and young adults. *British journal of psychiatry*, 152: 4-14.
- Klerman GL, Weissman MM (1989) Increasing rates of depression. *Journal of the American Medical Association*, 261(15): 2229-2235.
- Klerman GL et al. (1985) Birth-cohort trends in rates of major depressive disorder among relatives of patients with affective disorder. *Archives of general psychiatry*, 42: 689-693.
- Knäuper B, Wittchen HU (1994) Diagnosing major depression in the elderly: evidence for response bias in standardized diagnostic interviews? *Journal of psychiatric research*, 28: 147-164.
- Kocsis JH, Frances AJ (1987) A critical discussion of DSM-III dysthymic disorder. *American journal of psychiatry*, 144: 1534-1542.
- Kopala L, Clark C (1990) Implications of olfactory agnosia for understanding sex differences in schizophrenia. *Schizophrenia bulletin*, 16(2): 255-261.

Kornstein SG (1996) Gender differences in chronic depression. Proceedings of the Symposium 'The Dynamics of Sex. Gender Differences in Psychiatric Disorders', held during the American Psychiatric Association 149th Annual Meeting, New York.

Kovacs M, Gatsonis C (1994) Secular trends in age at onset of major depressive disorder in a clinical sample of children. *Journal of psychiatric research*, 28: 319-329.

Kramer M, Von Korff M, Kessler L (1980) The lifetime prevalence of mental disorders: estimation, uses and limitations. *Psychological medicine*, 10: 429-435.

Kuipers L, Bebbington P (1988) Expressed emotion research in schizophrenia: theoretical and clinical implications. *Psychological medicine*, 18: 893-909.

Kunugi H et al. (1995) Schizophrenia following in utero exposure to the 957 influenza epidemics in Japan. *American journal of psychiatry*, 152: 450-452.

Lane A. et al. (1995) Reproductive behaviour in schizophrenia relative to other mental disorders: evidence for increased fertility in men despite decreased marital rate. *Acta psychiatrica scandinavica*, 91: 222-228.

Lasch K et al. (1990) Birth-cohort changes in the rates of mania. *Psychiatry research*, 33: 31-37.

Lavori PW et al. (1987) Age-period-cohort analysis of secular trends in onset of major depression: findings in siblings of patients with major affective disorder. *Journal of psychiatric research*, 21: 23-35.

Lavori PW et al. (1993) Secular trends in lifetime onset of MDD stratified by selected sociodemographic risk factors. *Journal of psychiatric research*, 27: 95-109.

Lee CK et al. (1990a) Psychiatric epidemiology in Korea. Part I: Gender and age differences in Seoul. *Journal of nervous and mental disease*, 178: 242-246.

Lee CK et al. (1990b) Psychiatric epidemiology in Korea. Part II: Urban and rural differences. *Journal of nervous and mental disease*, 178: 247-252.

Leff J et al. (1992) The international pilot study of schizophrenia: five-year follow-up findings. *Psychological medicine*, 22: 131-145.

Lehtinen V et al. (1990) The prevalence of PSE-CATEGO disorders in a Finnish adult population cohort. *Social psychiatry and psychiatric epidemiology*, 25: 187-192.

- Leibenluft E (1993) Do gonadal steroids regulate circadian rhythms in humans? *Journal of affective disorders*, 29: 175-181.
- Leon AC, Klerman GL, Wickramaratne P (1993) Continuing female predominance in depressive illness. *Public health briefs*, 83(5): 754-757.
- Lépine JP et al. (1989) Anxiety and depressive disorders in a French population: methodology and preliminary results. *Psychiatry & psychobiology*, 4: 267-274.
- Lépine JP et al. (1993) L'épidémiologie des troubles anxieux et dépressifs dans une population générale française. *Confrontations psychiatriques*, 35: 139-161.
- Levav I et al. (1993) An epidemiological study of mental disorders in a 10-year cohort of young adults in Israel. *Psychological medicine*, 23: 691-707.
- Lewine RRJ (1981) Sex differences in schizophrenia: timing or subtypes. *Psychological bulletin*, 90: 432-444.
- Lewine RRJ, Burbach D, Meltzer HJ (1984) The effect of diagnostic criteria on the proportion of male to female schizophrenics. *American journal of psychiatry*, 141: 84-87.
- Lewinshon PM et al. (1993) Age-cohort changes in the lifetime occurrence of depression and other mental disorders. *Journal of abnormal psychology*, 102: 110-120.
- Lewinshon PM et al. (1994) Adolescent psychopathology: II. Psychosocial risk factors for depression. *Journal of abnormal psychology*, 103: 302-315.
- Livingston Bruce M, Kim KM (1992) Differences in the effects of divorce on major depression in men and women. *American journal of psychiatry*, 149: 914-917.
- Livingston Bruce M et al. (1994) Psychiatric status and 9-year mortality data in the New Haven epidemiologic catchment area study. *American journal of psychiatry*, 151: 716-721.
- Loewenthal K et al. (1995) Gender and depression in Anglo-Jewry. *Psychological medicine*, 25: 1051-1063.
- Löffler W et al. (1994) Validation of Danish case-register diagnosis of schizophrenia ICD-295. *Acta psychiatrica scandinavica*, 90: 196-203.

Loyd D, Simpson JC, Tsuang MT (1985) Are there sex differences in the long-term outcome of schizophrenia? *Journal of nervous and mental disease*, 173: 643-649.

Lutzhof JH et al. (1995) Symptom assessment in casenotes and the clinical diagnosis of schizophrenia. *Psychopathology*, 28:131-139.

Lynge I, Jacobsen J (1995) Schizophrenia in Greenland: a follow-up study. *Acta psychiatrica scandinavica*, 91: 414-422.

Maier W et al. (1993a) The impact of gender and age at onset on the familial aggregation of schizophrenia. *European archives of psychiatry and clinical neuroscience*, 242: 279-285.

Maier W et al. (1993b) Concordance for gender in sib pairs affected with schizophrenia and related disorders. *Schizophrenia research*, 9: 71-76.

Marengo J (1994) Classifying the courses of schizophrenia. *Schizophrenia bulletin*, 20(3): 519-536.

Mavreas VG et al. (1986) Prevalence of psychiatric disorders in Athens. A community study. *Social psychiatry*, 21: 172-181.

Mavreas VG, Bebbington PE (1987) Psychiatric morbidity in London's Greek-Cypriot immigrant community. *Social psychiatry*, 22: 150-159.

Mazure C, Gershon ES (1979) Blindness and reliability in lifetime psychiatric diagnosis. *Archives of general psychiatry*, 36: 521-525.

McEwen BS (1992) Steroid hormones: effect on brain development and function. *Hormone research*, 37: 1-10.

McGlashan TH (1986) Predictors of shorter-, medium-, and longer-term outcome in schizophrenia. *American journal of psychiatry*, 143: 50-55.

McGlashan TH, Carpenter WT, Bartko JJ (1988) Issues of design and methodology in long-term follow-up studies. *Schizophrenia bulletin*, 14(4): 569-574.

McGue M, Gottesman II (1985) Resolving genetic models for the transmission of schizophrenia. *Genetic epidemiology*, 2: 99-110.

McGuffin P, Katz R (1989) The genetics of depression and manic-depressive disorder. *British journal of psychiatry*, 155: 294-304.

McGuffin M, Farmer AE, Gottesman II (1987) Is there really a split in schizophrenia? The genetic evidence. *British journal of psychiatry*, 150: 581-592.

McGuffin M, Farmer AE, Harvey I (1991) A polydiagnostic application of operational criteria in psychotic illness: development and reliability of the OPCRIT system. *Archives of general psychiatry*, 48: 764-770.

McGuffin et al. (1988) The Camberwell Collaborative Depression Study. II. Investigation of family members. *British journal of psychiatry*, 152: 766-774.

McNeil TF (1988) Obstetric factors and perinatal injuries. In: Tsuang MT, Simpsons JC, eds. *Handbook of Schizophrenia*, pp. 319-344. New York, Elsevier.

McNeil TF (1995) Perinatal risk factors and schizophrenia: selective review and methodological concerns. *Epidemiologic reviews*, 17: 107-112.

Meddin JR (1986) Sex differences in depression and satisfaction with self: findings from a United States national survey. *Social science and medicine*, 22: 807-812.

Meltzer HY, Busch DA, Fang VS (1983) Serum neuroleptic and prolactin levels in schizophrenic patients and clinical response. *Psychiatry research*, 9: 271-283.

Menezes PR, Mann AH (1993) Characteristics of hospital-treated schizophrenia in Sao Paulo, Brazil. *Social psychiatry and psychiatric epidemiology*, 28: 267-274.

Merikangas KR, Spiker DG (1982) Assortative mating among in-patients with primary affective disorder. *Psychological medicine*, 12: 753-764.

Merikangas KR, Wicki W, Angst J (1994) Heterogeneity of depression. Classification of depressive subtypes by longitudinal course. *British journal of psychiatry*, 164: 342-348.

Mortensen PB, Juel K (1993) Mortality and causes of death in first admitted schizophrenic patients. *British journal of psychiatry*, 163: 183-189.

Müller C, Loren J, Eisert M (1968) Etude sur la fréquence d'apparition de la manie. *Social psychiatry*, 3: 133-135.

Munk-Jørgensen P (1985) The schizophrenia diagnosis in Denmark. A register-based investigation. *Acta psychiatrica scandinavica*, 72: 266-273.

Munk-Jørgensen P (1986) Schizophrenia in Denmark. Incidence and utilization of psychiatric institutions. *Acta psychiatrica scandinavica*, 73: 172-180.

Munk-Jørgensen P, Mortensen PB (1992) Social outcome in schizophrenia: a 13-year follow-up. *Social psychiatry and psychiatric epidemiology*, 27: 129-134.

Murphy JM (1986) Trends in depression and anxiety: men and women. *Acta psychiatrica scandinavica*, 73: 113-127.

Murphy GE, Wetzel RD (1980) Suicide risk by birth cohort in the United States. *Archives of general psychiatry*, 37: 519-523.

Murphy JM et al. (1984) Stability of prevalence: depression and anxiety disorders. *Archives of general psychiatry*, 41: 990-997.

Murphy JM et al. (1987) Affective disorders and mortality. *Archives of general psychiatry*, 44: 473-480.

Murray RM et al. (1992) A neurodevelopmental approach to the classification of schizophrenia. *Schizophrenia bulletin*, 18: 319-332.

Nathan RS et al. (1983) A preliminary study of sex-related differences in prolactin responses to dopamine and insuline hypoglycemia and in penfluridol plasma levels in schizophrenic patients. *Psychopharmacology*, 80: 46-49.

Newman SC, Bland RC, Orn H (1988) Morbidity risk of psychiatric disorders. In: Bland RC, Newman SC, Orn H, eds. *Epidemiology of Psychiatric Disorders in Edmonton*. *Acta psychiatrica scandinavica*, 77, Suppl. 338: 50-56. Copenhagen, Munksgaard.

Nicole L, Lesage A, Lalonde P (1992) Lower incidence and increased male: female ratio in schizophrenia. *British journal of psychiatry*, 161: 556-557.

NiNuallain M, O'Hare A, Walsh D (1987) Incidence of schizophrenia in Ireland. *Psychological medicine*, 17: 943-948.

Nolen-Hoeksema S (1987) Sex differences in unipolar depression: evidence and theory. *Psychological bulletin*, 101: 259-282.

Nolen-Hoeksema S, Girgus JS (1994) The emergence of gender differences in depression during adolescence. *Psychological bulletin*, 115: 424-443.

- Nottelmann et al. (1990) Hormones and behavior at puberty. In: Bancroft J, Reinisch J, eds. *Adolescence and Puberty*, pp. 88-123. New York, Oxford University Press.
- Nyman AK (1989) Nonregressive schizophrenia - a long-term comparative follow-up investigation. *Acta psychiatrica scandinavica*, 79: 59-73.
- Oakley-Browne MA et al. (1989) Christchurch psychiatric epidemiology study, part II: six month and other period prevalence of specific psychiatric disorders. *Australian and New Zealand journal of psychiatry*, 23: 327-340.
- Ohaeri JU (1992) Age at onset in a cohort of schizophrenics in Nigeria. *Acta psychiatrica scandinavica*, 86: 332-334.
- O'Hara MW et al. (1990) Controlled prospective study of postpartum mood disorders. Comparison of childbearing and nonchildbearing women. *Journal of abnormal psychology*, 99: 1-15.
- Onstad S et al. (1994) Family interaction: parental representation in schizophrenic patients. In: Rund BR, ed. *Schizophrenia: new perspectives on development and treatment*. Acta psychiatrica scandinavica 90, suppl. 384: 67-70. Copenhagen, Munksgaard.
- Orley J, Wing JK (1979) Psychiatric disorders in two African villages. *Archives of general psychiatry*, 36: 513-520.
- Otto MW, Yeo RA, Dougher MJ (1987) Right emisphere involvement in depression: toward a neuropsychological theory of negative affective experiences. *Biological psychiatry*, 22: 1201-1215.
- Parker G (1987) Are the lifetime prevalence estimates in the ECA study accurate? Editorial. *Psychological medicine*, 17: 275-282.
- Parry BL (1995) Sex hormones, circadian rhythms and depressive vulnerability. *Depression*, 3: 43-48.
- Patton GC, Riecher-Rossler A, Häfner H (1994) Gender differences in schizophrenia: do computer tomography findings provide an explanation? *New trends in experimental and clinical psychiatry*, 10: 121-126.
- Paykel ES (1978) Contribution of life events to causation of psychiatric illness. *Psychological medicine*, 8: 245-253.

- Paykel ES (1994) Life events, social support and depression. In: Lönnqvist J, Sahi T, eds. *Depression: Preventive and Risk Factors*. Acta psychiatrica scandinavica, 89, suppl. 377: 50-58. Copenhagen, Munksgaard.
- Pedersen CA et al. (1993) Thyroid and adrenal measures during late pregnancy and the puerperium in women who have been major depressed or who become dysphoric postpartum. *Journal of affective disorders*, 29: 201-211.
- Perry W, Moore D, Braff D (1995) Gender differences on thought disturbance measures among schizophrenic patients. *American journal of psychiatry*, 152: 1298-1301.
- Prudo R et al. (1981) Psychiatric disorder in a rural and an urban population: 2. Sensitivity to loss. *Psychological medicine*, 11: 601-616.
- Prusoff BA, Merikangas KR, Weissman MM (1988) Lifetime prevalence and age of onset of psychiatric disorders: recall 4 years later. *Journal of psychiatric research*, 22: 107-117.
- Pulver AE, Liang KY (1991) Estimating effects of proband characteristics on familial risk. II. The association between age at onset and familial risk in the Maryland schizophrenia sample. *Genetic epidemiology*, 8: 339-350.
- Pulver AE et al. (1990) Schizophrenia: age at onset, gender and familial risk. *Acta psychiatrica scandinavica*, 82: 344-351.
- Pulver AE et al. (1992) Risk factors in schizophrenia. Season of birth, gender, and familial risk. *British journal of psychiatry*, 160: 65-71.
- Radloff LS (1977) The CES-D scale. A self-report depression scale for research in the general population. *Applied psychological measurement*, 1: 385-401.
- Raine A et al. (1990) Structural and functional characteristics of the corpus callosum in schizophrenics, psychiatric controls, and normal controls. *Archives of general psychiatry*, 47: 1060-1064.
- Ram R et al. (1992) The natural course of schizophrenia: a review of first-admission studies. *Schizophrenia bulletin*, 18: 185-207.
- Regier DA et al. (1993) One-month prevalence of mental disorders in the United States and sociodemographic characteristics: the Epidemiologic Catchment Area study. *Acta psychiatrica scandinavica*, 88: 35-47.

- Rice J et al. (1984) Sex-related differences in depression. Familial evidence. *Journal of affective disorders*, 7: 199-210.
- Rice JP et al. (1992) Stability of psychiatric diagnoses. An application to the affective disorders. *Archives of general psychiatry*, 49: 824-830.
- Richman JA, Raskin VD, Gaines C (1991) Gender roles, social support, and postpartum depressive symptomatology. *Journal of nervous and mental disease*, 179: 139-147.
- Riecher A et al. (1990) Gender differences in age at onset and course of schizophrenic disorders. In: Häfner H, Gattaz WF, eds. *Search for the causes of schizophrenia*, vol. 2, pp. 14-33. Berlin, Springer-Verlag.
- Riecher-Rossler A et al. (1994) Can estradiol modulate schizophrenic symptomatology ? *Schizophrenia bulletin*, 20: 203-214.
- Ritsner MS, Karas SI, Drigalenko EI (1991) Genetic epidemiological study of schizophrenia: two modes of sampling. *Genetic epidemiology*, 8: 47-53.
- Roberts RE, Kaplan GA, Camacho TC (1990) Psychological distress and mortality: evidence from the Alameda county study. *Social science and medicine*, 31: 527-536.
- Robins LN, Regier DA (1991) *Psychiatric Disorders in America*. New York, The Free Press.
- Roy MA, Crowe RRC (1994) Validity of the familial and sporadic subtypes of schizophrenia. *American journal of psychiatry*, 151: 805-814.
- Rubinow DR (1992) The premenstrual syndrome: new views. *Journal of the American Medical Association*, 268: 1908-1912.
- Ruble DN et al. (1993) The role of gender-related processes in the development of sex differences in self-evaluation and depression. *Journal of affective disorders*, 29: 97-128.
- Ruggeri M, Tansella M (1995) Evaluating outcome in mental health care. *Current opinion in psychiatry*, 8: 116-121.
- Salokangas RKR (1983) Prognostic implications of the sex of schizophrenic patients. *British journal of psychiatry*, 142: 145-151.

Sanfilipo MP (1994) Masculinity, femininity, and subjective experiences of depression. *Journal of clinical psychology*, 50: 144-157.

Sargeant JK et al. (1990) Factors associated with 1-year outcome of major depression in the community. *Archives of general psychiatry*, 47: 519-526.

Sartorius N et al. (1986) Early manifestations and first-contact incidence of schizophrenia in different cultures. *Psychological medicine*, 16: 909-928.

Sashidharan SP et al. (1988) Hospital-treated and general-population morbidity from affective disorders. Comparison of prevalence and inception rates. *British journal of psychiatry*, 152: 499-505.

Schmid GB et al. (1991) Long-term prognosis of schizophrenia. *Psychopathology*, 24: 130-140.

Schulsinger F et al. (1987) Heredity-environment interaction and schizophrenia. *Journal of psychiatric research*, 21: 431-436.

Scottish Schizophrenia Research Group (1989) The Scottish First Episode Schizophrenia Study. VII. Two-year follow-up. *Acta psychiatrica scandinavica*, 80: 597-602.

Scottish Schizophrenia Research Group (1992) The Scottish First Episode Schizophrenia Study. VIII. Five-year follow-up: clinical and psychosocial findings. *British journal of psychiatry*, 161: 496-500.

Seeman MV (1985) Sex and schizophrenia. *Canadian journal of psychiatry*, 30: 313-315.

Seeman MV, Lang M (1990) The role of estrogens in schizophrenia gender differences. *Schizophrenia bulletin*, 16: 185-194.

Sham PC, MacLean CJ, Kendler KS (1994) A typological model of schizophrenia based on age at onset, sex and familial morbidity. *Acta psychiatrica scandinavica*, 89: 135-141.

Shelton RC et al. (1988) Cerebral structural pathology in schizophrenia: evidence for a selective prefrontal cortical defect. *American journal of psychiatry*, 145: 154-163.

Shepherd M et al. (1989) *The Natural History of Schizophrenia: a Five-year Follow-up Study of Outcome and Prediction in a Representative Sample of Schizophrenics*. Psychological medicine monograph supplement 15. Cambridge, Cambridge University Press.

- Sibisi CDT (1990) Sex differences in the age of onset of bipolar affective illness. *British journal of psychiatry*, 156: 842-845.
- Siever LJ, Kalus OF, Keefe RS (1993) The boundaries of schizophrenia. *Psychiatric clinics of North America*, 16: 217-244.
- Silverstein B, Perlick D (1991) Gender differences in depression: historical changes. *Acta psychiatrica scandinavica*, 84: 327-331.
- Simon GE, VonKorff M (1992) Reevaluation of secular trends in depression rates. *American journal of epidemiology*, 135: 1411-22.
- Simon GE et al. (1995) Is the lifetime risk of depression actually increasing? *Journal of clinical epidemiology*, 48: 1109-1118.
- Sims A (1987) Why the excess mortality from psychiatric illness?. *British medical journal* 294: 986-987
- Solomon P, Draine J (1993) An assessment of gender as a factor among severely mentally disabled case management clients. *Social work in health care*, 19: 39-60.
- Somervell PD et al. (1989) Psychologic distress as a predictor of mortality. *American journal of epidemiology*, 130: 1013-1023.
- Spaner D, Bland RC, Newman SC (1994) Major depressive disorder. In: Bland RC et al., eds. *Epidemiology of Psychiatric Disorders in Edmonton: Phenomenology and Comorbidity*. Acta psychiatrica scandinavica 89, suppl. 376: 7-15. Copenhagen, Munksgaard.
- Spitzer RL, Endicott J, Robins E (1978) Research diagnostic criteria. *Archives of general psychiatry*, 35: 773-782.
- Srole L, Fisher AK (1980) The Midtown Manhattan Longitudinal Study vs. "The Mental Paradise Lost" doctrine: a controversy joined. *Archives of general psychiatry*, 37: 209-221.
- Steer RA, Beck AT, Brown G (1989) Sex differences on the revised beck depression inventory for outpatients with affective disorders. *Journal of personality assessment*, 53: 693-702.
- Stefánsson JG et al. (1991) Lifetime prevalence of specific mental disorders among people born in Iceland in 1931. *Acta psychiatrica scandinavica*, 84: 142-149.

Stefánsson JG et al. (1994) Period prevalence rates of specific mental disorders in an Icelandic cohort. *Social psychiatry and psychiatric epidemiology*, 29: 119-125.

Stoll AL et al. (1993) Shifts in diagnostic frequencies of schizophrenia and major affective disorders at six North American psychiatric hospitals. *American journal of psychiatry*, 150: 1668-1673.

Stommel M et al. (1993) Gender bias in the measurement properties of the centre for epidemiologic studies depression scale (CES-D) *Psychiatry research*, 49: 239-250.

Strömngren E (1938) Beiträge zur psychiatrischen Erblehre. *Acta psychiatrica scandinavica*, suppl. 19. Quoted in: Bøjhølm S, Strömngren E (1989) Prevalence of schizophrenia on the island of Bornholm in 1935 and in 1983. In: Sartorius N, Nielsen JA, Strömngren E, eds. *Changes in Frequency of Mental Disorder over Time*. *Acta psychiatrica scandinavica*, 79, suppl. 348: 157-166. Copenhagen, Munksgaard.

Strömngren E (1987) Changes in the incidence of schizophrenia? *British journal of psychiatry*, 150: 1-7.

Sturt E, Shur E (1985) Sex concordance for schizophrenia in proband-relative pairs. *British journal of psychiatry*, 147: 44-47.

Susser ES, Lin SP (1992) Schizophrenia after prenatal exposure to the Dutch Hunger Winter of 1944-1945. *Archives of general psychiatry*, 49: 983-988.

Susser E, Wanderling J (1994) Epidemiology of nonaffective acute remitting psychosis vs schizophrenia. *Archives of general psychiatry*, 51: 294-301.

Swayze VW et al. (1992) Subcortical and temporal structures in affective disorder and schizophrenia: a magnetic resonance imaging study. *Biological psychiatry*, 31: 221-240.

Sytema S et al. (1989) The reliability of diagnostic coding in psychiatric case registers. *Psychological medicine*, 19: 999-1006.

Syvälähti EKG (1994) Biological aspects of depression. In: Lönnqvist J, Sahi T, eds. *Depression: Preventive and Risk Factors*. *Acta psychiatrica scandinavica*, 89, suppl. 377: 11-15. Copenhagen, Munksgaard.

Szymanski S. et al. (1995) Gender differences in onset of illness, treatment response, course, and biologic indexes in first-episode schizophrenic patients. *American journal of psychiatry*, 152: 698-703.

- Takei N et al. (1994) Prenatal exposure to influenza and the development of schizophrenia: is the effect confined to females? *American journal of psychiatry*, 151: 117-119.
- Tansella M, Meneghelli G, Siciliani O (1982) Implementing a community psychiatric service in South Verona under the new Italian Mental Health Act. *Psychiatry and social science*, 2: 105-114.
- Tansella et al. (1991) *Trends in the provision of psychiatric care 1979-1988*. In: Tansella M eds. *Community-based Psychiatry: Long-term Patterns of Care in South-Verona*. Psychological medicine monograph supplement 19, pp. 5-16. Cambridge, Cambridge University Press.
- Test MA, Burke SS, Wallisch LS (1990) Gender differences of young adults with schizophrenic disorders in community care. *Schizophrenia bulletin*, 16: 331-343.
- Thara R, Rajkumar S (1992) Gender differences in schizophrenia. Results of a follow-up study from India. *Schizophrenia research*, 7: 65-70.
- Thara R et al. (1994) Ten-year course of schizophrenia - the Madras longitudinal study. *Acta psychiatrica scandinavica*, 90: 329-336.
- Thase ME et al. (1994) Do depressed men and women respond similarly to cognitive behavior therapy? *American journal of psychiatry*, 151: 500-505.
- Torrey EF (1987) Prevalence studies in schizophrenia. *British journal of psychiatry*, 150: 598-608.
- Torrey EF et al. (1994) Prenatal origin of schizophrenia in a subgroup of discordant monozygotic twins. *Schizophrenia bulletin*, 20: 423-432.
- Tsoi WF, Wong KE (1991) A 15-year follow-up study of Chinese schizophrenic patients. *Acta psychiatrica scandinavica*, 84: 217-220.
- Tsoi WF, Kua EH (1992) Predicting the outcome of schizophrenia ten years later. *Australian and New Zealand journal of psychiatry*, 26: 257-261.
- Uhlenhuth EH et al. (1983) Symptom checklist syndromes in the general population. *Archives of general psychiatry*, 40: 1167-1173.
- Vazquez-Barquero JL et al (1995a) The Cantabria first episode schizophrenia study: a summary of general findings. *Acta psychiatrica scandinavica*, 91: 156-162.

Vazquez-Barquero JL et al (1995b) Structural abnormalities of the brain in schizophrenia: sex differences in the Cantabria first episode of schizophrenia study. *Psychological medicine*, 25: 1247-1257.

Wahl OF, Hunter J (1992) Are gender effects being neglected in schizophrenia research? *Schizophrenia bulletin*, 18: 313-318.

Walker E, Rossiter J (1990) Schizophrenic patients' self-perceptions: legal and clinical implications. *Journal of psychiatry and law*, 17: 55-73.

Walker EF, Lewine RRJ (1993) Sampling biases in studies of gender and schizophrenia. *Schizophrenia bulletin*, 19: 1-7.

Warner R, de Girolamo G (1995) *Epidemiology of Mental Disorders and Psychosocial Problems*. Schizophrenia. Geneva, World Health Organization.

Warshaw MG, Klerman GL, Lavori PW (1991) The use of conditional probabilities to examine age-period cohort data: further evidence for a period effect in major depressive disorder. *Journal of affective disorders*, 23: 119-129.

Watt DC, Katz K, Shepherd M (1983) The natural history of schizophrenia: a 5-year prospective follow-up of a representative sample of schizophrenics by means of a standardized clinical and social assessment. *Psychological medicine*, 13: 663-670.

Weissman MM (1979) The myth of involuntional melancholia. *Journal of the American Medical Association*, 242: 742-744.

Weissman MM, Klerman GL (1977) Sex differences and the epidemiology of depression. *Archives of general psychiatry*, 34: 98-111.

Weissman MM, Myers JK (1978) Affective disorders in a US urban community. *Archives of general psychiatry*, 35: 1304-1311.

Weissman MM, Olfson M (1995) Depression in women: implications for health care research. *Science*, 269: 799-801.

Weissman MM et al. (1984) Onset of major depression in early adulthood. Increased familial loading and specificity. *Archives of general psychiatry*, 41: 1136-1143.

Weissman MM et al. (1988) Affective disorders in five United States communities. *Psychological medicine*, 18: 141-153.

- Weissman MM et al. (1993) Sex differences in rates of depression: cross-national perspectives. *Journal of affective disorders*, 29: 77-84.
- Wells JE et al. (1989) Christchurch psychiatric epidemiology study, part I: methodology and lifetime prevalence for specific psychiatric disorders. *Australian and New Zealand journal of psychiatry*, 23: 315-326.
- Westermeyer JF, Harrow M (1984) Prognosis and outcome using broad (DSM-II) and narrow (DSM-III) concepts of schizophrenia. *Schizophrenia bulletin*, 10: 624-637.
- Whybrow PC (1995) Sex differences in thyroid axis function. Relevance to affective disorder and its treatment. *Depression*, 3: 33-42.
- Wickramaratne PJ et al. (1989) Age, period and cohort effects on the risk of major depression: results from five United States communities. *Journal of clinical epidemiology*, 42: 333-343.
- Wilhelm K, Parker G (1993) Sex differences in depressogenic risk factors and coping strategies in a socially homogeneous group. *Acta psychiatrica scandinavica*, 88: 205-211.
- Wilhelm K, Parker G (1994) Sex differences in lifetime depression rates: fact or artefact? *Psychological medicine*, 24: 97-111.
- Wing JK (1988) Comments on the long-term outcome of schizophrenia. *Schizophrenia bulletin*, 14(4): 669-673.
- Wing JK, Sturt E (1978) *The PSE-ID-CATEGO System Supplementary Manual*. London, MRC Social Psychiatry Unit, Institute of Psychiatry.
- Wittchen HU et al. (1992) Lifetime and six-month prevalence of mental disorders in the Munich follow-up study. *European archives of psychiatry and clinical neuroscience*, 241: 47-258.
- Wolyniec PS et al. (1992) Schizophrenia: gender and familial risk. *Journal of psychiatric research*, 26: 17-27.
- World Health Organization (1979) *Schizophrenia. An International Follow-up Study*. Chichester, John Wiley & Sons.
- World Health Organization (1992) *International Classification of Diseases*, tenth revision. Geneva, World Health Organization.

Wurtman JJ (1993) Depression and weight gain: the serotonin connection. *Journal of affective disorders*, 29: 183-192.

Young EA (1995) Glucocorticoid cascade hypothesis revisited. Role of gonadal steroids. *Depression*, 3: 20-27.

Young MA et al. (1990a) Sex differences in the lifetime prevalence of depression: does varying the diagnostic criteria reduce the female/male ratio? *Journal of affective disorders*, 18: 187-192.

Young MA et al. (1990b) Gender differences in the clinical features of unipolar major depressive disorder. *Journal of mental and nervous disease*, 178: 200-203.

Youssef HA, Kinsella A, Waddington JL (1993) Gender specificity of geographical variation in morbid risk for schizophrenia in rural Ireland. *Acta psychiatrica scandinavica*, 88: 135-139.