

COLOMBIA

COLOMBIA																						
Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median													Notes	Ref	
							Weight/age		Height/age		Weight/height					BMI / age						
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD			+3SD
National		1965-66			0. -4.99	950		18.6		38.1		5.0								Converted estimates	00157	
National		1977-80			0. -4.99	1760		14.7		28.2		6.1								Converted estimates		
National	SEP-DEC	1986			0.25-2.99	1317	2.1	8.6	8.6	25.9	0.4	1.3	24.3	4.9	0.4	0.3	1.2	29.8	5.9	0.7		
					0.25-2.99	321	1.8	7.4	9.0	24.8	0.6	1.2	24.1	4.2	0.9	0.3	1.2	29.3	4.8	1.2	Atlantica	
					0.25-2.99	188	2.1	7.9	7.9	24.2	1.1	2.6	24.2	6.3	0.0	0.5	2.1	31.6	7.4	0.0	Bogota	
					0.25-2.99	383	2.6	10.3	7.4	24.7	0.0	0.7	21.8	4.8	0.4	0.0	0.7	26.9	5.5	1.1	Central	
					0.25-2.99	219	0.4	6.1	7.8	26.3	0.0	0.4	26.3	5.3	0.0	0.0	0.4	33.3	6.6	0.0	Oriental	
					0.25-2.99	206	3.7	10.4	11.6	31.1	0.7	2.2	27.5	4.5	0.7	1.1	2.2	30.6	6.0	0.4	Pacifica	
					0.25-0.49	89	3.5	11.6	3.8	16.2	1.1	4.1	23.4	5.0	0.0	0.9	5.7	14.0	3.0	0.0		
					0.50-0.99	247	1.3	7.7	3.0	17.5	1.1	2.7	29.2	5.7	0.4	1.1	3.0	28.8	5.7	0.4		
					1. -1.99	513	1.1	7.0	8.9	27.3	0.3	1.0	26.5	6.2	0.8	0.1	0.5	36.7	7.4	1.1		
					2. -2.99	468	3.4	10.2	12.1	30.6	0.0	0.4	19.5	3.0	0.2	0.0	0.2	25.7	4.7	0.5		
			URBAN		0.25-2.99	794	1.4	6.4	6.6	21.7	0.7	1.4	25.7	5.2	0.2	0.4	1.2	31.4	6.3	0.7		
			RURAL		0.25-2.99	523	3.2	11.9	11.6	32.3	0.0	1.2	22.2	4.5	0.7	0.1	1.3	27.4	5.1	0.6		
				M	0.25-2.99	669	2.4	9.0	9.1	29.0	0.5	1.5	24.0	4.8	0.4	0.5	1.4	29.7	5.9	1.0		
				M	0.25-0.49	52	4.2	13.4	0.0	18.3	0.0	5.0	19.1	2.9	0.0	1.5	6.0	13.5	1.5	0.0		
				M	0.50-0.99	119	1.5	6.6	3.1	18.0	1.5	3.3	31.0	7.1	0.8	1.5	4.1	31.0	7.1	0.8		
				M	1. -1.99	268	1.2	7.3	9.3	29.4	0.6	0.9	25.2	5.2	0.4	0.3	0.6	34.7	6.9	1.2		
				M	2. -2.99	230	4.0	11.4	13.9	36.9	0.0	0.4	20.1	3.6	0.4	0.0	0.0	26.7	5.1	1.0		
				F	0.25-2.99	648	1.8	8.1	8.1	22.7	0.3	1.1	24.7	5.0	0.5	0.1	1.0	29.9	5.8	0.3		
				F	0.25-0.49	37	2.5	9.1	9.2	13.2	2.8	2.8	29.8	8.0	0.0	0.0	5.3	14.7	5.3	0.0		
				F	0.50-0.99	128	1.2	8.7	3.0	17.1	0.7	2.1	27.4	4.5	0.0	0.7	2.1	26.8	4.5	0.0		
				F	1. -1.99	245	1.1	6.7	8.3	25.1	0.0	1.0	28.0	7.3	1.2	0.0	0.4	38.8	8.0	0.9		
				F	2. -2.99	238	2.8	9.0	10.4	24.7	0.0	0.4	19.0	2.5	0.0	0.0	0.4	24.8	4.4	0.0		
National		1989			0. -4.99	1973		8.8		21.8		3.8								Converted estimates	00203	
National	JAN-JUN	1995			0. -5.00	4458	1.3	6.3	5.1	19.7	0.5	1.7	23.2	4.5	0.7	0.6	1.7	26.5	5.3	0.7		
					0. -5.00	1195	1.3	7.2	5.5	19.5	0.4	2.0	18.0	3.8	0.6	0.5	1.9	21.2	4.0	0.6	Atlantica	
					0. -5.00	545	0.5	4.8	4.6	21.3	0.0	0.2	29.7	7.1	1.2	0.0	0.2	33.5	8.2	0.7	Bogota	
					0. -5.00	1118	1.4	4.9	5.1	18.7	0.6	1.6	25.3	4.6	0.8	0.6	1.8	27.6	5.9	1.1	Central	
					0. -5.00	797	1.0	6.4	4.0	17.7	1.0	2.0	23.6	5.3	1.1	0.9	2.2	27.5	5.6	1.0	Oriental	

COLOMBIA

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median														Notes	Ref	
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	JAN-JUN	1995	URBAN RURAL		0. -5.00	802	1.9	7.9	6.1	22.2	0.7	1.9	23.5	3.0	0.3	0.9	1.8	27.1	4.0	0.3	Pacifica	01608	
					0. -0.49	450	2.4	7.8	2.9	10.5	1.0	2.9	27.7	6.3	1.6	1.6	4.6	22.9	4.3	0.6			
					0.50-0.99	480	1.4	6.4	2.8	11.8	0.9	2.9	24.6	5.5	1.1	0.9	3.1	25.6	5.7	0.9			
					1. -1.99	956	0.7	3.8	4.6	20.4	0.2	1.0	26.6	4.3	0.6	0.2	0.9	33.2	6.1	0.7			
					2. -2.99	906	1.8	8.0	7.0	22.4	0.6	1.5	23.3	4.4	0.2	0.5	1.3	28.6	6.2	0.7			
					3. -3.99	846	0.9	6.8	6.2	23.3	0.5	1.8	18.3	3.6	0.9	0.5	1.5	23.2	4.5	1.0			
					4. -5.00	820	1.2	5.9	5.1	21.9	0.5	1.3	21.1	4.2	0.8	0.6	0.9	22.3	4.3	0.7			
					0. -5.00	2809	1.0	4.7	3.8	16.5	0.3	1.3	24.6	4.8	0.9	0.4	1.3	27.2	5.6	0.8			
					0. -5.00	1649	1.8	8.9	7.4	25.2	0.9	2.4	21.0	4.0	0.5	1.0	2.3	25.3	4.6	0.7			
					M	0. -5.00	2257	1.6	7.0	5.9	22.1	0.5	1.7	24.1	4.9	0.7	0.5	1.7	28.1	6.0			0.8
					M	0. -0.49	237	2.8	9.4	2.3	12.0	0.7	2.9	27.1	5.4	1.0	1.5	5.0	21.9	4.3			0.5
					M	0.50-0.99	238	2.1	7.8	3.4	13.5	1.8	3.3	24.1	7.5	1.1	1.8	3.6	25.8	7.2			1.1
					M	1. -1.99	508	0.8	4.3	5.1	23.7	0.4	1.5	27.9	5.7	0.7	0.4	1.5	34.9	7.4			0.8
					M	2. -2.99	447	2.6	11.0	10.0	27.3	0.4	1.0	25.5	4.6	0.2	0.1	0.9	31.0	7.2			0.8
					M	3. -3.99	421	0.9	7.4	6.9	24.8	0.3	1.9	16.9	4.2	0.8	0.3	1.4	23.7	4.7			1.0
					M	4. -5.00	406	1.1	3.9	4.6	22.5	0.0	0.7	23.5	3.2	0.5	0.0	0.0	25.7	4.4			0.5
					F	0. -5.00	2201	1.0	5.5	4.4	17.2	0.6	1.7	22.3	4.1	0.8	0.7	1.7	24.9	4.5			0.7
					F	0. -0.49	213	2.0	6.0	3.7	8.7	1.3	3.0	28.4	7.4	2.3	1.7	4.2	24.1	4.4			0.6
					F	0.50-0.99	242	0.7	5.1	2.2	10.0	0.0	2.5	25.1	3.5	1.1	0.0	2.6	25.4	4.2			0.7
					F	1. -1.99	448	0.6	3.2	4.1	16.6	0.0	0.4	25.1	2.8	0.4	0.0	0.2	31.2	4.5			0.5
F	2. -2.99	459	1.0	5.1	4.1	17.7	0.9	1.9	21.1	4.2	0.2	0.9	1.8	26.2	5.2	0.6							
F	3. -3.99	424	0.9	6.2	5.5	21.8	0.6	1.6	19.7	3.0	0.9	0.6	1.6	22.7	4.3	0.9							
F	4. -5.00	414	1.4	7.8	5.5	21.3	0.9	1.9	18.8	5.2	1.1	1.1	1.8	18.9	4.3	0.9							
National	FEB-JUN	2000			0. -5.00	4119	1.1	4.9	4.2	18.1	0.4	1.1	26.1	5.3	1.0	0.4	1.1	29.8	6.1	1.1	Atlantica Bogota Central Oriental Pacifica	02282	
					0. -5.00	971	1.3	5.4	4.4	16.1	0.6	1.3	24.3	5.1	0.7	0.8	1.5	27.3	4.6	1.0			
					0. -5.00	586	1.2	4.2	4.1	19.8	0.1	0.7	29.6	6.3	0.5	0.1	0.9	33.6	7.9	0.7			
					0. -5.00	1091	1.3	5.5	4.7	18.2	0.4	1.2	25.3	5.0	1.5	0.4	1.1	29.4	5.8	1.5			
					0. -5.00	782	1.0	4.6	3.4	18.4	0.2	0.9	24.4	4.2	0.4	0.0	0.8	29.2	5.9	0.7			
					0. -5.00	690	0.8	4.3	4.2	18.9	0.4	1.0	28.9	6.8	1.5	0.5	1.1	31.5	7.5	1.4			
					0. -0.49	462	2.5	4.6	3.8	9.1	1.0	2.4	32.3	7.2	0.9	0.7	3.6	26.1	5.0	0.7			

COLOMBIA

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	FEB-JUN	2000	URBAN RURAL		0.50-0.99	469	0.9	3.0	1.4	10.5	0.7	1.5	33.0	9.1	1.7	0.9	1.2	34.4	8.7	1.7		02282	
					1. -1.99	824	1.1	5.2	6.2	22.8	0.3	1.5	27.3	5.3	1.0	0.1	1.0	36.7	8.4	1.4			
					2. -2.99	818	1.7	6.4	5.4	23.1	0.1	0.9	22.3	3.9	0.7	0.4	1.1	29.5	5.2	1.1			
					3. -3.99	780	0.5	4.1	3.0	18.6	0.4	0.6	24.7	5.3	1.0	0.6	0.6	28.1	6.5	0.9			
					4. -5.00	766	0.6	5.2	4.2	17.3	0.0	0.2	22.3	3.5	0.7	0.0	0.1	24.1	3.4	0.7			
					0. -5.00	2829	1.0	4.2	3.3	15.2	0.3	1.1	26.0	5.6	1.1	0.4	1.1	29.3	6.3	1.1			
					0. -5.00	1290	1.5	6.5	6.3	24.3	0.4	1.0	26.4	4.7	0.8	0.4	1.1	31.0	5.8	1.1			
					M 0. -5.00	2104	1.3	4.9	4.8	19.0	0.4	1.1	28.2	6.3	1.4	0.6	1.1	32.2	7.3	1.6			
					M 0. -0.49	252	3.1	4.2	4.0	10.5	0.9	1.7	34.0	7.8	1.7	1.0	2.8	27.6	4.8	1.4			
					M 0.50-0.99	246	1.5	4.0	2.3	13.1	0.6	2.1	36.2	11.8	2.1	1.0	1.5	37.6	11.1	2.1			
					M 1. -1.99	415	0.9	4.9	6.7	26.3	0.2	1.5	26.8	6.6	1.2	0.2	0.9	36.9	10.1	2.0			
					M 2. -2.99	409	1.9	7.1	6.9	24.7	0.0	0.6	23.8	3.9	1.0	0.6	1.2	30.7	5.3	1.8			
					M 3. -3.99	383	0.8	3.1	3.1	18.6	0.9	0.9	27.5	6.4	1.6	1.2	1.2	30.5	8.3	1.4			
					M 4. -5.00	400	0.5	5.1	4.6	15.3	0.0	0.2	26.4	4.4	1.1	0.0	0.0	30.3	4.5	1.1			
					F 0. -5.00	2014	1.0	5.0	3.6	17.1	0.3	1.1	23.9	4.3	0.5	0.2	1.1	27.3	4.9	0.5			
					F 0. -0.49	210	1.8	5.1	3.6	7.3	1.2	3.3	30.2	6.6	0.0	0.4	4.7	24.3	5.2	0.0			
					F 0.50-0.99	222	0.4	1.9	0.4	7.6	0.9	0.9	29.4	6.2	1.3	0.9	0.9	30.8	6.1	1.3			
					F 1. -1.99	409	1.2	5.5	5.7	19.4	0.4	1.4	27.8	4.0	0.8	0.0	1.2	36.4	6.6	0.8			
F 2. -2.99	409	1.6	5.7	3.9	21.5	0.2	1.1	20.8	3.9	0.4	0.2	1.0	28.2	5.1	0.4								
F 3. -3.99	397	0.2	5.1	3.0	18.7	0.0	0.4	22.0	4.3	0.5	0.0	0.2	25.7	4.8	0.5								
F 4. -5.00	367	0.7	5.2	3.6	19.4	0.0	0.2	17.8	2.7	0.4	0.0	0.2	17.3	2.1	0.4								
National	OCT-JUN	2004-05			0. -5.00	12862	0.8	5.1	3.5	16.2	0.4	1.5	20.6	4.2	0.9	0.3	1.4	23.2	5.0	0.9		02771	
					0. -5.00	999	0.7	4.9	3.0	17.9	0.0	0.9	18.9	4.0	0.3	0.0	0.4	21.1	4.2	0.3			
					0. -5.00	639	0.5	6.1	3.2	14.0	0.2	1.8	15.1	2.7	0.7	0.0	1.7	15.8	3.9	0.9			
					0. -5.00	538	1.8	5.6	1.9	12.4	0.9	2.2	20.9	4.9	0.9	0.6	1.8	23.9	4.9	1.1			
					0. -5.00	967	1.0	8.2	4.7	21.0	0.1	1.1	15.8	2.7	0.3	0.2	1.2	19.6	3.0	0.4			
					0. -5.00	1268	0.8	4.3	4.0	18.3	0.5	1.3	24.3	5.1	0.9	0.4	1.0	27.4	6.1	0.9			
					0. -5.00	645	0.3	3.0	2.1	11.0	0.1	1.4	22.7	6.0	1.0	0.3	1.4	25.6	7.3	0.9			
					0. -5.00	631	0.0	2.9	0.4	8.6	1.1	2.0	17.5	2.7	0.9	0.8	2.2	20.0	2.7	0.9			
					0. -5.00	694	1.1	4.5	5.3	25.3	0.6	1.7	27.4	5.7	0.5	0.5	1.4	31.5	7.4	0.9			



COLOMBIA

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	OCT-JUN	2004-05			0. -5.00	1099	1.4	7.8	7.0	21.1	0.4	2.0	18.2	2.9	0.3	0.5	1.4	22.0	3.3	0.6	Guajira/Cesar/Magdalena	02771	
				0. -5.00	538	1.3	6.4	4.9	16.0	1.1	3.7	14.3	2.4	0.5	0.4	3.5	16.1	3.7	0.5	Litoral Pacifico			
				0. -5.00	619	0.7	3.5	2.0	13.6	0.3	0.3	22.2	5.8	2.0	0.0	0.0	22.7	7.0	2.0	Medellin A.M.			
				0. -5.00	3243	1.2	7.2	4.7	18.2	0.3	1.7	17.3	3.1	0.5	0.3	1.5	20.4	3.6	0.7	R. Atlantica			
				0. -5.00	1703	0.7	4.0	3.2	17.0	0.1	0.6	23.4	5.2	1.0	0.0	0.6	26.4	6.2	1.1	R. Bogota			
				0. -5.00	3136	0.7	4.7	2.8	14.8	0.2	1.4	20.4	4.7	0.9	0.2	1.1	22.1	5.4	0.9	R. Central			
				0. -5.00	2319	0.5	3.5	3.1	15.3	0.6	1.3	23.2	4.5	1.2	0.4	1.1	25.9	5.4	1.1	R. Oriental			
				0. -5.00	162	0.6	4.5	2.3	11.6	0.9	2.3	19.4	3.3	1.1	1.0	2.4	22.5	3.3	1.1	R. Orinoquia y Amazonia			
				0. -5.00	2297	1.0	5.2	3.2	16.1	0.8	2.4	20.9	4.1	0.9	0.6	2.4	23.4	5.2	1.0	R. Pacifica			
				0. -5.00	1052	0.2	2.6	1.9	11.7	0.7	1.4	22.0	3.8	1.5	0.4	1.2	24.0	4.7	1.4	Santanderes			
				0. -5.00	873	1.0	6.5	3.7	14.9	0.5	2.7	19.0	3.8	0.9	0.7	2.3	20.2	4.3	0.7	Tolima/Huila/Caquet			
				0. -5.00	435	1.7	7.9	2.0	12.3	0.3	2.8	23.8	6.0	1.8	0.7	3.0	24.6	7.0	2.2	a Valle sin Cali ni Litoral			
				0. -0.49	1344	1.4	4.7	1.5	7.2	1.6	4.6	23.4	6.2	1.6	1.1	4.2	19.3	6.1	1.5				
				0.50-0.99	1245	1.8	6.9	3.5	12.4	0.4	2.0	25.4	4.8	0.8	0.4	2.1	24.6	5.4	0.8				
				1. -1.99	2568	0.6	4.2	5.4	19.5	0.4	1.2	22.5	4.6	0.7	0.3	0.9	28.4	6.8	1.0				
				2. -2.99	2467	0.6	4.8	3.9	18.3	0.1	1.1	19.2	4.4	0.9	0.1	1.1	24.9	5.6	1.0				
				3. -3.99	2670	0.6	5.3	3.1	17.4	0.2	0.9	19.7	4.0	1.0	0.2	0.7	22.8	4.2	1.0				
				4. -5.00	2568	0.7	5.3	2.6	16.3	0.3	1.2	17.2	2.6	0.6	0.3	1.0	17.9	2.6	0.6				
			URBAN		0. -5.00	8618	0.6	4.1	2.2	12.9	0.5	1.5	21.7	4.8	1.0	0.3	1.4	23.7	5.6	1.1			
			RURAL		0. -5.00	4243	1.2	7.1	6.0	23.0	0.3	1.6	18.3	3.1	0.7	0.3	1.3	22.1	3.7	0.6			
				M	0. -5.00	6468	0.8	5.5	4.0	17.8	0.4	1.7	20.8	4.3	1.0	0.3	1.4	24.2	5.3	1.1			
				M	0. -0.49	663	1.6	5.6	1.8	8.1	2.0	5.0	23.4	6.9	2.2	1.0	5.5	19.7	7.6	2.1			
				M	0.50-0.99	623	2.1	10	5.5	15.9	0.5	2.3	24.3	5.0	1.0	0.5	2.3	22.6	5.7	1.0			
				M	1. -1.99	1328	0.8	4.7	6.4	22.9	0.3	1.3	21.7	4.8	0.7	0.3	0.9	28.9	7.3	1.1			
				M	2. -2.99	1249	0.5	5.0	4.7	20.6	0.1	1.2	18.6	4.1	1.0	0.2	0.9	25.8	5.0	1.2			
				M	3. -3.99	1342	0.6	4.9	2.8	18.3	0.1	0.8	20.4	3.9	0.8	0.0	0.6	23.9	4.4	0.8			
				M	4. -5.00	1263	0.5	5.0	2.4	14.9	0.4	1.3	19.2	2.6	0.6	0.2	1.0	21.1	3.1	0.6			
				F	0. -5.00	6394	0.8	4.7	2.9	14.7	0.4	1.4	20.4	4.2	0.8	0.4	1.3	22.1	4.7	0.8			
				F	0. -0.49	681	1.2	3.8	1.2	6.2	1.3	4.2	23.4	5.5	0.9	1.2	3.0	19.0	4.7	0.9			
				F	0.50-0.99	622	1.6	3.8	1.4	9.0	0.2	1.7	26.6	4.6	0.6	0.2	1.9	26.5	5.2	0.6			

COLOMBIA

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	OCT-JUN	2004-05		F	1. -1.99	1240	0.4	3.8	4.3	15.9	0.5	1.2	23.3	4.4	0.7	0.3	0.9	28.0	6.3	0.8		02771	
				F	2. -2.99	1218	0.8	4.6	3.1	15.9	0.1	1.0	19.8	4.7	0.7	0.1	1.3	24.1	6.2	0.7			
				F	3. -3.99	1328	0.6	5.6	3.3	16.5	0.4	0.9	18.9	4.1	1.1	0.4	0.9	21.6	4.0	1.1			
				F	4. -5.00	1304	0.9	5.7	2.7	17.7	0.3	1.1	15.3	2.6	0.6	0.3	0.9	14.8	2.1	0.6			
National	NOV-NOV	2009-10			0. -5.00	15821	0.6	3.4	2.6	12.7	0.2	0.9	23.1	4.8	1.0	0.2	0.9	25.5	5.2	1.0		03067	
					0. -5.00	1015	0.8	3.9	2.3	11.8	0.4	1.1	20.6	4.1	1.1	0.3	1.0	23.7	4.3	1.1			Antioquia sin Medellin
					0. -5.00	766	0.3	3.1	1.0	9.6	0.1	0.8	22.5	4.6	1.0	0.1	0.9	25.8	4.6	0.8			Atlantico/San Andres/Bol.Norte
					0. -5.00	592	0.6	3.6	1.9	13.5	1.1	1.3	29.2	6.8	1.6	0.8	1.4	30.2	7.7	2.2			Barranquilla A. M.
					0. -5.00	1215	1.1	4.8	4.0	16.0	0.1	0.7	21.7	4.7	1.0	0.1	0.6	24.3	4.8	0.9			Bolivar
					0. -5.00	1486	0.3	2.4	2.1	12.6	0.1	0.7	27.5	5.4	0.8	0.1	0.7	29.9	5.8	0.6			Sur/Sucre/Cordoba
					0. -5.00	702	0.4	2.9	2.3	11.6	0.1	0.7	23.4	4.8	0.6	0.0	0.7	26.5	5.2	0.7			Boyaca/Cmarca/Met a
					0. -5.00	606	0.0	0.7	0.6	4.9	0.0	1.1	22.6	6.4	1.8	0.0	1.1	23.6	6.6	1.6			Caldas/Risaralda/Quindio
					0. -5.00	668	1.9	4.7	3.6	16.3	0.1	1.0	27.1	4.6	0.4	0.0	1.4	31.5	5.3	0.2			Cali A.M.
					0. -5.00	1311	1.6	6.6	4.8	17.8	0.2	1.3	15.0	3.4	0.5	0.1	0.8	17.7	3.5	0.6			Cauca y Narino sin Litoral
					0. -5.00	714	0.6	4.0	4.3	17.5	0.1	1.0	25.4	5.7	0.3	0.2	0.6	29.4	6.2	0.5			Guajira/Cesar/Magdalena
					0. -5.00	965	0.2	1.7	1.3	8.3	0.0	0.4	25.6	3.2	0.4	0.0	0.6	27.0	3.8	0.4			Litoral Pacifico
					0. -5.00	3884	1.0	4.9	3.4	15.0	0.3	1.0	20.8	4.6	0.9	0.2	0.8	23.3	4.8	1.0			Medellin A.M.
					0. -5.00	2423	0.5	2.9	3.1	15.2	0.0	0.5	24.7	5.7	1.7	0.1	0.9	28.4	6.1	2.0			R. Atlántica
					0. -5.00	3747	0.4	2.8	2.0	10.6	0.2	0.9	23.1	4.1	0.8	0.2	0.9	25.3	4.6	0.8			R. Bogotá
					0. -5.00	2791	0.4	2.9	1.8	10.9	0.2	1.1	23.5	4.5	0.8	0.2	0.9	25.3	4.9	0.7			R. Central
					0. -5.00	459	0.3	3.4	2.4	13.0	0.3	1.0	20.1	4.0	0.7	0.3	1.1	22.5	4.4	0.7			R. Oriental
					0. -5.00	2517	0.8	3.2	2.6	11.8	0.1	0.9	25.0	6.0	1.0	0.0	1.0	27.5	6.4	0.9			R. Orinoquia yAmazonia
					0. -5.00	1304	0.5	3.3	1.4	8.9	0.3	1.4	19.0	3.3	0.8	0.3	1.2	20.1	3.8	0.9			R. Pacifica
					0. -5.00	1065	0.2	2.6	2.0	10.9	0.2	1.2	23.0	4.6	1.2	0.2	1.0	24.4	5.1	1.0			Santanderes
	0. -5.00	528	0.6	3.4	1.3	6.6	0.0	0.2	24.5	7.6	1.7	0.0	1.0	24.5	7.9	1.7	Tolima/Huila/Caquet a						
	0. -0.49	1457	2.6	5.8	3.2	9.9	0.8	2.4	24.8	5.3	0.9	0.8	3.1	21.8	3.1	0.3	Valle sin Cali ni Litoral						
	0.50-0.99	1661	0.5	3.0	2.1	9.3	0.2	1.1	24.4	6.3	0.5	0.1	1.3	24.7	6.4	0.5							
	1. -1.99	3042	0.5	3.1	3.8	16.0	0.1	0.8	24.9	5.5	1.0	0.1	0.6	31.0	6.8	1.6							



					2. -2.99	3180	0.5	3.7	2.6	14.7	0.0	0.8	21.6	3.7	0.9	0.0	0.8	26.9	4.5	1.0		
					3. -3.99	3245	0.5	2.9	2.2	12.0	0.1	0.5	23.9	5.0	1.5	0.1	0.3	25.8	5.6	1.4		

COLOMBIA

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	NOV-NOV	2009-10	URBAN		4. -5.00	3234	0.2	3.1	1.7	11.3	0.1	0.7	20.5	4.1	0.9	0.1	0.7	20.9	4.2	0.9		03067	
					0. -5.00	11196	0.5	2.9	2.1	11.0	0.2	0.8	23.4	5.1	1.2	0.1	0.9	25.8	5.5	1.2			
			RURAL		0. -5.00	4624	1.0	4.6	3.7	16.8	0.2	1.0	22.2	4.1	0.6	0.2	0.9	25.1	4.6	0.6			
					M	0. -5.00	8127	0.7	3.5	3.0	13.7	0.2	0.9	24.5	5.4	1.1	0.2	0.9	27.1	5.7			1.1
			M	0. -0.49	767	2.9	6.5	4.3	10.8	1.0	2.9	27.1	7.3	1.5	1.2	3.6	23.4	3.9	0.4				
			M	0.50-0.99	864	0.6	4.0	3.2	12.1	0.1	1.1	25.2	5.7	0.7	0.0	1.7	26.5	6.1	0.7				
			M	1. -1.99	1560	0.7	3.3	4.5	17.2	0.2	0.9	24.8	5.8	1.1	0.2	0.7	31.7	6.8	1.7				
			M	2. -2.99	1573	0.5	3.8	2.8	16.1	0.1	0.8	22.9	3.5	1.0	0.1	0.7	27.9	4.2	1.1				
			M	3. -3.99	1683	0.5	3.0	2.8	12.6	0.0	0.4	26.8	5.8	1.1	0.0	0.2	28.8	6.7	0.9				
			M	4. -5.00	1681	0.1	2.6	1.4	11.6	0.0	0.5	21.7	5.4	1.2	0.0	0.5	22.7	5.7	1.2				
			F	0. -5.00	7693	0.6	3.3	2.1	11.6	0.1	0.9	21.5	4.2	0.9	0.1	0.9	23.9	4.7	1.0				
			F	0. -0.49	690	2.2	5.0	1.8	8.8	0.6	1.7	22.1	3.0	0.3	0.4	2.6	20.0	2.3	0.2				
			F	0.50-0.99	798	0.5	2.0	0.9	6.3	0.2	1.0	23.6	7.0	0.2	0.2	1.0	22.8	6.8	0.2				
			F	1. -1.99	1482	0.3	3.0	3.2	14.7	0.0	0.8	25.0	5.2	0.8	0.0	0.4	30.2	6.8	1.4				
			F	2. -2.99	1608	0.5	3.6	2.4	13.3	0.0	0.9	20.3	3.9	0.9	0.0	0.9	26.0	4.9	1.0				
			F	3. -3.99	1563	0.5	2.8	1.6	11.4	0.1	0.6	20.7	4.1	1.9	0.1	0.4	22.6	4.4	1.9				
			F	4. -5.00	1554	0.4	3.7	2.0	10.9	0.2	0.9	19.2	2.8	0.5	0.2	0.9	19.1	2.7	0.5				