

WHO/NUT/98.1
Distr.: General
Original: English

**COMPLEMENTARY FEEDING
OF YOUNG CHILDREN
IN DEVELOPING COUNTRIES:**

*a review of current
scientific knowledge*



World Health Organization
Geneva

•

©World Health Organization, 1998

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced and translated, in part or in whole, but not for sale nor for use in conjunction with commercial purposes.

The views expressed in documents by named authors are solely the responsibility of those authors.

Acknowledgements

The authors of this review are Kenneth Brown, Kathryn Dewey and Lindsay Allen of the Program of International Nutrition, Department of Nutrition, at the University of California at Davis.

This document was prepared by the World Health Organization's Programme of Nutrition under the overall coordination and editorial responsibility of Randa Saadeh. Other WHO staff members who have made significant contributions include Graeme Glugston, Barbara Underwood and Djamil Benbouzid of the Programme of Nutrition, and Fritz Käferstein and Yasmine Motarjemi of the Programme of Food Safety and Food Aid.

Many individuals have contributed to this document, including Joanne Csete, Ludmila Lhotska, David Alnwick, Helen Armstrong and Micheline Beaudry of the UNICEF Nutrition Section, and Ann Ashworth, Francis Delpuch, Jacques Berger, Pierre Besançon, Cutberto Garza, Edward Frongillo, Rodolfo Florentine, Patrice Engle, Marie-Claude Dop, Subdra Seshadri, Gérard Roquelin, Ellen Piwoz, Wafa Moussa, Wibald Lorri, Jean-Pierre Habicht, Juana Willumsen, Cesar Victora, Serge Trèche, Kraïsid Tontisirin, Andrew Tomkins, Raja Tannous, Kristen Simondon, Joop van Raaij, Hidaya Missano, Mehari Gebre-Medhin and Farouk Shaheen, who participated in the technical consultation on complementary feeding that took place in Montpellier, France, in November 1995.

Special thanks are also due to those who contributed to individual sections or who commented on the draft text: Kristen Simondon and Serge Trèche from the French Institute for Scientific Research for Cooperative Development (ORSTOM), Pierre Besançon from the University of Montpellier, Namanjeet Ahluwalia from Pennsylvania State University, Patrice Engle from California Polytechnic Institute, Bo Lonnerdal, Janet Peerson and Marjorie Haskell from the University of California Davis, Ricardo Uauy from the University of Chile, Kate Dickin from Cornell University, Vivian Krause from UNICEF, Indonesia, Chessa Lutter from the Pan American Health Organization/World Health Organization, and Ellen Piwoz from the Academy for Educational Development in Washington, D.C.

Special appreciation is expressed to Amy Guthrie and Marguerite Wilde at the University of California Davis for preparing the manuscript and tables, and Carol Aldous at the London School of Hygiene and Tropical Medicine for preparing the document for publication.

This review would not have been possible without the efforts of Ann Ashworth of the London School of Hygiene and Tropical Medicine who revised the document, and of Alison Maclaine who edited the final draft text.

Partial support was provided by the Health and Human Resources Analysis for Africa (HHRAA) Project, through the Support for Analysis and Research in Africa (SARA) contact OAT-04830-C-2178-00, of the United States Agency for International Development, Bureau for Africa.

Table of contents

1.	Introduction	1
1.1	Objectives and organization of review	1
1.2	Rationale for review	2
1.3	Definitions of terms used in review	3
1.4	The socioeconomic context of child feeding and the UNICEF model of child care	4
1.5	Physiological development and young child feeding	7
1.5.1	Neuromuscular system	8
1.5.2	Digestion and absorption	10
1.5.3	Renal function	11
1.6	Functional outcomes of child-feeding practices	11
1.6.1	Child-related outcomes	12
1.6.2	Caregiver-related outcomes	14
2.	Breast-feeding and complementary feeding: a continuum	15
2.1	Importance of exclusive breast-feeding in early life	15
2.1.1	Successful initiation of lactation	15
2.1.2	Physiological maturation	16
2.1.3	Reducing morbidity and mortality	16
2.1.4	Avoiding displacement of breast milk by other foods and fluids	17
2.1.5	Bioavailability of nutrients	19
2.1.6	Summary	19
2.2	Age of introduction of complementary feeding	20
2.2.1	Current recommendations	20
2.2.2	Theoretical considerations	21
2.2.2.1	Energy needs	22
2.2.2.2	Infant growth	24
2.2.3	Results of observational studies	27
2.2.3.1	Developed countries	27
2.2.3.2	Developing countries	28
2.2.4	Results of experimental studies	33
2.2.5	Risk of nutritional deficiencies during exclusive breast-feeding	36
2.2.6	Summary	38
2.3	Optimal duration of breast-feeding	41
2.3.1	Current recommendations	41
2.3.2	Nutritional and health impact for the child of breast-feeding beyond 12 months	41
2.3.3	Long-term consequences of breast-feeding beyond 12 months	44
2.3.4	Summary	44

3.	Energy required from complementary foods and factors affecting their intake	45
3.1	Estimation of energy required from complementary foods	45
3.1.1	Energy consumption from breast milk	45
3.1.2	Energy requirements of children less than two years of age	46
3.1.3	Age-specific estimates of energy required from complementary foods	49
3.2	Appropriate frequency of feeding and energy density of complementary foods	52
3.2.1	Methodological issues	52
3.2.2	Frequency of meals and energy density of complementary foods - results of experimental studies	53
3.2.3	Frequency of meals and energy density of complementary foods - results of observational studies	61
3.3	Fat content of complementary foods	64
3.4	Order of breast-feeding and complementary feeding	67
3.5	Role of child appetite, food aversions	69
3.5.1	Effect of illness on appetite and energy intake	70
3.6	Flavour, aroma	72
3.7	Viscosity	72
3.7.1	Methods to reduce viscosity and effects on food consumption	73
3.8	Variety, monotony	75
3.9	Duration of need for special transitional foods	76
4.	Protein and micronutrients required from complementary foods	79
4.1	Importance of protein and micronutrients for the prevention of growth-faltering	79
4.2	Importance of micronutrients for anaemia prevention and other functions	83
4.3	Protein and micronutrients in breast milk	83
4.3.1	Protein and micronutrient composition of breast milk	83
4.3.2	Protein and micronutrient intakes from breast milk	84
4.3.3	Effects of maternal nutrient intake and status on breast milk composition	85
4.3.4	Implications of differences in breast milk composition between developed and developing countries	89
4.4	Recommended protein and micronutrient intakes for infants and young children	90
4.5	Providing protein and micronutrients in complementary foods	94
4.5.1	Age-specific estimates of amounts of protein and micronutrients required from complementary foods	94
4.5.2	Nutrient density and bioavailability	97
4.5.3	Defining the problem nutrients	99

4.5.4	Feasibility of obtaining adequate amounts of problem nutrients from complementary foods	102
4.5.5	Summary	106
5.	Caregiver feeding behaviours	109
5.1	Macroeconomic issues	110
5.2	Factors affecting caregivers' ability to provide complementary feeding ...	111
5.2.1	Caregiver knowledge, beliefs, and education	111
5.2.2	Time constraints	112
5.2.3	Health and nutritional status of the caregiver	114
5.2.4	Emotional factors	115
5.2.5	Control of household resources	115
5.2.6	Social support	116
5.3	Feeding behaviours	117
5.4	Summary	118
6.	Food processing safety and quality	119
6.1	Food safety	119
6.1.1	Biological contamination	119
6.1.2	Chemicals and toxicants in foods	121
6.2	Food quality	122
6.2.1	Nutritional value of food	122
6.2.2	Anti-nutritional factors	123
6.2.2.1	Protease inhibitors	124
6.2.2.2	Phytates	125
6.2.2.3	Lectins	125
6.2.2.4	Tannins and other polyphenols	125
6.2.2.5	Alpha-galactosides	126
6.2.3	Functional and organoleptic properties of food	126
6.3	Effects of Food processing	126
6.3.1	Effects on microbiological quality	127
6.3.2	Effects on nutritional value	128
6.4	Common methods of processing complementary foods	128
6.4.1	Processing into intermediate dry products	128
6.4.2	Processing into doughs (fermentation)	130
6.4.3	Processing intermediate products into gruels	132
6.4.4	Viscosity reduction	133
7.	Global data on child-feeding practices	135
7.1	Prevalence of breast-feeding and complementary feeding by age and region	135

7.1.1	Breast-feeding initiation	135
7.1.2	Prevalence of exclusive breast-feeding in the first 4 months	136
7.1.3	Rates of timely complementary feeding	136
7.1.4	Duration of breast-feeding	137
8.	Programmatic interventions to improve complementary feeding	139
8.1	Types of complementary feeding programmes	139
8.1.1	Food-based interventions	140
8.1.1.1	Centrally processed foods	141
8.1.1.2	Community-prepared foods	141
8.1.1.3	Increased availability of selected foods	142
8.1.2	Nutrition education	142
8.1.2.1	General feeding recommendations	143
8.1.2.2	Specific recipes	143
8.2	Development and implementation of intervention programmes	144
8.3	Examples of intervention programmes	145
8.3.1	Efficacy trials of food supplements	145
8.3.1.1	INCAP longitudinal study	146
8.3.1.2	Colombia trial	149
8.3.1.3	Thailand trial	150
8.3.1.4	Jamaica trial	150
8.3.1.5	West Java trial	151
8.3.1.6	ORSTOM four-country study	152
8.3.1.7	Summary	153
8.3.2	Nutrition education demonstration projects	155
8.3.2.1	Dietary Management of Diarrhea (DMD) Project	155
8.3.2.2	Weaning Food Project	156
8.3.2.3	Bangladesh complementary-feeding education programme	158
8.3.3	Large-scale programmes	159
8.3.4	Factors contributing to programmatic success	163
8.4	Evaluation of intervention programmes	164
9.	Conclusions	167
9.1	Conclusions regarding appropriate complementary-feeding practices	167
9.1.1	Age of introduction of complementary foods and appropriate duration of breast-feeding	167
9.1.2	Energy required from complementary foods and duration of need for special foods	168
9.1.3	Energy density, frequency of feeding, and other factors affecting energy intake	168
9.1.4	Macronutrients	169

9.1.5	Micronutrients	170
9.1.6	Feeding behaviours	171
9.1.7	Food processing and food safety	171
9.1.8	Intervention programmes	172
9.2	Research recommendations	172
9.2.1	Relationships between breast-feeding and complementary feeding	173
9.2.1.1	Age of introduction of complementary feeding	173
9.2.1.2	Effect of complementary feeding on breast-feeding	174
9.2.1.3	Risks and benefits of continued breast-feeding beyond the first year of life	174
9.2.1.4	Reference growth data for breast-fed infants and young children	174
9.2.2	Factors affecting intake of complementary foods and total daily energy intake	174
9.2.2.1	Energy density and frequency of feeding	174
9.2.2.2	Child appetite	175
9.2.2.3	Duration of need for special transitional foods	175
9.2.3	Macronutrient content of complementary foods	175
9.2.3.1	Essential fatty acids	175
9.2.3.2	Dietary lipids and absorption of fat soluble vitamins	175
9.2.3.3	Dietary lipids and palatability	175
9.2.3.4	Dietary lipids and chronic diseases	175
9.2.3.5	Carbohydrate content of complementary foods	176
9.2.3.6	Protein content of complementary foods	176
9.2.4	Micronutrient content of complementary foods and bioavailability of micronutrients	176
9.2.4.1	Intake and assimilation of micronutrients	176
9.2.4.2	Indicators of micronutrient status	176
9.2.5	Organoleptic characteristics of complementary foods	177
9.2.5.1	Viscosity	177
9.2.5.2	Other organoleptic characteristics	177
9.2.6	Feeding behaviours	177
9.2.6.1	Caregiver characteristics and feeding techniques	177
9.2.6.2	Feeding practices and dietary intake	177
9.2.7	Food processing and food safety	178
9.2.8	Planning and evaluation of programmatic interventions	178
References		179

Tables

Table 1. Examples of socioeconomic determinants of complementary feeding practices . . .	7
Table 2. Neurological development of infants and young children and implications for types of foods that can be consumed at different ages	8
Table 3. Differences in energy intake from breast milk (kcal_{th}) for each kcal_{th} of energy consumed from complementary foods, by age group	14
Table 4. Weight and length gain from 4-6 months by feeding mode; pooled data set of North American and Northern European infants who were predominantly breast-fed during the first four months of life	29
Table 5. Results of recent observational studies on complementary feeding and infant growth velocity from 4-6 months	30
Table 6. Relative risk of diarrhoea by feeding mode	33
Table 7. Intakes of breast milk and energy from breast milk in developing countries, by age group	47
Table 8. Intakes of breast milk and energy from breast milk in industrialised countries, by age group	48
Table 9. Recommended energy intakes during the first two years of life	49
Table 10. Energy (kcal_{th}) from breast milk and the amount needed from complementary foods, children in developing countries, by age group	51
Table 11. Energy (kcal_{th}) consumed from breastmilk and the amount needed from complementary foods by children in industrialized countries, by age group	51
Table 12. Energy consumption by young children in relation to energy density (similar viscosity diets)	56
Table 13. Estimated minimum energy density ($\text{kcal}_{\text{th}}/\text{g}$) required to attain different levels of total daily energy intakes at various feeding frequencies, non-breastfed children	58
Table 14. Estimated gastric capacity and minimum dietary energy density required to attain the level of energy needed from complementary foods in one, two, three or four meals/day, by level of breast milk energy (BME) intake and age group, for well-nourished and growth-retarded children	60
Table 15. Characteristics of children 6-11 months of age and selected food consumption variables in two longitudinal studies of dietary intake and growth (Huascar, Lima, Peru and Kwara State, Nigeria)	62

Table 16. Relationship between feeding frequency, energy density of non-breast-milk meals, and total daily energy intake by infants 6-11 months of age (Huascar, Lima, Peru and Kwara State, Nigeria)	63
Table 17. Percentage of energy needed from fat in complementary foods to provide 15, 30, or 45% of total daily energy intake from fat - Infants of mothers with a) normal breast milk fat concentration, b) low breast milk fat concentration	67
Table 18. Impact of diarrhoea on energy intake by young children	70
Table 19. Effects of added oil on energy, protein, and iron densities of maize pap	73
Table 20. Energy intakes of young children in relation to dietary viscosity. (Studies with similar or identical energy densities)	74
Table 21. Percentage of children consuming more than 5 grams of liquid, semi-solid, and solid food, by age (Huascar, Peru)	77
Table 22. Estimated nutrient concentrations (mean±SD) in mature human milk	84
Table 23. Micronutrient categories based on the effect of maternal intake and status on the micronutrient content of breast milk	85
Table 24. The influence of maternal micronutrient deficiencies and supplements during lactation on breast milk and infant micronutrient status	91
Table 25. Nutrient requirements during first 2 years of life	93
Table 26. Estimated nutrient needs from complementary foods by level of usual breast milk intake	95
Table 27. Desired nutrient density of complementary foods (per 100 kcal _{th}) by level of usual breast-milk intake	96
Table 28. Nutrient densities (per 100 kcal _{th}) of diets consumed by infants in Peru and the United States, 6-11 months	100
Table 29. Nutrient densities (per 100 kcal _{th}) of diets consumed by preschool children in Mexico, 18-24 months	101
Table 30. Amounts of iron-rich foods needed to meet the iron requirements of children from complementary foods, by age group and assumed level of iron bioavailability	103
Table 31. Amounts of zinc-rich foods needed to meet zinc requirements from complementary foods, by age group	104
Table 32. Amounts of calcium-rich foods needed to meet calcium requirements from complementary foods, by age group	105
Table 33. Amounts of Vitamin A-rich foods needed to meet calcium requirements from complementary foods, by age group	106
Table 34. Pathogens associated with diarrhea in hospitalized children in developing countries	120

Table 35. Antinutritional factors in food	124
Table 36. Exclusive breast-feeding and median duration of breast-feeding: a global and regional overview, 1996	137
Table 37. Available intervention strategies for improving complementary feeding, and relative magnitude of programme inputs of food and education	140
Table 38. Summary of selected efficacy trials of complementary foods or dietary advice for young children	147
Table 39. Summary of national experiences with manufactured complementary foods in Africa	166

Figures

Figure 1. Contribution of different food sources to young children's energy intake in relation to age..	5
Figure 2. Unicef conceptual framework for determinants of nutrition status..	6
Figure 3. Possible relationships between intake of energy from complementary foods and breast milk..	13
Figure 4. Weight-for-age Z scores in Honduran and U.S. breast-fed infants..	25
Figure 5. Intake of diets of varied energy density by frequency of feeding, young Peruvian children recovering from malnutrition (n=18)..	55
Figure 6. Prevalence of reported anorexia in Huascar, Peru, by age (\pm 99% confidence interval)..	70
Figure 7. Sources of food contamination..	121

Annexes

Annex 1. Intake of breast-milk and energy from breast-milk by infants in developing countries (Mean \pm SD); data from individual studies	213
Annex 2. Intake of breast-milk and energy from breast-milk by infants in developed countries (Mean \pm SD); data from individual studies.	221
Annex 3. Estimated zinc requirements during the first two years of life.	227

