

APPENDIX VIII - TABLE 2:  
**CRUDE SMOKELESS TOBACCO PREVALENCE  
IN WHO MEMBER STATES**

Table 8.2.0

### Crude smokeless tobacco prevalence in WHO Member States \*

\* The data on smokeless tobacco are incomplete and not validated. They are provided as indicative only.

... Data not reported/not available.

COUNTRY	TITLE OF SURVEY	YEAR
<b>AFRICAN REGION</b>		
Liberia	Liberia Demographic and Health Survey	2007
Mauritania	Enquête STEPS OMS	2006
Namibia	Namibia Demographic and Health Survey	2007
South Africa	South Africa Demographic and Health Survey	2003
<b>SOUTH-EAST ASIA REGION</b>		
Bangladesh	Impact of Tobacco-related Illness in Bangladesh (WHO-SEAR)	2004
India	National Family Health Survey (NFHS-3), India, 2005–2006	2005
Nepal	WHO STEPS Chronic Disease Risk Factor Surveillance	2006–2007
<b>EUROPEAN REGION</b>		
Denmark	Monitorering af danskernes rygevaner	2008
Iceland	Prevalence of Smoking in Iceland	2008
Latvia	Health Behaviour Among Latvian Adults	2006
Norway	Norwegian Tobacco Statistics 1973–2006 + update 2007	2007
Sweden	The Swedish Survey of Living Conditions	2007
Uzbekistan	Последствия курения для здоровья населения и экономики Узбекистана (результаты социологического исследования домохозяйств и пациентов медицинских учреждений) [Economic and Health Costs of Smoking in Uzbekistan (according to the results of household, inpatient and outpatient surveys)]	2006
<b>EASTERN MEDITERRANEAN REGION</b>		
Tunisia	Enquête nationale morbidité et recours aux soins	2005
Yemen	Family Health Survey	2003
<b>WESTERN PACIFIC REGION</b>		
Cambodia	Cambodia National Tobacco Prevalence Survey	2005
Malaysia	The Third National Health and Morbidity Survey	2006

REPRESENTATIVENESS	DEFINITION NO. 1					DEFINITION NO. 2				
	DESCRIPTION	AGE GROUP (YEARS)	PREVALENCE			DESCRIPTION	AGE GROUP (YEARS)	PREVALENCE		
			MALE (%)	FEMALE (%)	TOTAL (%)			MALE (%)	FEMALE (%)	TOTAL (%)
National	Current use of smokeless tobacco	15–49	4.0	...	...					
National	Current use of smokeless tobacco	15–64	5.7	28.3	9.0	Daily use of smokeless tobacco	15–64	4.9	26.1	8.0
National	Current other tobacco use	15–49	1.8	2.3	...					
National	Ever use of smokeless tobacco daily	15+	2.4	10.9	...					
National	Use of smokeless tobacco	15+	14.8	24.4	19.7					
National	Use of paan masala, gutkha or other tobacco	15–49	36.5	8.4		Use of snuff	15–49	0.7	0.8	
National	Current use of smokeless tobacco	15–64	31.2	4.6	18.6	Daily use of smokeless tobacco	15–64	26.9	4.7	16.2
National	Use of smokeless tobacco	15–70+	1.9	0.5	1.2					
National	Daily use of smokeless tobacco	18–75	6.0	...	2.9	Occasional use of smokeless tobacco	18–75	7.3	0.5	3.8
National	Daily use of chewing tobacco	15–64	0.2	...	0.1					
National	Daily use of smokeless tobacco	16–74	9.0	0.4	5.0					
National	Daily use of smokeless tobacco	16–84	19.0	4.0	...	Occasional use of smokeless tobacco	16–84	7.0	3.0	...
National	Current use of smokeless tobacco	15+	22.5	0.4	11.3	Daily use of smokeless tobacco	15+	20.1	0.4	10.1
National	Use of snuff	35–70	8.6	2.2	5.4					
National	El-shama use	10+	15.1	6.2	10.7					
National	Current use of chewing tobacco	18+	17.0	1.0	10.0					
National	Tobacco chewing	15+	0.5	3.1	0.6	Use of snuff	15+	0.6	...	0.6