

7

Reference list

- Adham SS et al. (1998). Rejection of MS-2 virus by RO membranes. *Journal of the American Water Works Association*, 90(9):130–135.
- Ahsan T, Alaerts GJ, Buiteman JP (1996). Direct horizontal-flow roughing filtration. Part II: performance and operational guideline. *Aqua*, 45:281–191.
- Ainsworth R, ed (2004). *Safe piped water: Managing microbial water quality in piped distribution systems*. World Health Organization, Geneva.
- Akin EW, Hoff JC (1986). Microbial resistance to disinfectants mechanisms and significance. *Environmental Health Perspectives*, 69:7–13.
- Al-Ani MY et al. (1986). Removing Giardia cysts from low turbidity waters by rapid filtration. *Journal of the American Water Works Association*, 78(5):66–73.
- Albrich JM, McCarthy CA, Hurst JK (1981). Biological reactivity of hypochlorous acid: implications for microbiocidal mechanisms of leukocyte myeloperoxidase. *Proceedings of the National Academy of Sciences of the United States of America*, 78:210–214.
- Alvarez ME, O'Brien RT (1982). Mechanisms of inactivation of poliovirus by chlorine dioxide and iodine. *Applied and Environmental Microbiology*, 44(5):1064–1071.
- AWWA (1979). Committee report: Viruses in drinking water. *Journal of the American Water Works Association*, 71:441–444.

- AWWA (1995). *Precoat Filtration*. American Water Works Association Manual M30, Denver, CO.
- AWWA, Lyonnaise des Eaux and Water Research Commission of South Africa (1996). *Water Treatment Membrane Processes*. New York, McGraw-Hill, Inc.
- AWWARF (1999). October Research Applications Newsletters: Research Leads to Large-Scale Microfiltration Plants, Denver, CO, American Water Works Association Research Foundation.
- Anderson NJ et al. (1993). A high rate clarification–filtration process with coagulant reuse. Proceedings of the 15th Federal Convention, Australian Water and Wastewater Association, April 18–23, Gold Coast, Queensland, Australia.
- Armstrong DC et al. (1994). *Disinfection of Cryptosporidium parvum with Ozone at High Concentrations*. Cheshire, UK, ICI Chemicals and Polymers Ltd.
- Arora H, Di Giovanni G, LeChevallier M (1999). *Treatment Strategies for Spent Filter Backwash Water*. Voorhees, NJ, American Water Works Service Company, Inc.
- Arora H et al. (1998). *Application of Particle Counting to Enhance Water Treatment Operations*. Voorhees, NJ, American Water Works Service Company, Inc.
- Atherholt TB et al. 1998. Effect of rainfall on Giardia and Crypto. *Journal of the American Water Works Association*, 90(9):66–80.
- Au K-K et al. (2002). The role of oxidants on particle removal. Proceedings of the American Water Works Association Annual Conference.
- Au K-K, LeChevallier MW (2000). Effects of oxidation on particle removal: the role of natural organic matter. Proceedings of the American Water Works Association Water Quality Technology Conference.
- Baker JC (1926). Chlorine in sewage and waste disposal. *Canadian Engineer — Water & Sewage*, 50:127–128.
- Baker MN (1948). *The Quest for Pure Water*. New York, American Water Works Association.
- Bartram J et al., eds. (2003). *Heterotrophic plate count measurement and drinking-water safety: the significance of HPCs for water quality and human health*. World Health Organization, Geneva, IWA Publishing.
- Battigelli DA, Sobsey MD, Lobe DC (1993). The inactivation of hepatitis A virus and other model viruses by UV irradiation. *Water Science and Technology*, 27:339–342.
- Baudin I, Laïné JM (1998). Assessment and optimization of clarification process for *Cryptosporidium* removal. 1998 American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Beaudeau P et al. (1999). A time series study of anti-diarrheal drug sales and tap water quality. *International Journal of Environmental Health Research*, 9:293–311.
- Becker WC, O'Melia CR, Croker RA (1998). *Oxidation, Filter Media Configuration and Filter Ripening. Volume D: Water Quality*. 1998 Annual Conference Proceedings. Denver, CO, American Water Works Association.
- Bell K, Bienlien K, LeChevallier MW (1998). Enhanced solids contact clarification for NOM removal. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Bell K et al. (2000). *Enhanced and Optimized Coagulation for Particulate and Microbial Removal*. Denver, CO, American Water Works Association Research Foundation and the American Water Works Association.

- Bellamy WD, Finch GR, Haas CN (1998). *Integrated Disinfection Design Framework*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Bellamy WD, Hendricks DW, Logsdon GS (1985). Slow sand filtration: influences of selected process variables. *Journal of the American Water Works Association*, 77(12):62–66.
- Bellamy WD et al. (1985). Removing *Giardia* cysts with slow sand filtration. *Journal of the American Water Works Association*, 77(2):52–60.
- Bellamy WD et al. (1993). Assessing treatment plant performance. *Journal of the American Water Works Association*, 85(12):34–38.
- Berg JD, Matin A, Roberts PV (1981). Growth of disinfection resistant bacteria and simulation of natural aquatic environments in the chemostat. In: *Water chlorination environmental impact and health effects*. Chelsea, MI, Lewis Publishers, Inc.
- Berger PS, LeChevallier MW, Reasoner DJ (1992). *Control of Biofilm Growth in Drinking water Distribution Systems*. Washington DC, Office of Research and Development.
- Berman D, Hoff JC (1984). Inactivation of simian rotavirus SA11 by chlorine, chlorine dioxide and monochloramine. *Applied and Environmental Microbiology*, 48(2):317–323.
- Berman D, Rice EW, Hoff JC (1988). Inactivation of particle-associated coliforms by chlorine and monochloramine. *Applied and Environmental Microbiology*, 54(2):507–512.
- Bernard MA et al. (1965). Efficiency of chlorine dioxide as bactericide. *Applied Microbiology*, 13:776.
- Bernhardt H (1995). Reservoirs and drinking water supply — a global perspective. *Aqua*, 44:2–17.
- Bolto BA (1990). Water purification with magnetic reagent technology. Annual Water Quality Conference Proceedings. Denver, CO, American Water Works Association, 1281–1289.
- Bourbigot MM, Dodin A, Lheritier R (1984). Bacteria in distribution systems. *Water Research*, 18(5):585–591.
- Braunstein JL et al. (1996). Ultraviolet disinfection of filtered activated sludge effluent for reuse applications. *Water Environment Research*, 68:152–161.
- Brown TS, Malina JF Jr, Moore BD (1974). Virus removal by diatomaceous-earth filtration — Part 2. *Journal of the American Water Works Association*, 66(12):735–738.
- Bryan JJ (1993). Hazard analysis and critical control points and their application to the drinking water treatment process. American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Bukhari Z et al. (1999). Medium-pressure UV light for oocyst inactivation. *Journal of the American Water Works Association*, 91(3):86–94.
- Campbell AT et al. (1995). Inactivation of oocysts of *Cryptosporidium parvum* by ultraviolet irradiation. *Water Research*, 29(11):2583–2586.
- Campbell I et al. (1982). Effect of disinfectants on survival of *Cryptosporidium* oocysts. *Veterinary Research*, 111:414–415.
- Camper AK (1996). *Factors Limiting Microbial Growth in Distribution Systems: Laboratory and Pilot-Scale Experiments*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Camper AK, McFeters GA (1979). Chlorine injury and the enumeration of waterborne coliform bacteria. *Applied and Environmental Microbiology*, 37(3):633–641.
- Camper AK et al. (1986). Bacteria associated with granular activated carbon particles in drinking water. *Applied and Environmental Microbiology*, 52:434–438.
- Camper AK et al. (1991). Growth kinetics of coliform bacteria under conditions relevant to drinking water distribution systems. *Applied and Environmental Microbiology*, 57(8):2333–2339.

- Carson LA et al. (1972). Factors affecting comparative resistance of naturally occurring and subcultured *Pseudomonas aeruginosa* to disinfectants. *Applied and Environmental Microbiology*, 23(5):863–869.
- Chang SL (1982). The safety of water disinfection. *Annual Review of Public Health*, 3:393–418.
- Chen X, Stewart PS (1996). Chlorine penetration into artificial biofilm is limited by a reaction–diffusion interaction. *Environmental Science and Technology*, 30:2078–2083.
- Chen YM, Liu JC, Ju YH (1996). Evaluation of chitosan for the removal of algae. Proceedings of the 4th International Conference: The Role of Particle Characteristics in Separation Processes, October 28–30, The Hebrew University of Jerusalem.
- Chick H (1908). An investigation of laws of disinfection. *Journal of Hygiene*, 8:92–158.
- Chorus I, Bartram J (1999). *Toxic Cyanobacteria in Water*. London, E & FN Spon.
- Clancy JL, Stendahl D (1997). Ground water or surface water — microscopic evaluation of an Ontario River well system. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Clancy JL et al. (1998a). Inactivation of *Cryptosporidium parvum* oocysts in water using ultraviolet light. *Journal of the American Water Works Association*, 90:92–102.
- Clancy JL et al. (1998b). Innovative electrotechnologies for *Cryptosporidium* inactivation. CR-111090. Electric Power Research Institute, Palo Alto, CA.
- Clark RM, Read EJ, Hoff JC (1989). Analysis of inactivation of *Giardia lamblia* by chlorine. *Journal of Environmental Engineering*, 115(1):80–90.
- Clark TF (1984). Chlorine tolerant bacteria in a water distribution system. *Public Works*, 65–67.
- Cleasby JL, Hilmoie DJ, Dimitracopoulos CJ (1984). Slow sand and direct in-line filtration of a surface water. *Journal of the American Water Works Association*, 76(12):44–55.
- Cleasby JL, Logsdon GS 1999. Granular bed and precoat filtration. In: Letterman RD, ed. *Water Quality and Treatment*. New York, McGraw Hill, Inc., 8.1–8.99.
- Cleasby JL, Williamson MM, Baumann ER (1963). Effect of filtration rate changes on water quality. *Journal of the American Water Works Association*, 55(7):869–880.
- Colbourne J (1989). Thames water utilities experience with *Cryptosporidium*. *Proceedings of the 1989 American Water Works Association Water Quality Technology Conference*, 275–278.
- Collins MR et al. (1994). *Evaluation of Roughing Filtration Design Variables*. American Denver, CO, Water Works Association Research Foundation and the American Water Works Association.
- Cornwell D, Lee R (1993). *Recycle Stream Effects on Water Treatment*. Denver, CO, American Water Works Association Research Foundation.
- Cornwell D, Lee R (1994). Waste stream recycling: its effect on water quality. *Journal of American Water Works Association*, 86(11):50–63.
- Corona-Vasquez B, Rennecker JL, Marinas B (1999). Inactivation of *Cryptosporidium* with chlorine dioxide/free chlorine and chlorine dioxide/monochloramine. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Craik SA et al. (2000). Inactivation of *Giardia muris* cysts using medium-pressure ultraviolet radiation in filtered drinking water. *Water Research*, 34(18):4345–4332.
- Crayton C, Camper AK, Warwood B (1997). Evaluation of mixed-oxidants for the disinfection and removal of biofilms from distribution systems. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Dakin H (1916). The oxidation of amino acids to cyanides. *The Biochemical Journal*, 10:319–323.

- Dakin H (1917). On the oxidation of amino acids and of related substances with chloramine-T. *The Biochemical Journal*, 11:79–95.
- Davis EM, Casserly DM, Moore JD (1977). Bacterial relationships in stormwaters. *Water Resources Bulletin*, 13(5):895–905.
- De Beer D, Srinivasan R, Stewart PS (1994). Direct measurement of chlorine penetration into biofilms during disinfection. *Applied and Environmental Microbiology*, 60(12):4339–4344.
- Deb AK et al. (2000). *Guidance for Management of Distribution System Operation and Maintenance*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Derby RL (1947). Control of slime in transmission lines. *Journal of the American Water Works Association*, 39:1107–1114.
- Di Giovanni G, LeChevallier M (2000). Development of a *Cryptosporidium parvum* viability and infectivity assay. Final report to the American Water Works Service Company, Inc., Voorhees, NJ.
- Drikas M et al. (2001). Using coagulation, flocculation and settling to remove toxic cyanobacteria. *Journal of the American Water Works Association*, 39(2):100–111.
- Dufour et al., eds (2003). *Assessing Microbial Safety of Drinking-Water: Improving Approaches and Methods*. World Health Organization (WHO) and Organisation for Economic Cooperation and Development (OECD), IWA Publishing.
- DVGW (1997). *DVGW-W294 UV Disinfection Devices for Drinking water Supply — Requirements and Testing*. Bonn, Germany, German Gas and Water Management Union.
- Elimelech M et al. (1995). *Particle Deposition and Aggregation*. Oxford, Butterworth Heinemann.
- Ellis KV (1985). Slow sand filtration. *Critical Reviews in Environmental Control*, 15(4):315–354.
- Finch GR, Kathleen B, Gyurek LL (1994). Ozone and chlorine inactivation of *Cryptosporidium*. Proceedings of the American Water Works Association Water Quality Technology Conference. San Francisco, CA, American Water Works Association, 1303–1319.
- Finch GR, Liyanage LR, Belosevic M (1995). Effect of chlorine dioxide and *Cryptosporidium* and *Giardia*. Proceedings of the Third International Symposium on Chlorine Dioxide: Drinking water, Process Water And Wastewater Issues, New Orleans, LA.
- Finch GR et al. (1993). Ozone inactivation of *Cryptosporidium parvum* in demand-free phosphate buffer determined by in vitro excystation and animal infectivity. *Applied and Environmental Microbiology*, 59(12):4203–4210.
- Finch GR et al. (1997). *Effect of Various Disinfection Methods on the Inactivation of Cryptosporidium — Draft Report*. Denver, CO, American Water Works Association Research Foundation and the American Water Works Association.
- Fitzpatrick C, Campbell A, Cable C (1999). The effects of filtration rate changes on filtrate particle counts. Proceedings of the American Water Works Association Water Quality Technology Conference.
- Fitzpatrick JA, Spielman LA (1973). Filtration of aqueous latex suspensions through beds of glass spheres. *Journal of Colloid and Interface Science*, 43:350–369.
- Flemming HC (1987). Microbial growth on ion exchangers. *Water Research*, 21:745–756.
- Fogel D et al. (1993). Removing *Giardia* and *Cryptosporidium* by slow sand filtration. *Journal of the American Water Works Association*, 85(11):77–84.
- Frey MM et al. (1998). Particle removal performance: variance implications. Proceedings of the American Water Works Association Water Quality Technology Conference.
- Galvis G, Fernandez J, Visscher JT (1993). Comparative study of different pre-treatment alternatives. *Aqua*, 42:337–346.

- Gates D (1998). The chlorine dioxide handbook: water disinfection series. American Water Works Association, Denver, CO
- Geldreich EE (1996). *Microbial Quality of Water Supply in Distribution Systems*. Boca Raton, FL, Lewis Publishers.
- Geldreich EE, LeChevallier MW (1999). Microbial water quality in distribution systems. In: Letterman RD, ed. *Water Quality and Treatment*, 5th ed. New York, McGraw-Hill, 18.1–18.49.
- Geldreich EE, Stevens AA (1987). Workshop on coliform noncompliance nightmares: scenarios and action plans. Proceedings of the American Water Works Association Water Quality Technology Conference, Portland, OR.
- Gimbel R, Clasen J (1998). International report: removal of micro-organisms by clarification and filtration processes. *Water Supply*, 16:203–208.
- Gollnitz WD, Cossins F, DeMarco J (1997). Impact of induced infiltration on microbial transport in an alluvial aquifer. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Gordon G, Bubnis B (1995). Chlorine dioxide chemistry issues. Proceedings of the Third International Symposium on Chlorine Dioxide: Drinking water, Process Water And Wastewater Issues, New Orleans, LA.
- Grayman WM, Deininger RA, Males RM (2000). Design of early warning and predictive source-water monitoring systems. Draft Report to the American Water Works Association Research Foundation, Denver, CO.
- Green DE, Stumpf K (1946). The mode of action of chlorine. *Journal of the American Water Works Association*, 38:1301–1305.
- Gregory R, Maloney RJ, Stockley M (1988). Water treatment using magnetite: a study of a Sirofloc pilot plant. *Journal of institutional water and environmental management*, 5:532–544.
- Gregory R, Zabel TF, Edzwald JK (1999). Sedimentation and floatation. In: Letterman RD, ed. *Water Quality and Treatment*. New York, McGraw Hill, Inc., 7.1–7.87.
- Gullick RW et al. (2000). *Nanofiltration for Treatment of River Water: Membrane Productivity and Control of DBP Precursors and Pathogenic Microorganisms*. Voorhees, NJ, American Water Works Service Company, Inc.
- Haas CN (1999). Disinfection. In: Letterman RD, ed. *Water Quality and Treatment*. New York, McGraw Hill, Inc., 14.1–14.60.
- Haas CN, Engelbrecht RS (1980). Physiological alterations of vegetative microorganisms resulting from chlorination. *Journal of the Water Pollution Control Federation*, 52:1976–1989.
- Haas CN, Karra SB (1984). Kinetics of microbial inactivation by chlorine — I: Review of results in demand-free systems. *Water Research*, 18(11):1443–1449.
- Haas CN et al. (1995). *Development and Validation of Rational Design Methods of Disinfection*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Haas CN et al. (2000). *Critical Review of Existing Data on Physical and Chemical Removal of Cryptosporidium in Drinking water*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Hall T, Pressdee J, Carrington E (1994). *Removal of Cryptosporidium Oocysts by Water Treatment Process*. Buckinghamshire, UK, Foundation for Water Research.
- Hall T, Watts M, Egerton A (2000). SPC and risk assessment techniques to optimize water treatment for *Cryptosporidium* removal. Proceedings of the American Water Works Association Water Quality Technology Conference.

- Hamsch B, Werner P (1993). Control of bacterial regrowth in drinking water treatment plants and distribution system. *Water Supply*, 11:299–308.
- Harakeh MS et al. (1985). Susceptibility of chemostat-grown *Yersinia enterocolitica* and *Klebsiella pneumoniae* to chlorine dioxide. *Applied and Environmental Microbiology*, 49(1):69–72.
- Hawkins PR et al. (2000). Understanding the fate of *Cryptosporidium* and *Giardia* in storage reservoirs: a legacy of Sydney's water contamination event. *Aqua*, 49:289–306.
- Heffelfinger JD et al. (2003). Risk of hospital-acquired Legionnaires' disease in cities using monochloramine versus other water disinfectants. *Infection Control and Hospital Epidemiology*, 24(8):569–574.
- Hendricks DW (1991). *Manual of Design for Slow Sand Filtration*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Hendricks DW et al. (1988). *Filtration of Giardia Cysts and Other Particles Under Treatment Plant Conditions*. Denver, CO, American Water Works Association.
- Hoff JC (1978). *The Relationship of Turbidity to Disinfection of Potable Water*. Washington DC, United States Environmental Protection Agency.
- Hoff JC (1986). *Inactivation of Microbial Agents by Chemical Disinfectants*. Cincinnati, OH, Environmental Protection Agency (EPA/600/S2-86/067).
- Hoff JC (1992). The relationship of turbidity to disinfection of potable water, 103–117. In: Hendricks CW, ed. *Evaluation of the Microbiology Standards for Drinking Water*, United States Environmental Protection Agency, Cincinnati, OH.
- Hoff JC, Geldreich EE (1981). Comparison of the biocidal efficiency of alternative disinfectants. *Journal of the American Water Works Association*, January, 40–44.
- Hom LW (1972). Kinetics of chlorine disinfection of an ecosystem. *Journal of the Sanitary Engineering Division, American Society of Civil Engineers*, 98:183–194.
- Hoyano Y et al. (1973). Chlorination studies 4. Reaction of aqueous hypochlorous acid with pyrimidine and purine bases. *Biochemical and Biophysical Research Communications*, 53:1195–2000.
- Hozalski RM, Bouwer EJ (1998). Deposition and retention of bacteria in backwashed filters. *Journal of the American Water Works Association*, 90(1):71–85.
- Hsu YC (1964). Resistance of infectious RNA and transforming DNA to iodine which inactivates ϕ 2 phage and cells. *Nature*, 203(4941):152–153.
- Ingols RS (1958). The effect of monochloramine and chromate on bacterial chromosomes. *Public Health Works*, 89:105–106.
- Jacangelo JG, Adham SS, Laïné J-M (1995). Mechanism of *Cryptosporidium*, *Giardia* and MS2 virus removal by MF and UF. *Journal of the American Water Works Association*, 87(9):107–121.
- Jacangelo JG, Olivieri VP (1985). *Aspects of the Mode of Action of Monochloramine*. Chelsea, MI, Lewis Publishers Inc.
- Jacangelo JG et al. (1989). Assessing hollow-fiber ultrafiltration for particulate removal. *Journal of the American Water Works Association*, 81(11):68–75.
- Jacangelo JG et al. (1991). Low-pressure membrane filtration for removing *Giardia* and microbial indicators. *Journal of the American Water Works Association*, 83(9):97–106.
- Jagger JH (1967). *Introduction to Research in UV Photobiology*. Englewood Cliffs, NJ, Prentice-Hall, Inc.
- Jeschke R (1998). Microsand enhanced flocculation and settling technology improves water quality: a pilot plant study. *1998 Annual Conference Proceedings: Volume D, Water Quality*. Denver, CO, American Water Works Association.

- Karanis P, Schoenen D, Seitz H (1996). *Giardia* and *Cryptosporidium* in backwash water from rapid sand filters used for drinking water production. *Zentralblatt für Bakteriologie Mikrobiologie und Hygiene*, 284:107–114.
- Karanis P, Schoenen D, Seitz H (1998). Distribution and removal of *Giardia* and *Cryptosporidium* in water supplies in Germany. *Journal of Water Science and Technology*, 37(2):9–18.
- Karanis P et al. (1992). UV sensitivity of protozoan parasites. *Aqua*, 41(2):95–100.
- Karimi AA, Vickers JC, Harasick RF (1999). Microfiltration goes Hollywood: the Los Angeles experience. *Journal of the American Water Works Association*, 91(6):90–103.
- Ketelaars HAM et al. (1995). Occurrence of *Cryptosporidium* oocysts and *Giardia* cysts in the River Meuse and removal in the Biesbosch reservoirs. *Aqua*, 44:108–111.
- Kirmeyer GJ et al. (2001). *Pathogen Intrusion into the Distribution System*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Kiuru H (1998). Special contribution: removal of microorganisms by clarification and filtration processes. *Water Supply*, 16:211–213.
- Knox WE et al. (1948). The inhibition of sulfhydryl enzymes as the basis of the bacterial action of chlorine. *Journal of Bacteriology*, 55:451–458.
- Kool JC, Carpenter JC, Fields BS (1999). Effect of monochloramine disinfection of municipal drinking water on risk of nosocomial Legionnaires' disease. *The Lancet*, 353:272–277.
- Korich DG et al. (1990). Effects of ozone, chlorine dioxide, chlorine and monochloramine on *Cryptosporidium parvum* oocyst viability. *Applied and Environmental Microbiology*, 56:1423–1428.
- Kors LJ, Bosch AD (1995). Catchment protection of a multi-functional reservoir. *Aqua*, 44:80–84.
- Kuhn W (1999). Overview of riverbank filtration issues. *Proceedings of International Riverbank Filtration Conference, Louisville, Kentucky*. Fountain Valley, CA, National Water Research Institute.
- Lang KP et al. (1986). Diatomaceous earth filtration of *Giardia* cysts and other substances. *Journal of the American Water Works Association*, 78(1):76–84.
- Langlais B, Reckhow DA, Brink DR (1991). *Ozone in Water Treatment, Applications and Engineering*. Chelsea, MI, Lewis Publishers, Inc.
- LeChevallier MW (1990). Disinfection of bacterial biofilms. In: Jolley RL et al., eds. *Water Chlorination Chemistry, Environmental Impact and Health Effects*. Chelsea, MI, Lewis Publishers, 905–915.
- LeChevallier MW (1991). *Biocides and the Current Status of Biofouling Control in Water Systems*. Berlin, Springer-Verlag, 113–132.
- LeChevallier MW (1999). The case for maintaining a disinfectant residual. *Journal of the American Water Works Association*, 91(1):86–94.
- LeChevallier MW, Babcock TM, Lee RG (1987). Examination and characterization of distribution system biofilms. *Applied and Environmental Microbiology*, 53(12):2714–2724.
- LeChevallier MW, Cawthon CD, Lee RG (1988). Factors promoting survival of bacteria in chlorinated water supplies. *Applied and Environmental Microbiology*, 54(3):649–654.
- LeChevallier MW, Evans TM, Seidler RJ (1981). Effect of turbidity on chlorination efficiency and bacterial persistence in drinking water. *Applied and Environmental Microbiology*, 42:159–167.
- LeChevallier MW, Lowry CD, Lee RG (1990). Disinfection of biofilms in a model distribution system. *Journal of the American Water Works Association*, 82(7):87–99.
- LeChevallier MW, Norton WD, Lee RG (1991). Occurrence of *Giardia* and *Cryptosporidium* spp. in surface water supplies. *Applied and Environmental Microbiology*, 57(9):2610–2616.

- LeChevallier MW, Schulz W, Lee RG (1991). Bacterial nutrients in drinking water. *Applied and Environmental Microbiology*, 57(3):857–862.
- LeChevallier MW, Welch NJ, Smith DB (1996b). Full-scale studies of factors related to coliform regrowth in drinking water. *Applied and Environmental Microbiology*, 62:2201–2211.
- LeChevallier MW et al. (1984). Disinfection of bacteria attached to granular activated carbon. *Applied and Environmental Microbiology*, 48(5):918–923.
- LeChevallier MW et al. (1991). *Giardia and Cryptosporidium in Water Supplies*. Denver, CO, American Water Works Association Research Foundation.
- LeChevallier MW et al. (1992). Evaluating the performance of biologically active rapid filters. *Journal of the American Water Works Association*, 84(4):136–146.
- LeChevallier MW et al. (1993). Examining the relationship between iron corrosion and the disinfection of biofilm bacteria. *Journal of the American Water Works Association*, 85(7):111–123.
- LeChevallier MW et al. (1996). Chlorine dioxide for control of *Cryptosporidium* and disinfection by-products. *Proceedings of the American Water Works Association Water Quality Technology Conference, Boston, MA, November 17–21*. Denver, CO, American Water Works Association.
- LeChevallier MW et al. (1998). Development of a monitoring strategy to determine variations in *Giardia* and *Cryptosporidium* levels in a watershed. In: *Source Water Assessment and Protection 98*. Fountain Valley, CA, National Water Research Institute.
- Letterman RD (1991). *Filtration Strategies to Meet the Surface Water Treatment Rule*. Denver, CO, American Water Works Association.
- Letterman RD, Amirtharajah A, O'Melia CR (1999). Coagulation and flocculation. In: Letterman RD, ed. *Water Quality and Treatment*. New York, McGraw Hill, Inc., 6.1–6.66.
- Levy RV, Cheetham RD, Hart FL (1984). *Occurrence of Macroinvertebrates in a Public Drinking water Supply*. Cincinnati, OH, National Technical Information Service, 1–14
- Li H, Finch GR, Belosevic M (1999). Effect of temperature on the sequential inactivation of *Cryptosporidium* using ozone followed by free chlorine. *Proceedings of the American Water Works Association Water Quality Technology Conference*. Denver, CO, American Water Works Association.
- Li SY et al. (1997). Reliability of surrogates for determining *Cryptosporidium* removal. *Journal of the American Water Works Association*, 89(5):90–99.
- Liyanage LR, Finch GR, Belosevic M (1997). Synergistic effects of sequential exposure of *Cryptosporidium* oocysts to chemical disinfectants. *International Symposium on Waterborne Cryptosporidium*, Newport Beach, CA, March 2–5, 1997. Denver, CO, American Water Works Association.
- Logsdon GS (1990). *Microbiology and Water Filtration*. New York, Springer-Verlag.
- Logsdon GS, Hess AF, Chipps MJ (2000). Operating and monitoring pretreatment and filtration for optimized filter performance. *Proceedings of the American Water Works Association Water Quality Technology Conference*.
- Logsdon GS et al. (1985). Evaluating sedimentation and various filter media for removal of *Giardia* cysts. *Journal of the American Water Works Association*, 77(2):61–66.
- Logsdon GS et al. (1994). *The Removal and Disinfection Efficiency of Lime Softening Processes for Giardia and Viruses*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Lorenzo-Lorenzo MJ et al. (1993). Effect of ultraviolet disinfection of drinking water on the viability of *Cryptosporidium parvum* oocysts. *The Journal of Parasitology*, 79 (1):67–70.

- Lovins WA et al. (1999). Multi-contaminant removal by integrated membrane systems. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Malley JP Jr (2000). Ultraviolet disinfection. In: *Control of Microbes in Drinking water*. American Society of Civil Engineering.
- McFeters GA, Kippin JS, LeChevallier MW (1986). Injured coliforms in drinking water. *Applied and Environmental Microbiology*, 51:1–5.
- McTigue NE et al. (1998). *National Assessment of Particle Removal by Filtration*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- McTigue NE et al. (2000). Treatment options for *Giardia*, *Cryptosporidium* and other contaminants in recycled backwash water — Final draft report. Denver, CO, American Water Works Association Research Foundation.
- Medema GJ et al. (1998). Sedimentation of free and attached *Cryptosporidium* oocysts and *Giardia* cysts in water. *Applied and Environmental Microbiology*, 64:4460–4466.
- Mouchet P, Bonnelye V (1998). Solving algae problems: French expertise and world-wide applications. *Aqua*, 47:125–141.
- Mouillot L, Netter R (1977). Identification of orthopox virus by isoelectrofocusing in a granulated gel. *Annales de Microbiologie*, 128B:417–419.
- Nieminski EC, Bellamy WD (2000). *Application of Surrogate Measures to Improve Treatment Plant Performance*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Nieminski EC, Ongerth JE (1995). Removing *Giardia* and *Cryptosporidium* by conventional treatment and direct filtration. *Journal of the American Water Works Association*, 87(9):96–106.
- Norton CD, LeChevallier MW (1997). Chloramination: its effect on distribution system water quality. *Journal of the American Water Works Association*, 89:66–77.
- Norton CD, LeChevallier MW (2000). A pilot study of bacteriological population changes through potable treatment and distribution. *Applied and Environmental Microbiology*, 66(1):268–276.
- O'Melia CR, Stumm W (1967). Theory of water filtration. *Journal of the American Water Works Association*, 59(11):1393–1412.
- Olivieri VP et al. (1985). *Recurrent Coliforms in Water Distribution Systems in the Presence of Free Residual Chlorine*. Chelsea, MI, Lewis Publishers Inc.
- Ongerth JE (1990). Evaluation of treatment for removing *Giardia* cysts. *Journal of the American Water Works Association*, 82(6):85–96.
- Ongerth JE, Hutton PE (1997). DE filtration to remove *Cryptosporidium*. *Journal of the American Water Works Association*, 89(12):39–46.
- ÖNORM (2001). *ÖNORM M 5873-1 Plants for the disinfection of water using ultraviolet radiation*. A-1021 Vienna, Österreichisches Normungsinstitut.
- Oskam G (1995). Main principles of water quality improvement in reservoirs. *Aqua*, 44:23–29.
- Owen C et al. (1999). Microbial challenge of integrated membrane system large scale pilot plants treating a highly organic surface water. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Owens JH et al. (1994). Pilot-Scale Ozone Inactivation of *Cryptosporidium* and *Giardia*, p. 1319–1329. Proceedings of the 1994 American Water Works Association Water Quality

- Technology Conference, Part II, November 6–10, 1994. San Francisco, CA, American Water Works Association.
- Owens JH et al. (1999). In vitro excystation and infectivity in mice and cell culture to assess chlorine dioxide inactivation of *Cryptosporidium* oocysts. Proceedings of the American Water Works Association Water Quality Technology Conference, Tampa, FL, 31 October – 3 November. Denver, CO, American Water Works Association.
- Parker DY et al. (1999). Microfiltration treatment of filter backwash recycle water from a drinking water treatment facility. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Parker JFW, Greaves GF, Smith HV (1993). The effect of ozone on the viability of *Cryptosporidium parvum* oocysts and a comparison of experimental methods. *Water Science and Technology*, 27:93–96.
- Parsons SA (2000). The effect of domestic ion-exchange water softeners on the microbiological quality of drinking water. *Water Research*, 34(8):2369–2375.
- Patton W et al. (1972). Chlorine studies 1. The reaction of hypochlorous acid with cytosine. *Biochemical And Biophysical Research Communications*, 48:880–884.
- Payment P et al. (2000). *An Epidemiological Study of Gastrointestinal Health Effects of Drinking water*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association, Denver, Colo.
- Pedahzur R et al. (1995). The interaction of silver ions and hydrogen peroxide in the inactivation of *E. coli*: a preliminary evaluation of a new long acting residual drinking water disinfectant. *Water Science and Technology*, 31:123–129.
- Peeters JE et al. (1989). Effect of disinfection of drinking water with ozone or chlorine dioxide on survival of *Cryptosporidium parvum* oocysts. *Applied and Environmental Microbiology*, 55:1519–1522.
- Pereira WE et al. (1973). Chlorine studies 2. The reaction of aqueous hypochlorous acid with alpha amino acids and dipeptides. *Biochimica et Biophysica Acta*, 313:170–180.
- Plummer JD, Edzwald JK, Kelley MB (1995). Removing *Cryptosporidium* by dissolved-air flotation. *Journal of the American Water Works Association*, 87:85–95.
- Pyle BH, Broadaway SC, McFeters GA (1992). Efficacy of copper and silver ions with iodine in the inactivation of *Pseudomonas cepacia*. *Journal of Applied Bacteriology*, 72:71–79.
- Qualls RG, Johnson JD (1983). Bioassay and dose measurement in UV disinfection. *Applied and Environmental Microbiology*, 45:872–877.
- Rajagopalan R, Tien C (1976). Trajectory analysis of deep-bed filtration with the sphere-in-cell porous media model. *American Institute of Chemical Engineers Journal*, 52:523–533.
- Ransome ME, Whitmore TN, Carrington EG (1993). Effect of disinfectants on the viability of *Cryptosporidium parvum* oocysts. *Water Supply*, 11(1):103–117.
- Rasmussen V et al. (1994). A comparison of *Cryptosporidium*, *Giardia* and virus inactivation using chlorine residual and redox monitoring. Proceedings of the American Water Works Association Annual Conference, June 19–23, 1994. Denver, CO, American Water Works Association, 379–389.
- Reilly JK, Kippin JS (1983). Relationship of bacterial counts with turbidity and free chlorine in two distribution systems. *Journal of the American Water Works Association*, 75:309–312.
- Rice EW, Hoff JC (1981). Inactivation of *Giardia lamblia* cysts by ultraviolet irradiation. *Applied and Environmental Microbiology*, 42:546–547.
- Ridgway HF, Olson BH (1982). Chlorine resistance patterns of bacteria from two drinking water distribution systems. *Applied and Environmental Microbiology*, 44(4):972–987.

- Robbins RW et al. (1991). *Effective Watershed Management for Surface Water Supplies*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Robeck GG, Clarke NA, Dostal KA (1962). Effectiveness of water treatment processes in virus removal. *Journal of the American Water Works Association*, 54(10):1275–1290.
- Robert LT, Campbell AT, Smith HV (1992). Survival of *Cryptosporidium parvum* oocysts under various environmental pressures. *Applied and Environmental Microbiology*, 58:3494–3500.
- Rose J et al. (1991). Detection of *Cryptosporidium* from wastewater and freshwater environments. *Journal of Water Science Technology*, 18(10):233–239.
- Rose JB et al. (1986). Detection of *Cryptosporidium* and *Giardia* in environmental waters. Proceedings of the American Water Works Association Water Quality Technology Conference, Portland, OR, 417–424.
- Ruffle KM, Rennecker JL, Marinas BJ (1998). Inactivation of *Cryptosporidium parvum* oocysts with chlorine dioxide. Proceedings of the American Water Works Association Water Quality Technology Conference, San Diego, CA, November 1–4. Denver, CO, American Water Works Association.
- Schijven JF, Rietveld LC (1997). *How Do Field Observations Compare with Models of Microbial Removal? Under the Microscope — Examining Microbes in Groundwater*. Denver, CO, American Water Works Association Research Foundation and the American Water Works Association.
- Schuler PF, Ghosh MM (1990). Diatomaceous earth filtration of cysts and other particulates using chemical additives. *Journal of the American Water Works Association*, 82(12):67–75.
- Seelaus TJ, Hendricks DW, Janonis BA (1986). Design and operation of a slow sand filter. *Journal of the American Water Works Association*, 78(12):35–41.
- Semmens MJ (1977). Ion exchange — fundamental considerations. Proceedings of the 19th Annual Public Water Supply Engineer's Conference — Water Treatment, Part II — University of Illinois at Urbana-Champaign, Illinois Section of the American Water Works Association, Illinois Environmental Protection Agency.
- Sharp DG, Floyd R, Johnson JD (1975). Nature of the surviving plaque-forming unit of reovirus in water containing bromine. *Applied Microbiology*, 29(1):94–101.
- Shih KL, Lederberg J (1976). Effects of chloramine on *Bacillus subtilis* deoxyribonucleic acid. *Journal of Bacteriology*, 125:934–945.
- Silverman GS, Nagy LA, Olson BH (1983). Variations in particulate matter, algae and bacteria in an uncovered, finished-drinking water reservoir. *Journal of the American Water Works Association*, 75(4):191–195.
- Sobsey MD et al. (1993). Using a conceptual framework for assessing risks to health from microbes in drinking water. *Journal of the American Water Works Association*, 85:44–48.
- States S et al. (1995). Sources, occurrence and drinking water treatment removal of *Cryptosporidium* and *Giardia* in the Allegheny River. Proceedings of the Water Quality Technology Conference, New Orleans, LA, 1587–1601.
- States S et al. (1999). Removal of *Cryptosporidium* by membrane filtration. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Stewart MH et al. (1997). Monitoring program to determine pathogen occurrence relationship to storm events and watershed conditions. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.

- Stewart MS, Olson BH (1986). Mechanisms of bacterial resistance to inorganic chloramines. Proceedings of the American Water Works Association Water Quality Technology Conference, Portland, OR.
- Stewart PS, McFeters GA, Huang CT (2000). Biofilm control by antimicrobial agents. In: Bryers JD, ed. *Biofilms*. New York, John Wiley & Sons.
- Swertfeger J et al. (1999). Effect of filter media on cyst and oocyst removal. *Journal of the American Water Works Association*, 91(9):90–100.
- Tanner SA, Ongerth JE (1990). Evaluating the performance of slow sand filters in Northern Idaho. *Journal of the American Water Works Association*, 82(12):51–61.
- Taylor JS, Wiesner M (1999). Membranes. In: Letterman RD, ed. *Water Quality and Treatment*. New York, McGraw Hill, Inc., 11.1–11.71.
- Taylor RH et al. (2000). Chlorine, chloramine, chlorine dioxide and ozone susceptibility of *Mycobacterium avium*. *Applied and Environmental Microbiology*, 66:1702–1705.
- Thurman RB, Gerba CP (1989). The molecular mechanisms of copper and silver ion disinfection of bacteria and viruses. *CRC Reviews in Environmental Control*, 18:295–315.
- Tobiason JE, O'Melia CR (1988). Physicochemical aspects of particle removal in depth filtration. *Journal of the American Water Works Association*, 80(12):54–64.
- Tracy HW, Camarena VM, Wing F (1966). Coliform persistence in highly chlorinated waters. *Journal of the American Water Works Association*, 58:1151–1159.
- USEPA (1986). Design Manual: Municipal Wastewater Disinfection. Cincinnati, OH, Office of Research and Development, United States Environmental Protection Agency (EPA 625/1-86/021).
- USEPA (1989a). National primary drinking water regulations; filtration and disinfection; turbidity; *Giardia lamblia*, viruses, *Legionella* and heterotrophic bacteria. *Federal Register*, 54(124):27486–27541.
- USEPA (1989b). *Guidance Manual for Compliance with the Filtration and Disinfection Requirements for Public Water Systems Using Surface Water Sources*. Washington DC, United States Environmental Protection Agency.
- USEPA (1991). *Optimizing Water Treatment Plant Performance Using the Composite Correction Program*. Cincinnati, OH, Office of Research and Development, United States Environmental Protection Agency.
- USEPA (1998). National primary drinking water regulations: Interim enhanced surface water treatment rule. *Federal Register*, 63(241):69478–69521.
- USEPA (2003). *Ultraviolet Disinfection Guidance Manual, draft*. Washington DC, Office of Ground water and Drinking water, United States Environmental Protection Agency.
- van Breemen LWCA, Waals JMJ (1998). Storage of surface water in the Netherlands: challenges of the future. *Water Supply*, 16:375–381.
- Van der Kooij D (1987). *The Effect of Treatment on Assimilable Organic Carbon in Drinking water*. London, Pergamon Press.
- Venczel LV et al. (1997). Inactivation of *Cryptosporidium parvum* oocysts and *Clostridium perfringens* spores by a mixed-oxidant disinfectant and by free chlorine. *Applied and Environmental Microbiology*, 63:1598–1601.
- Venkobachar C, Iyengar L, Rao AVSP (1977). Mechanism of disinfection: effect of chlorine on a cell membrane functions. *Water Research*, 11:727–729.
- Watson HE (1908). A note on the variation of the rate of disinfection with change in the concentration of the disinfectant. *Journal of Hygiene*, 8:536.

- Watters SK et al. (1989). Enumeration of *Enterobacter cloacae* after chloramine exposure. *Applied and Environmental Microbiology*, 55(12):3226–3228.
- Weber WJ Jr (1972). *Physicochemical Processes for Water Quality Control*. New York, John Wiley & Sons.
- Weber-Shirk ML, Dick RI (1997a). Biological mechanisms in slow sand filters. *Journal of the American Water Works Association*, 89(2):72–83.
- Weber-Shirk ML, Dick RI (1997b). Physical–chemical mechanisms in slow sand filters. *Journal of the American Water Works Association*, 89(2):87–100.
- Wel C et al. (1994). Bactericidal activity of TiO₂ photocatalyst in aqueous media: toward a solar-assisted water disinfection system. *Environmental Science and Technology*, 28:934–938.
- White GC (1999). *Handbook of Chlorination and Alternative Disinfectants*. New York, John Wiley & Sons, Inc.
- WHO (1993). *Guidelines for drinking-water quality*, 1st ed., World Health Organization, Geneva.
- WHO (1996). *Guidelines for drinking-water quality*, 2nd ed., World Health Organization, Geneva.
- WHO (2000). *Disinfectants and disinfectant by-products (Environmental health criteria: 216)*, World Health Organization, Geneva.
- WHO (2004). *Guidelines for drinking-water quality*, 3rd ed., World Health Organization, Geneva.
- Wickramamayake GB, Rubin AJ, Sproul OJ (1984). Inactivation of *Naegleria* and *Giardia* cysts in water by ozonation. *Journal of the Water Pollution Control Federation*, 56:983–988.
- Wilczak A et al. (1991). The effect of preoxidation on the removal of particles during clarification and filtration of surface water. Proceedings of the American Water Works Association Annual Conference. Denver, CO, American Water Works Association.
- Wolfe RL (1990). Ultraviolet disinfection of potable water. *Environmental Science and Technology*, 24:768–773.
- Wolfe RL et al. (1989). Inactivation of *Giardia muris* and indicator organisms seeded in surface water supplies by peroxone and ozone. *Environmental Science and Technology*, 23:744–745.
- Wolk DM et al. (2000). A spore counting method and cell culture model for chlorine disinfection studies of *Encephalitozoon* syn. *Septata intestinalis*. *Applied and Environmental Microbiology*, 66(4):1266–1273.
- Wright NC (1936). The action of hypochlorites on amino acids and proteins. The effect of acidity and alkalinity. *Biochemical Journal*, 30:1661–1667.
- Wyss O (1961). Theoretical aspects of disinfection by chlorine. Public health hazards of microbial pollution of water. Proceedings of the Rudolfs Research Conference, New Brunswick, NJ
- Yao KM, Habibian MT, O'Melia CR (1971). Water and waste water filtration: concepts and applications. *Environmental Science and Technology*, 5(11):1105–1112.
- Yates SR et al. (1997). Optimizing direct filtration processes for *Cryptosporidium* removal. Proceedings of the American Water Works Association Water Quality Technology Conference. Denver, CO, American Water Works Association.
- Yoo RS et al. (1995a). Microfiltration: a case study. *Journal of the American Water Works Association*, 87(3):38–49.
- Yoo RS et al. (1995b). *Cyanobacterial (Blue-Green Algal) Toxins: A Resource Guide*. Denver, CO, American Water Works Association Research Foundation and American Water Works Association.
- Zaske SK, Dockins WS, McFeters GA (1980). Cell envelope damage in *E. coli* caused by short term stress in water. *Applied and Environmental Microbiology*, 40(2):386–390.