

Index

- algae
 - blue-green 8
 - concentration/theoretical flowpath relationship 12
 - microstrainer performance 8
 - ozone effectiveness 58
 - removal under coagulation conditions 17
- American Water Works Association (AWWA) 32
- American Water Works Association Research Foundation (AWWARF) 6
- American Water Works Service Company 11
- AOC *see* assimilable organic carbon
- apparent treatment performance 80
- assimilable organic carbon (AOC) 11
- attachment, particles 68
- AWWA *see* American Water Works Association
- AWWARF *see* American Water Works Association Research Foundation
- bacteria
 - chlorine dioxide disinfection 53
 - oxidant demand-free systems 46
 - ozone effectiveness 55–6
 - removal under coagulation conditions 15
 - ultra violet light effectiveness 58–9
- bag filters 39–40
- bank filtration 10–12
 - advantages 10–11
 - Ontario (Canada) 11
- bank infiltration 13
- BDOC *see* biodegradable dissolved organic carbon

- bench-scale studies 37–8
- biodegradable dissolved organic carbon (BDOC) 11
- biostability 63
- blue-green algae 8
- by-products
 - chlorine dioxide disinfection 54
 - chlorine disinfection 50
 - monochloramine disinfection 52
- cartridge filters 39–40
- changes in raw water quality 78
- chemical coagulants 23–4, 71
- chemical pretreatment 23–4, 33
- chlorine dioxide disinfection 52–4
 - action mode 52
 - by-products 54
 - Cryptosporidium* inactivation summary 54
 - effectiveness against
 - bacteria 53
 - protozoa 53–4
 - viruses 53
- chlorine disinfection
 - action mode 44–5
 - by-products 50
 - Cryptosporidium parvum* oocysts 43
 - effectiveness against
 - bacteria 45–7
 - protozoa 47–50
 - viruses 45–7
 - Giardia* cysts 48–9
 - primary disinfection process 44–50
- Chlorophyceae* 8
- clarification
 - conventional 13–17
 - hazard control elements 88
 - high-rate 17–18
 - process control 85–8
- coagulants 70, 71
- coagulation 12–18
 - algae removal 17
 - bacteria removal 15
 - chemical 23–4, 70, 71
 - definition 5, 12
 - hazard control elements 85, 87
 - in-line 19–20
 - pretreatment 23–4, 70, 71
 - process control 85–8
 - protozoa removal 15
 - virus removal 16
- coliform bacteria 9
- conventional clarification 13–17
 - efficiency 13–14
- conventional filtration 22
- conventional treatment processes xviii, 3, 13–17, 22
- corrosion control 64
- cross-connection control 64–5
- Cryptosporidium*
 - chlorine dioxide disinfection summary 54
 - control xix, 84, 86
 - filter backwash water 25–9
 - filter media design 25
 - ozone disinfection summary 57
 - UV disinfection summary 60
- Cryptosporidium* oocysts
 - granular high-rate filtration 24
 - pilot treatment plants 79
 - removal evaluation 79
 - source water turbidity 84, 86
- Cryptosporidium parvum* oocysts 43
- CT
 - concepts xix, 42
 - Giardia* cysts inactivation 48–9
 - ozone inactivation 56, 58
 - protozoa 56
- DAF *see* dissolved air flotation
- dammed reservoir bacteria 9
- diatomaceous earth (DE) filtration 6

- diatoms 8
- die-off kinetic modelling 9–10
- direct filtration 22
- disinfection 41–65
 - biostability 63
 - control 64–5, 90
 - corrosion control 64
 - cross-connection control 64–5
 - CT concept 42
 - disinfectant levels 62–3
 - disinfectants xix, 62–3
 - effectiveness against
 - bacteria 45–7
 - protozoa 47–50
 - viruses 45–7
 - factors effecting 41–2
 - free available chlorine 47
 - maintenance 64–5
 - models 72–4
 - pressure 64–5
 - pretreatment oxidation 43–4
 - primary 44–62
 - residuals 62–3
 - secondary disinfection 62–5
 - time–chlorine concentration 47
 - ultra violet light 58–61
 - see also* CT
- dissolved air flotation (DAF) 18
- distribution systems 62, 91–2
- drinking water treatments 34
- effectiveness
 - chlorine against
 - bacteria 45–7
 - protozoa 47–50
 - viruses 45–7
 - chlorine dioxide disinfection 53–4
 - monochloramine 52
 - ozone against
 - algae 58
 - bacteria/viruses 55–6
 - protozoa 56–8
 - ultra violet light against protozoa 59–60
 - water treatments x
- efficiency 68–72
 - conventional clarification 13–14
 - filters 71–2
 - granular filtration 70
 - particle size removal 69–71
- expert reviews x, xvii
- failure mode and effects analysis (FMEA)
 - 82
- fibrous filters 39–40
- filters
 - backwash 25–6
 - depths 72
 - efficiency 71–2
 - fibrous 39–40
 - media design 24–5
 - medium size 72
- filtration processes 20–40
 - control 88–90
 - granular media xviii
 - major membrane type 34
 - rates 71–2
 - see also* diatomaceous earth... ; filters;
granular...; granular high-rate...;
membrane...; precoat...; slow sand...
- floc-blanket sedimentation 17
- floculation 12–18
 - definition 5, 12
 - hazard control elements 87–8
 - process control 85–8
- FMEA *see* failure mode and effects analysis
- free available chlorine 47
- full-scale studies 38–9
- Giardia* cysts
 - chlorine disinfection 48–9
 - CT values 48–9
 - filter backwash water 25–9

- filter media design 25
- granular high-rate filtration 24
- Giardia intestinalis* 83
- granular high-rate filtration 21–6
 - chemical coagulation pretreatment 23–4
 - design 22
 - filter media design 24–5
 - mechanisms 23
- granular media filtration xviii
 - definition 5
 - removal efficiency 70
- groundwater 11
- guidelines, ultra violet light disinfection 61
- Guidelines for Drinking-water Quality* (WHO 2004) ix, 3–4, 81, 82–3
- hazard analysis and critical control (HACCP) approach xix, 3, 82
- hazard control elements
 - clarification 88
 - coagulation 85, 87
 - disinfection 90
 - distribution systems 91–2
 - floculation 87–8
 - granular media filtration 88–90
 - source water 83–5
 - see also* process control
- high-rate clarification 17–18
- hydrological events 84, 86
- IDDF *see* integrated disinfection design framework
- in-line coagulation 19–20
- in-line filtration 22
- inactivation processes *see* disinfection processes
- integrated disinfection design framework (IDDF) 74
- ion exchange process 20
 - definition 5
- lime softening process 19
- maintenance 62, 64–5
- manuals, AWWA 32
- membrane filtration processes 33–9
 - bag/cartridge/fibrous filters 39–40
 - major processes 34
 - microfiltration 33, 34, 35–6
 - nanofiltration 37–9
 - reverse osmosis 37–9
 - ultrafiltration 36–7
- MF *see* microfiltration
- microbe removal processes xviii–xix
- microfiltration (MF) 33, 34, 35–6
- microstrainers 7–8
- Missouri river 11
- mixed oxidants 61–2
- models xix
 - die-off kinetic modelling 9–10
 - disinfection processes 72–4
 - performance 67–74
- monochloramine disinfection 50–2
 - action mode 50–2
 - by-products 52
 - effectiveness 52
- multiple barriers 2–3
- nanofiltration (NF) 33, 34, 37–9
- non-chlorine disinfectants 65
- off-stream storage 8–10
- Ohio River Valley Water Sanitation Commission (ORSANCO) 85
- Ontario (Canada) 11
- operating manuals 32
- ORSANCO *see* Ohio River Valley Water Sanitation Commission
- oxidant demand-free systems 46
- oxidants xviii–xix
 - see also individual oxidants*
- ozone 54–8

- action mode 55
- Cryptosporidium* inactivation summary 57
- effectiveness against
 - algae 58
 - bacteria 55–6
 - protozoa 56–8
 - viruses 55–6
- inactivation CT values 58
- particles
 - attachment 68
 - removal efficiency 69–71
 - size 69–71
- performance models xix, 67–74
 - disinfection 72–4
 - parameters 71
- pilot scale studies 38
- pilot treatment plants 79
- pipe material corrosion control 64
- precoat filtration 32–3
- pressure, disinfection processes 64–5
- pretreatment oxidation 43–4
- pretreatments 6–12
 - bank filtration 10–12
 - chemical coagulants 71
 - definition 5
 - microstrainers 7–8
 - off-stream storage 8–10
 - roughing filters 6–7
- primary disinfection processes 44–62
 - chlorine 44–50
 - chlorine dioxide 52–4
 - mixed oxidants 61–2
 - monochloramine 50–2
 - ozone 54–8
 - ultra violet light 58–61
- process control 81–92
 - coagulation 85–8
 - disinfection 90
 - distribution systems 91–2
 - filtration 88–90
 - floculation 85–8
 - measures 3–4
 - risk assessment 82–3
- processes
 - measurement variability 78–80
 - microbe removal xviii–xix
 - variability effects 76
 - variables 68–72
- protection, source water 83–5
- protozoa 15–16
 - chlorine disinfection 47–50
 - ozone effectiveness 56–8
 - removal under coagulation conditions 15
 - ultra violet light effectiveness 59–60
- purpose of publication 1–2
- quality
 - maintenance 62
 - raw water 78
- raw water quality 78
- removal efficiency 68–72
 - filters 71–2
 - granular filtration 70
 - particle size 69–71
 - rates 71–2
 - temperature 72
- removal processes 5–40
 - models 67–72
 - variable effects 68–72
- residuals, disinfection processes 62–3
- reverse osmosis (RO) 33, 34, 37–9
 - bench-scale studies 37–8
 - full-scale studies 38–9
 - pilot-scale studies 38
- ripening period, microbial pathogens 22
- risk assessment, process control 81–3
- RO *see* reverse osmosis
- roughing filters 6–7

- safety
 - frameworks ix–x
 - plans ix
- schmutzdecke* layers 30
- scope of publication 1–2
- secondary disinfection 62–5
- sedimentation 12–18
 - definition 5, 12
 - floc-blanket 17
- self-purification processes 8–9
 - off-stream storage 9
- sequential disinfection 61–2
- slow sand filtration 26–31
 - action/design 26
 - definition 5
 - design 30
 - microbe removal 30–1
 - prior processes 6
 - protection provided 30–1
 - turbidity removal 31
- source water
 - apparent treatment performance 80
 - concentration impact 80
 - protection 83–5
 - turbidity 86
- standards, ultra violet light disinfection 61
- storage, off-stream 8–10
- Surface Water Treatment Rule (USEPA) 11
- temperature, removal efficiency 72
- time–chlorine concentration 47
- traditional treatments *see* conventional
 - treatment processes
- transport 68
- treatment processes
 - dynamic nature 77
 - performance 80
 - relationships 76–7
 - source water concentration 80
 - variability 75–80
- turbidity
 - Cryptosporidium* oocysts 84, 86
 - pretreatments 6
 - slow sand filtration 31
- UF *see* ultrafiltration
- ultra violet (UV) light disinfection xix, 58–61
 - action mode 58
 - Cryptosporidium* summary 60
 - effectiveness against
 - bacteria 58–9
 - protozoa 59–60
 - viruses 58–9
 - guidelines 61
 - standards 61
- ultrafiltration (UF) 33, 34, 36–7
- USA, Surface Water Treatment Rule 11
- UV *see* ultra violet light
- variability, process measurements 78–80
- viruses 15
 - chlorine dioxide disinfection 53
 - ozone effectiveness 55–6
 - removal under coagulation conditions 16
 - ultra violet light effectiveness 58–9
- Wabash (Ohio) 11
- water quality
 - change effects 78
 - maintenance, distribution system 62
- water safety
 - framework ix–x
 - plans ix, xix
- WHO
 - expert reviews x, xvii
 - Guidelines for Drinking-water Quality* (2004) ix, 3–4, 81, 82–3