




Nutrients in Drinking Water





Nutrients in Drinking Water

**Water, Sanitation and Health
Protection and the Human Environment
World Health Organization
Geneva**

WHO Library Cataloguing-in-Publication Data

Nutrients in drinking water.

1. Water supply. 2. Potable water. 3. Water treatment. 4. Nutrition. 5. Micronutrients. I. World Health Organization.

ISBN 92 4 159398 9

(NLM classification: WA 687)

© World Health Organization 2005

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 3264; fax: +41 22 791 4857; email: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax: +41 22 791 4806; email: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

The named authors alone are responsible for the views expressed in this publication.

Printed at the Printing and Binding Service WHO Geneva, Switzerland

TABLE OF CONTENTS

Preface	i
Acknowledgements	iii
1. NUTRIENTS IN DRINKING WATER - Consensus at Meeting	1
I. Introduction.....	1
II. Topics Examined in the Meeting.....	3
III. Drinking Water and Health Relationships.....	6
IV. Conclusions and Recommendations	10
2. DESALINATION GUIDELINES DEVELOPMENT FOR DRINKING WATER BACKGROUND (<i>Joseph A. Cotruvo</i>).....	13
I. Introduction.....	13
II. Drinking Water Production	13
III. Desalination Technologies	16
IV. Membranes.....	17
V. Distillation Technologies.....	17
VI. Other Systems	18
VII. Potential Technical Issues Associated With Desalination.....	19
VIII. Petroleum Contamination.....	20
IX. Conclusion	23
3. WATER REQUIREMENTS, IMPINGING FACTORS AND RECOMMENDED INTAKES (<i>Ann C. Grandjean</i>)	25
I. Introduction.....	25
II. Adverse Consequences of Inadequate Water Intake, Requirements for Water, and Factors that Affect Requirements.....	25
4. ESSENTIAL NUTRIENTS IN DRINKING WATER (<i>Manuel Olivares & Ricardo Uauy</i>)	41
I. Introduction.....	41
II. Definition of Nutritional Requirements and Recommendations.....	41
III. What are the Important Dietary Minerals and Electrolytes in the Diet and Potentially in Water that are Essential for Nutrition and Wellbeing?.....	43
IV. What are the RDAs for Minerals and Electrolytes and how are they determined?	44

5. MINERALS FROM DRINKING WATER: BIOAVAILABILITY FOR VARIOUS WORLD POPULATIONS AND HEALTH IMPLICATIONS (<i>Choon Nam Ong</i>)	61
I. Introduction.....	61
II. Studies in Asia.....	61
III. Studies in Pan-America	63
IV. Studies in Africa	64
V. Studies in North America.....	64
VI. Studies in Europe	65
VII. Studies in the Western Pacific Region.....	68
VIII. Conclusion	68
6. THE CONTRIBUTION OF DRINKING WATER TO TOTAL DAILY DIETARY INTAKES OF SELECTED TRACE MINERAL NUTRIENTS IN THE UNITED STATES (<i>Joyce Morrissey Donohue, Charles O. Abernathy, Peter Lassovszky, George Hallberg</i>).....	75
I. Introduction.....	75
II. Sources of Information	76
III. Data and Analysis.....	77
IV. Results.....	80
V. Conclusions	88
7. MINERAL ELEMENTS TO CARDIOVASCULAR HEALTH (<i>Leslie M. Klevay & Gerald F. Combs</i>)	92
I. Introduction.....	92
II. Nutritional Determinants of Heart Disease Risk.....	92
III. Water and Heart Disease	93
IV. Other Illnesses Related to Water Mineral Content.....	93
V. Hardness Good or Softness Bad?.....	93
VI. Trace Elements in Water Supplies.....	94
VII. Conclusion	95
8. STUDIES OF MINERAL AND CARDIAC HEALTH IN SELECTED POPULATIONS (<i>Floyd J. Frost</i>)	101
I. Introduction.....	101
II. Magnesium Deficiency.....	101

III.	Calcium, Copper, and Zinc Deficiencies	103
IV.	Magnesium, Strenuous Exercise, and Sudden Cardiac Death	103
V.	Conclusions	103
9.	HOW TO INTERPRET EPIDEMIOLOGICAL ASSOCIATIONS <i>(Gunther F. Craun & Rebecca L. Calderon)</i>	108
I.	Introduction.....	108
II.	Types of Epidemiological Studies	109
III.	The Exposure-Disease Association	111
IV.	Causality of an Association.....	113
V.	Web of Causation	114
VI.	Conclusions	114
10.	WATER HARDNESS AND CARDIOVASCULAR DISEASE: A REVIEW OF THE EPIDEMIOLOGICAL STUDIES, 1957-78 <i>(Rebecca L. Calderon & Gunther F. Craun)</i>	116
I.	Introduction.....	116
II.	Scientific Reviews by Expert Groups.....	116
III.	Summary of the Epidemiological Studies.....	118
IV.	Strength of Association	121
V.	Exposure-Response Relationship	122
VI.	Specificity of the Association	122
VII.	Reversibility	122
VIII.	Biological Plausibility	123
IX.	Conclusions	123
11.	DRINKING WATER HARDNESS AND CARDIOVASCULAR DISEASES: A REVIEW OF THE EPIDEMIOLOGICAL STUDIES, 1979-2004 <i>(Silvano Monarca, Francesco Donato, Maria Zerbini)</i>	127
I.	Introduction.....	127
II.	Methods.....	128
III.	Results.....	128
IV.	Discussion.....	130
V.	Conclusions	133

12. HEALTH RISKS FROM DRINKING DEMINERALISED WATER (Frantisek Kozisek)	148
I. Introduction.....	148
II. Health Risks from Consumption of Demineralised or Low-mineral Water	150
III. Desirable Mineral Content of Demineralised Drinking Water	155
IV. Guidelines and directives for calcium, magnesium, and hardness levels in drinking water	157
V. Conclusions	158
13. NUTRIENT MINERALS IN DRINKING WATER: IMPLICATIONS FOR THE NUTRITION OF INFANTS AND YOUNG CHILDREN (Erika Sievers)	164
I. Introduction.....	164
II. Assessment of Mineral Intake in infant Nutrition.....	164
III. The Quantitative Intake of Drinking Water in Infancy and early Childhood	165
IV. The Contribution of Drinking Water to Nutrient Mineral Intake in Infancy and Early Childhood.....	169
V. Conclusions	175
14. FLUORIDE (Michael Lennon, Helen Whelton, Dennis O'Mullane, Jan Ekstrand)	180
I. Introduction.....	180
II. Fluoride Intake in Humans.....	180
III. Dental Effects of Ingested Fluoride	181
IV. Ingested Fluoride and Health	182
V. Implications of Desalination.....	182
VI. Conclusion	183

PREFACE

The World Health Organization assembled a diverse group of nutrition, medical and scientific experts in Rome in November 2003, at the WHO European Centre for Environment and Health, to address a number of questions relating to the nutrient composition of drinking water and the possibility that drinking water could in some circumstances contribute to total dietary nutrition. The original impetus of the meeting was as a contribution to development of Guidance on health and environmental aspects of desalination that was initiated by the WHO Eastern Mediterranean Regional Office, and intended ultimately to contribute to the development of the 4th edition of the WHO Guidelines for Drinking Water Quality (GDWQ). There were 18 invited experts from Canada, Chile, Czech Republic, Germany, Ireland, Italy, Moldova, Singapore, Sweden, United Kingdom and United States of America. Additional papers were provided by invitees who could not attend. The task was to examine the potential health consequences of long-term consumption of water that had been 'manufactured' or 'modified' to add or delete minerals. In particular, the meeting originated from the question of the consequences of the long-term consumption of waters that had been produced from demineralization processes like desalination of seawater and brackish water as well as possibly some membrane treated fresh waters, and their optimal reconstitution from the health perspective.

The scope of the review included these questions:

- What is the potential contribution of drinking water to human nutrition?
- What is the typical daily consumption of drinking water for individuals, considering climate, exercise, age and other factors?
- Which substances are found in drinking water that can contribute significantly to health and well-being?
 - Under what conditions can drinking water become a significant contribution to the total dietary intake of certain beneficial substances?
- What conclusions can be drawn about the relationship between calcium, magnesium and other trace elements in water and mortality from certain types of cardiovascular disease?
- For which substances, if any, can a case be made from the public health perspective for supplementation of the mineral content of treated drinking water derived from demineralized water?
- What is the role of fluoride in such water with respect to dental benefits, dental fluorosis and skeletal fluorosis?

Drinking water is usually subjected to one or more treatment processes aimed at improving its safety and/or its aesthetic quality. Fresh waters can be treated by one or more processes such as coagulation, sedimentation, granular media filtration, adsorption, ion exchange, membrane filtration, slow sand filtration, and disinfection, and sometimes softening. The conversion of high salinity waters like seawater and brackish waters to potable water by desalination is being increasingly practiced in water-short areas as demand for water increases, and the technology becomes more economically attractive. More than 6 billion gallons of desalinated water are produced daily throughout the world. Remineralization of desalinated water is necessary to control its aggressiveness to piped distribution systems. Since remineralization of desalinated water is required, a logical question is: are there methodologies that could bring with them additional benefits such as by reconstituting certain important minerals?

Natural waters are of widely diverse compositions depending upon their geologic and geographical origin and the treatments that they have undergone. For example, rain waters and some rain water-dominated surface waters have very low salinity and mineralization, whereas some ground waters can become highly, and sometimes excessively mineralized. If

remineralization of processed water is desirable for health reasons, another logical question is whether some natural waters would also be more healthful if they also contained appropriate amounts of beneficial minerals.

The meeting concluded that only a few minerals in natural waters had sufficient concentrations and distribution to expect that their consumption in drinking water might sometimes be a significant supplement to dietary intake in some populations. Magnesium and possibly calcium were the two most likely significant contributors to dietary intake in populations that consumed 'hard' water. Information was provided on about 80 of many epidemiology studies of varying quality over the last 50 years that had addressed the issue of hard water consumption and possibly reduced incidence of ischemic cardiovascular disease in populations. Although the studies were mostly ecological and of varied quality, the meeting concluded that on balance they indicated that the hard water /CVD beneficial hypothesis was probably valid, and that magnesium was the more likely positive contributor to the benefits. This conclusion was supported by several case control studies as well as clinical studies. There were other possible health benefits that had been reported, but there was not sufficient data in hand to address those matters. The meeting also concluded that before making a Guidance determination, WHO should undertake a more detailed assessment of that hypothesis to include an examination of its biological plausibility. A follow-up symposium and meeting is being planned in 2006 to address that recommendation.

In respect to fluoride, the meeting concluded that optimal levels of fluoride intake from water are known to contribute beneficially to dental health. It also noted that higher intake levels can contribute to dental fluorosis, and much higher levels cause skeletal fluorosis. It concluded that a decision to remineralize demineralized water with fluoride would depend upon: the concentration of fluoride in the existing water supply, the volume of water consumed, the prevalence of risk factors for dental caries, oral hygiene practices and the level of public dental health awareness in the community, and the presence of alternative vehicles for dental care and fluoride available to the population.

ACKNOWLEDGEMENTS

WHO wishes to express its appreciation to Houssain Abouzaid, Coordinator, Healthy Environments, in the WHO Eastern Mediterranean Regional Office, for initiating the desalination guidance development process, and to Roger Aertgeerts, WHO European Regional Advisor for Water and Sanitation, and Helena Shkarubo of the WHO Rome office for hosting the meeting. Joseph Cotruvo, USA, and John Fawell, UK, organized the meeting. Professor Choon Nam Ong, Singapore, chaired the meeting. Gunther Craun, USA, contributed to the document editing and reviews of comments.

Specific thanks are due to the experts that participated in the WHO Workshop on 'Nutrient Minerals in Drinking Water', whose work was crucial to the development of this document: Rebecca Calderon, Gerald Combs, Gunther Craun, Jan Ekstrand, Floyd Frost, Ann Grandjean, Suzanne Harris, Frantisek Kozisek, Michael Lennon, Silvano Monarca, Manuel Olivares, Denis O'Mullane, Souleh Semalulu, Ion Shalaru and Erika Sievers.

WHO especially wishes to acknowledge the organizations that generously sponsored the meeting. These included: the International Life Sciences Institute (ILSI), the U.S. Environmental Protection Agency's Office of Science and Technology (Washington), and Office of Research and Development (Research Triangle Park, North Carolina), the American Water Works Association Research Foundation, the Center for Human Nutrition at the University of Nebraska Medical Center (Omaha), and Health Canada's Water Quality and Health Bureau (Ottawa, Ontario).