

## REFERENCES

- Åkerhielm H, Richert Stintzing A (2004). Anaerobically digested source separated food waste as a fertiliser in cereal production. In: *FAO international conference proceedings 2004. Network on Recycling of Agricultural, Municipal and Industrial Residues in Agriculture (RAMIRAN)*.
- Albrechtsen H-J (1998). *Water consumption in residences. Microbiological investigations of rain water and greywater reuse systems*. Copenhagen, Miljøstyrelsen och Boligministeriet (ISBN 87-985613-9-1).
- Anders W (1952). Worm infestation of school children in Berlin. *Gesundheitsdienst*, 14(2):285–286.
- Arfaa F, Ghadirian E (1977). Epidemiology and mass treatment of ascariasis in six rural communities in central Iran. *American Journal of Tropical Medicine and Hygiene*, 26:866–871.
- Armon R et al. (1994). Residual contamination of crops irrigated with effluent of different qualities: a field study. *Water Science and Technology*, 30(9):239–248.
- Armon R et al. (2002). Surface and subsurface irrigation with effluents of different qualities and presence of *Cryptosporidium* oocysts in soil and on crops. *Water Science and Technology*, 46(3):115–122.
- Arnbjerg-Nielsen K et al. (2004). *Risikovurdering af anvendelse af lokalt opsamlet fæces i private havebrug*. Project Report to Miljøstyrelsen, Copenhagen.
- Asano T, Levine AD (1996). Wastewater reclamation, recycling and reuse: past, present and future. *Water Science and Technology*, 33(10–11):1–14.
- Asano T et al. (1992). Evaluation of the California wastewater reclamation criteria using enteric virus monitoring data. *Water Science and Technology*, 26(7–8):1513–1524.
- Ashbolt NJ et al. (2006). Microbial risk assessment tool to aid in the selection of sustainable urban water systems. In: Beck MB, Speers A, eds. *Second IWA leading-edge conference on sustainability in water-limited environments*. London, IWA Publishing.
- Austin A (2001). Health aspects of ecological sanitation. In: *Proceedings of the 1st international conference on ecological sanitation, Nanning, China, 5–8 November*, pp. 104–111  
(<http://www.ias.unu.edu/proceedings/icibs/ecosan/austin.html>).
- Ayers R, Westcott D (1985). *Water quality for agriculture*. Rome, Food and Agriculture Organization of the United Nations (FAO Agriculture and Drainage Paper 29).
- Badawy AS, Rose JB, Gerba CP (1990). Comparative survival of enteric viruses and coliphage on sewage irrigated grass. *Journal of Environmental Science and Health, Part A, Toxic/Hazardous Substances and Environmental Engineering*, 25(8):937–952.
- Bartram J, Fewtrell L, Stenström T-A (2001). Harmonised assessment of risk and risk management for water-related infectious disease: an overview. In: Fewtrell L, Bartram J, eds. *Water quality: Guidelines, standards and health — Assessment of risk and risk management for water-related infectious disease*. London, IWA Publishing on behalf of the World Health Organization, pp. 1–16.
- Bastos RXX, Mara DD (1995). The bacteriological quality of salad crops drip and furrow irrigated with waste stabilization pond effluent: an evaluation of the WHO guidelines. *Water Science and Technology*, 31(12):425–430.
- Båth B (2003). [*Field trials using human urine as fertiliser to leeks.*] Uppsala, Department of Ecology and Plant Production Science, Swedish University of

- Bentz RR et al. (1975). The incidence of urine cultures positive for *Mycobacterium tuberculosis* in a general tuberculosis patient population. *American Review of Respiratory Diseases*, 111(5):647–650.
- Bertagial M et al. (2005). *Economic and environmental analysis of domestic water systems: a comparison of centralised and on-site options for the Walloon region, Belgium*(<http://216.239.59.104/search?q=cache:WXAeDga4KFgJ:www.mariecurie.org/swap>).
- Beuchat LR (1998). *Surface decontamination of fruits and vegetables eaten raw: a review*. Geneva, World Health Organization (Report No. WHO/FSF/FOS/98.2).
- Blum D, Feachem RG (1985). *Health aspects of nightsoil and sludge use in agriculture and aquaculture. Part III. An epidemiological perspective*. Zurich, International Reference Centre for Waste Disposal (IRCWD Report No. 05/85).
- Blumenthal U, Peasey A (2002). *Critical review of epidemiological evidence of the health effects of wastewater and excreta use in agriculture*. Unpublished document prepared for the World Health Organization by London School of Hygiene and Tropical Medicine, London (available upon request from WHO, Geneva).
- Blumenthal UJ et al. (2000). *Guidelines for wastewater reuse in agriculture and aquaculture: recommended revisions based on new research evidence*. London, Water and Environmental Health at London and Loughborough (WELL Study, Task No. 68 Part 1).
- Blumenthal UJ et al. (2001). The risk of enteric infections associated with wastewater reuse: the effect of season and degree of storage of wastewater. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 95:1–7.
- Blumenthal UJ et al. (2003). *Risk of enteric infections through consumption of vegetables with contaminated river water*. London, London School of Hygiene and Tropical Medicine.
- Bofill-Mas S, Pina S, Girones R (2000). Documenting the epidemic patterns of polyomaviruses in human populations by studying their presence in urban sewage. *Applied and Environmental Microbiology*, 6(1):238–245.
- Brackett RE (1987). Antimicrobial effect of chlorine on *Listeria monocytogenes*. *Journal of Food Protection*, 50:999–1003.
- Brandes M (1978). Characteristics of effluents from grey and black water septic tanks. *Journal of the Water Pollution Control Federation*, 50(11):2547–2559.
- Cairncross S (1992). *Sanitation and water supply: Practical lessons from the decade*. Washington, DC, The International Bank for Reconstruction and Development/The World Bank (Water and Sanitation Discussion Paper Series, DP No. 9; <http://www.wsp.org/publications/LessonsfromtheDecade.pdf>).
- Cardone R, Fonseca C (2003). *Financing and cost recovery*. Delft, IRC International Water and Sanitation Centre (Thematic Overview Paper) (<http://www.irc.nl/page/113>).
- Carlander A, Westrell T (1999). *A microbiological and sociological evaluation of urine-diverting double-vault latrines in Cam Dum, Vietnam*. Uppsala, Swedish University of Agricultural Sciences (Report No. 44).
- Carr R, Bartram J (2004). The Stockholm Framework for guidelines for microbial contaminants in drinking-water. In: Cotruvo J et al., eds. *Waterborne zoonoses: Identification, causes, and control*. London, IWA Publishing, on behalf of the World Health Organization.

- Carrique-Mas J et al. (2003). A Norwalk-like virus waterborne community outbreak in a Swedish village during peak holiday season. *Epidemiology and Infection*, 131(1):737–744.
- Casanova L, Gerba C, Karpiscak M. (2001). Chemical and microbiological characterization of graywater. *Journal of Environmental Science and Health*, 36(4):395–401.
- CDC (2003). *Leptospirosis*. Atlanta, GA, United States Department of Health and Human Services, Centers for Disease Control and Prevention ([http://www.cdc.gov/ncidod/dbmd/diseaseinfo/leptospirosis\\_t.htm](http://www.cdc.gov/ncidod/dbmd/diseaseinfo/leptospirosis_t.htm)).
- Chien BT et al. (2001). Biological study on retention time of microorganisms in faecal material in urine-diverting eco-san latrines in Vietnam. In: *Proceedings of the 1st international conference on ecological sanitation, Nanning, China, 5–8 November 2001*, pp. 120–124 (<http://www.ias.unu.edu/proceedings/icibs/ecosan/bui.html>).
- Chorus I, Bartram J, eds. (1999). *Toxic cyanobacteria in water*. Geneva, World Health Organization.
- Christova-Boal D, Eden RE, McFarlane S (1996). An investigation into greywater reuse for urban residential properties. *Desalination*, 106(1–3):391–397.
- Cifuentes E (1998). The epidemiology of enteric infections in agricultural communities exposed to wastewater irrigation: perspectives for risk control. *International Journal of Environmental Health Research*, 8:203–213.
- Cogan TA, Bloomfield SF, Humphrey TJ (1999). The effectiveness of hygiene procedures for prevention of cross-contamination from chicken carcasses in the domestic kitchen. *Letters in Applied Microbiology*, 29:354–358.
- Colley DG (1996). Widespread foodborne cyclosporiasis outbreaks present major challenges. *Emerging Infectious Diseases*, 9(4):426–431.
- Collins CH, Grange JM (1987). Zoonotic implication of *Mycobacterium bovis* infection. *Irish Veterinary Journal*, 41:363–366.
- Cordy G et al. (2003). Persistence of pharmaceuticals, pathogens, and other organic wastewater contaminants when wastewater is used for ground-water recharge. In: *Proceedings of the 3rd international conference on pharmaceuticals and endocrine disrupting chemicals in water, Minneapolis, Minnesota, 19–21 March*. Sponsored by the National Groundwater Association, Westerville, OH.
- Cotte L et al. (1999). Waterborne outbreaks of intestinal microsporidiosis in persons with and without human immunodeficiency virus infection. *Journal of Infectious Diseases*, 180:2003–2008.
- CREPA-Senegal (2002). *État des lieux de la gestion des boues de vidanges au Sénégal, rapport d'études*. Dakar, Centre Régional pour l'eau Potable et l'Assainissement a faible coût, 174 pp.
- Crites R, Tchobanoglous G (1998). *Small and decentralized wastewater management systems*. Boston, MA, McGraw-Hill.
- Curtis TP, Mara DD, Silva SA (1992). Influence of pH, oxygen and humic substances on ability of sunlight to damage fecal coliforms in waste stabilization pond water. *Applied and Environmental Microbiology*, 58(4):1335–1345.
- Curtis V, Kanki B (1998) *Happy, healthy and hygienic. Vol. 3. Motivating behaviour change*. New York, UNICEF (WES Technical Guidelines Series No. 5).
- Cutter SL (1993). *Living with risk: the geography of technological hazards*. London, Edward Arnold Ltd.
- Dailloux M et al. (1999). Water and nontuberculosis mycobacteria. *Water Research*, 33(10):2219–2228.
- Del Porto D, Steinfeld C (2000). *The composting toilet system book*, version 1.2 updated. Concord, MA, Center for Ecological Pollution Prevention, 235 pp.

- Department of Health (2002). *Draft guidelines for the reuse of greywater in Western Australia*. Prepared by the Department of Health, Government of Western Australia, in consultation with the Water Corporation and the Department of Environment, Water and Catchment Protection (<http://www.health.wa.gov.au/publications/documents/HP8122%20Greywater%20Reuse%20Draft%20Guidelines.pdf>).
- Dixon A, Butler D, Fewkes A (1999). Water saving potentials of domestic water reuse systems using greywater and rainwater in combination. *Water Science and Technology*, 39(5):25–32.
- Doller PC et al. (2002). Cyclosporiasis outbreak in Germany associated with the consumption of salad. *Emerging Infectious Diseases*, 8(9):992–994.
- Dowd SE et al. (2000). Bioaerosol transport modeling and risk assessment in relation to biosolid placement. *Journal of Environmental Quality*, 29(1):343–348.
- Drakatos P et al. (2002). Antagonistic action of Fe and Mn in Mediterranean-type plants irrigated with wastewater effluents following biological treatment. *International Journal of Environmental Studies*, 59(1):125–132.
- Drangert J (2004a). Requirements on sanitation systems — the flush toilet sets the standard for ecosan options. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 117–124.
- Drangert J (2004b). *Norms and attitudes towards ecosan and other sanitation systems*. Stockholm, Stockholm Environment Institute (EcoSanRes Publication Series, Report 2004-5).
- Drangert J (2006). *Ecological sanitation, urban agriculture and gender in periurban settlements. A comparative multidisciplinary study in Kampala, Uganda, and Kimberley, South Africa*. Stockholm, Sida Department for Research Cooperation (SAREC) / Swedish International Development Cooperation Agency (Sida) (Research Report).
- Drewes JE, Heberer T, Reddersen K (2002). Fate of pharmaceuticals during indirect potable reuse. *Water Science and Technology*, 46(3):73–80.
- EC (2000). *Working document on sludge*, 3rd draft. Brussels, European Communities.
- Echavarria M et al. (1998). PCR method for detection of adenovirus in urine of healthy and human immunodeficiency virus-infected individuals. *Journal of Clinical Microbiology*, 36(11):3323–3326.
- EcoSanRes (2005a). *Closing the loop on phosphorus*. Stockholm, Stockholm Environment Institute (EcoSanRes Fact Sheet 4).
- EcoSanRes (2005b). *China-Sweden Erdos Eco-town Project, Dong Sheng, Inner Mongolia, China* (<http://www.ecosanres.org/asia.htm>).
- Edwards P (1992). *Reuse of human wastes in aquaculture: A technical review*. Washington, DC, United Nations Development Programme, World Bank Water and Sanitation Program.
- Elledge MF (2003). *Thematic overview paper: Sanitation policies*. Delft, IRC International Water and Sanitation Centre (<http://www.irc.nl/page/3271>).
- Elledge MF et al. (2002). *Guidelines for the assessment of national sanitation policies*. Washington, DC, United States Agency for International Development, Environmental Health Project (Strategic Report 2; <http://www.schoolsanitation.org/Resources/Readings/SRSanPolFinal.pdf>).

- Eller G, Norin E, Stenström TA (1996). Aerobic thermophilic treatment of blackwater mixed with organic waste and liquid manure. Persistence of selected pathogens and indicator organisms. *Environmental Research Forum*, 5–6:355–358.
- Eriksson E et al. (2002). Characteristics of grey wastewater. *Urban Water*, 4:85–104.
- Esrey S (2001). Towards a recycling society: ecological sanitation — closing the loop to food security. *Water Science and Technology*, 43(4):177–187.
- Esrey S et al. (1998). *Ecological sanitation*. Stockholm, Swedish International Development Cooperation Agency.
- EU Reach Programme (2005). *REACH (Registration, Evaluation and Authorisation of Chemicals)*. Brussels, European Commission (<http://europa.eu.int/comm/environment/chemicals/reach.htm>).
- Evans B (2001). *Financing and cost recovery*. Sanitation Connection, An Environmental Sanitation Network (<http://www.sanicon.net/titles/topicintro.php3?topicId=13>).
- Fane SA, Ashbolt NJ, White SB (2002). Decentralised urban water reuse: the implications of system scale for cost and pathogen risk. *Water Science and Technology*, 46(6–7):281–288.
- FAO (1998). *The state of food and agriculture*. Rome, Food and Agriculture Organization of the United Nations.
- Faruqui NI, Biswas AK, Bino MJ, eds. (2001). *Water management in Islam*. Ottawa, Ontario, International Development Research Centre/United Nations University Press.
- Fattal B et al. (1986). Health risks associated with wastewater irrigation: An epidemiological study. *American Journal of Public Health*, 76(8):977–979.
- Feachem RG et al. (1983). *Sanitation and disease — Health aspects of excreta and wastewater management*. Chichester, John Wiley and Sons.
- Fernandez RG et al. (2004). Septage treatment using WSP. In: *Proceedings of the 9th international IWA specialist group conference on wetlands systems for water pollution control and the 6th international IWA specialist group conference on waste stabilization ponds, Avignon, France, 27 September – 1 October* (<http://www.sandec.ch/FaecalSludge/Documents/Septage%20treatment%20in%20WSP.pdf>).
- Fewtrell L, Bartram J, eds. (2001). *Water quality: Guidelines, standards and health — Assessment of risk and risk management for water-related infectious disease*. London, IWA Publishing on behalf of the World Health Organization.
- Foster S et al. (2004). *Urban wastewater as groundwater recharge evaluating and managing the risks and benefits*. Washington, DC, The World Bank (Briefing Note 12).
- Franceys R, Pickford J, Reed R (1992). *A guide to the development of on-site sanitation*. Geneva, World Health Organization.
- Franzén H, Skott F (1999). *A study of the use and functioning of urine-diverting dry toilets in Cuernavaca, Mexico — Virus survival, user attitudes and behaviours*. Uppsala, Swedish University of Agricultural Sciences, International Office (Report No. 85).
- Fraústo da Silva JJR, Williams RJP (1997). *The biological chemistry of the elements — The inorganic chemistry of life*. Oxford, Oxford University Press.
- Frost JA et al. (1995). An outbreak of *Shigella sonnei* infection associated with consumption of iceberg lettuce. *Emerging Infectious Diseases*, 1:26–29.
- Gantzer C et al. (2001). Monitoring of bacterial and parasitological contamination during various treatment of sludge. *Water Research*, 35(16):3763–3770.

- Gao XZ et al. (2002). [Practical manure handbook.] Beijing, Chinese Agriculture Publishing House (in Chinese).
- Geldreich EE (1978). Bacterial populations and indicator concepts in feces, sewage, stormwater and solid wastes. In: Berg G, ed. *Indicators of viruses in waters*. Ann Arbor, MI, Ann Arbor Science Publishers.
- Gerba CP et al. (1995). Water quality study of greywater treatment system. *Water Resources Bulletin*, 31(1):109–116.
- Gerba CP et al. (1996) Waterborne rotavirus: a risk assessment. *Water Research*, 30(12):2929–2940.
- Gittinger JP (1982). *Economic analysis of agricultural projects*. Baltimore, MD, Johns Hopkins University Press.
- Graham DY et al. (1994). Norwalk virus infection of volunteers: new insight based on improved assays. *Journal of Infectious Diseases*, 170(1):34–43.
- Grange JM, Yates MD (1992). Survey of mycobacteria isolated from urine and the genitourinary tract in south-east England from 1980 to 1989. *British Journal of Urology*, 69:640–646.
- Grimason AM et al. (1993). Occurrence and removal of *Cryptosporidium* spp oocysts and *Giardia* spp cysts in Kenyan waste stabilization ponds. *Water Science and Technology*, 27(3–4):97–104.
- GTZ (2003). *An ecosan resource book for the preparation and implementation of ecological sanitation projects*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) (<http://www.gtz.de/de/dokumente/en-ecosan-source-book-2005.pdf>).
- Gunther F (2000). Wastewater treatment by greywater separation: Outline for a biologically based greywater purification plant in Sweden. *Ecological Engineering*, 15:139–146.
- Guzha E, Musara C (2004). Assessment of community knowledge, attitudes, practice, behaviour and acceptance of ecological sanitation in peri-urban areas of Harare. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 197–202.
- GWP (2000). *Integrated water resources management*. Stockholm, Global Water Partnership (Technical Advisory Committee Background Paper No. 4).
- Haas CN, Rose JB, Gerba CP (1999). *Quantitative microbial risk assessment*. New York, John Wiley and Sons.
- Hamdy EI (1970). Urine as an *Ascaris lumbricoides* ovicide. *Journal of the Egyptian Medical Association*, 53:261–264.
- Hanselman TA, Graetz DA, Wilkie AC (2003). Manure-borne estrogens as potential environmental contaminants: a review. *Environmental Science and Technology* 37(24):5471–5478.
- Hardy ME (1999). Norwalk and “Norwalk-like viruses” in epidemic gastroenteritis. *Clinics in Laboratory Medicine*, 19(3):675–690.
- Harmsen H (1953). Faecal fertilization of vegetables as a health risk for intestinal parasitism, the spread of intestinal disease polio, and epidemic hepatitis. *Munchener Medizinische Wochenschrift*, 95:1301 [cited by Kreuz, 1955].
- Haug RT (1993). *The practical handbook of compost engineering*. Boca Raton, FL, Lewis Publishers.

- Havelaar AH, Melse JM (2003). *Quantifying public health risk in the WHO guidelines for drinking-water quality: a burden of disease approach*. Bilthoven, National Institute for Public Health and the Environment (RIVM).
- Havelaar AH, de Wit MAS, van Koningsveld R (2000). Health burden in the Netherlands (1900–1995) due to infections with thermophilic *Campylobacter* species. Bilthoven, National Institute for Public Health and the Environment (RIVM).
- Hazeleger WC et al. (1998). Physiological activity of *Campylobacter jejuni* far below the minimal growth temperature. *Applied and Environmental Microbiology*, 64(10):3917–3922.
- Heberer T (2002) Occurrence, fate and removal of pharmaceutical residues in the aquatic environment: a review of recent research data. *Toxicology Letters*, 131(1–2):5–17.
- Heberer T, Schmidt-Bäumler K, Stan H-J (1998). Occurrence and distribution of organic contaminants in the aquatic system in Berlin. Part I: Drug residues and other polar contaminants in Berlin surface and groundwater. *Acta Hydrochimica et Hydrobiologica*, 26(5):272–278.
- Heinss U, Larmie SA, Strauss M (1998). *Solids separation and pond systems for the treatment of faecal sludges in the tropics: Lessons learned and recommendations for preliminary design*, 2nd ed. Duebendorf, Swiss Federal Institute for Environmental Science and Technology (EAWAG) / Department of Water and Sanitation in Developing Countries (SANDEC) (SANDEC Report No. 05/98; [http://www.sandec.ch/FaecalSludge/Documents/Solids\\_sep\\_and\\_pond\\_treatm\\_98.pdf](http://www.sandec.ch/FaecalSludge/Documents/Solids_sep_and_pond_treatm_98.pdf)).
- Heistad A, Jenssen P, Frydenlund A (2001). A new combined distribution and pretreatment unit for wastewater soil infiltration systems. Mancl IK, ed. *Onsite wastewater treatment*. In: *Proceedings of the 9th international conference on individual and small community sewage systems*. St. Joseph, MI, American Society of Agricultural Engineers, pp. 200–206.
- Hinrichsen D, Robey B, Upadhyay UD (1998). *Solutions for a water-short world*. Baltimore, MD, Johns Hopkins University, School of Public Health, Population Information Program, September (Population Reports, Series M, No. 14; <http://www.infoforhealth.org/pr/m14edsum.shtml>).
- Höglund C (2001). *Evaluation of microbial health risks associated with the reuse of source-separated human urine* [PhD thesis]. Stockholm, Royal Institute of Technology, Department of Biotechnology (ISBN 91-7283-039-5; <http://www.lib.kth.se/Sammanfattningar/hoglund010223.pdf>).
- Höglund CE, Stenström TA (1999). Survival of *Cryptosporidium parvum* oocysts in source separated human urine. *Canadian Journal of Microbiology*, 45(9):740–746.
- Höglund C, Ashbolt N, Stenström TA (2002). Microbial risk assessment of source-separated urine used in agriculture. *Waste Management & Research: the Journal of the International Solid Wastes and Public Cleansing Association (ISWA)*, 20:150–161.
- Holden R, Terreblanche R, Muller M (2004). Factors which have influenced the acceptance of ecosan in South Africa and development of a marketing strategy. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 167–174.

- Huitema H (1969). The eradication of bovine tuberculosis in cattle in the Netherlands and the significance of man as a source of infection for cattle. *Selected Papers of the Royal Netherlands Tuberculosis Association*, 12:62–67.
- Hukkinen J (1999). *Institutions of environmental management: constructing mental models and sustainability*. Routledge/EUI Environmental Policy Series.
- Humphries DL et al. (1997). The use of human faeces as fertilizer is associated with increased intensity of hookworm infection in Vietnamese women. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 91:518–520.
- Hutton G, Haller L (2004). *Evaluation of the costs and benefits of water and sanitation improvements at the global level*. Geneva, World Health Organization.
- Ijaz MK et al. (1994). Studies on the survival of aerosolised bovine rotavirus (UK) and a murine rotavirus. *Comparative Immunology, Microbiology and Infectious Diseases*, 17(2):91–98.
- Ingallinella AM et al. (2002). The challenge of faecal sludge management in urban areas — strategies, regulations and treatment options. *Water Science and Technology*, 46(10):285–294.
- Ishikawa T. (1998). Nightsoil in Edo: Ingenious recycling of human waste. *Rivers and Japan*, No. 13, October. Tokyo, Ministry of Construction.
- Jawetz E, Melnick JL, Adelberg EA (1987). *Review of medical microbiology*, 17th ed. East Norwalk, CT, Appleton & Lange.
- Jenkins MB, Bowman DD, Ghiorse WC (1998). Inactivation of *Cryptosporidium parvum* oocysts by ammonia. *Applied and Environmental Microbiology*, 64(2):784–788.
- Jenkins MB et al. (2002). *Cryptosporidium parvum* oocyst inactivation in three soil types at various temperatures and water potentials. *Soil Biology and Biochemistry*, 34(8):1101–1109.
- Jenssen PD (2001). Design and performance of ecological sanitation systems. In: *Proceedings of the 1st international conference on ecological sanitation, Nanning, China, 5–8 November 2001*, pp. 120–124 (<http://www.ias.unu.edu/proceedings/icibs/ecosan/jenssen.html>).
- Jenssen PD, Siegrist RL (1990). Technology assessment of wastewater treatment by soil infiltration systems. *Water Science and Technology*, 22(3/4):83–92.
- Jenssen PD, Siegrist RL (1991). Integrated loading rate determinations for wastewater infiltration systems sizing. On-site wastewater treatment. In: *Proceedings of the 6th symposium on individual and small community sewage systems, 16–17 December 1991, Chicago, IL*. St. Joseph, MI, American Society of Agricultural Engineers, pp. 182–191 (ASAE Publication 10-91).
- Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 875–881.
- Jenssen PD et al. (2004). *Ecological sanitation and reuse of wastewater (ecosan) — a thinkpiece on ecological sanitation*. Report to the Norwegian Ministry of Environment. 18 pp.
- Jenssen PD et al. (2005). An urban ecological sanitation pilot study in humid tropical climate. In: *Proceedings of the 3rd international ecological sanitation conference, Durban, South Africa, 23–27 May 2005*. EcoSanRes, pp. 257–265 ([http://conference2005.ecosan.org/papers\\_presented.html](http://conference2005.ecosan.org/papers_presented.html)).
- Jeppesen B (1996). Domestic greywater re-use: Australia's challenge for the future. *Desalination*, 106(1–3):311–315.

- Jeppesen B (1996). Domestic greywater re-use: Australia's challenge for the future. *Desalination*, 106(1-3):311-315.
- Johansson M et al. (2001). *Urine separation — closing the nutrient cycle*. Stockholm, Stockholm Water Company ([http://www.stockholmwater.se/pdf\\_arkiv/english/Urinese\\_eng.pdf](http://www.stockholmwater.se/pdf_arkiv/english/Urinese_eng.pdf)).
- Johansson M, Kvarnström E (2005). *A review of sanitation regulatory frameworks*. Stockholm, Stockholm Environment Institute (EcoSanRes Publication Series 2005-1).
- Jönsson H, Vinnerås B (2004). Adapting the nutrient content of urine and faeces in different countries using FAO and Swedish data. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7-11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 623-626.
- Jönsson H et al. (1999). [Source separation of urine.] *Wasser & Boden*, 51(11):21-25 (in German).
- Jönsson H et al. (2000). [Recycling source separated human urine.] Stockholm, Swedish Municipalities Sewage Research Program (VA-FORSK) / VAV (VA-FORSK Report 2000•1) (in Swedish with English summary).
- Jönsson H et al. (2005). Ecosan both economical and eco-sane. *Water*, 21 (International Water Association's monthly magazine), June, p. 15.
- Kapperud G et al. (1995). Outbreak of *Shigella sonnei* infection traced to imported iceberg lettuce. *Journal of Clinical Microbiology*, 33(3):609-614.
- Katzenelson E, Buium I, Shuval HI (1976). Risk of communicable disease infection associated with wastewater irrigation in agricultural settlements. *Science*, 194:944-946.
- Kay D et al. (1994). Predicting likelihood of gastroenteritis from sea bathing: results from randomised exposure. *Lancet*, 344(4927):905-909.
- Kincaid D, Solomon K, Oliphant J (1996). Drop size distributions for irrigation sprinklers. *Transactions of the ASAE*, 39(3):839-845.
- Kirchmann H, Petterson S (1995). Human urine — chemical composition and fertilizer efficiency. *Fertilizer Research*, 40:149-154.
- Kitamura T et al. (1994). Transmission of the human polyomavirus JC virus occurs both within the family and outside the family. *Journal of Clinical Microbiology*, 32(10):2359-2363.
- Knutsson M, Kidd-Ljunggren K (2000). Urine from chronic hepatitis B virus carriers: Implications for infectivity. *Journal of Medical Virology*, 60(1):17-20.
- Kochar V (1979). *Culture-parasite relationship: socio-behavioural regulations of hookworm transmission in a rural West Bengal region*. Varanasi, Banaras Hindu University (Studies in Medical Social Science, No. 1).
- Kolsky P, Diop O (2004). *Frameworks for upscaling sustainable sanitation: Issues, principles and experience*. Presentation given at Sustainable Sanitation Seminar, Stockholm Water Week, 15 August 2004.
- Koné D, Strauss M (2004). Low cost options for treating faecal sludges (FS) in developing countries — challenges and performance. In: *Proceedings of the 9th international IWA specialist group conference on wetlands systems for water pollution control and the 6th international IWA specialist group conference on waste stabilization ponds, Avignon, France, 27 September – 1 October* ([http://www.sandec.ch/FaecalSludge/Documents/FS\\_treatment\\_Avignon\\_2004.pdf](http://www.sandec.ch/FaecalSludge/Documents/FS_treatment_Avignon_2004.pdf)).

- Koné D et al. (2004). Efficiency of helminth eggs removal in dewatered faecal sludge by co-composting. In: *People-centred approaches to water and environmental sanitation, Proceedings of the 30th WEDC international conference, Vientiane, Lao People's Democratic Republic, 25–29 October 2004*. Leicestershire, Loughborough University, Water, Engineering and Development Centre.
- Koottatep T et al. (2004). Treatment of septage in constructed wetlands in tropical climate — Lessons learnt after seven years of operation. In: *Proceedings of the 9th international IWA specialist group conference on wetlands systems for water pollution control and the 6th international IWA specialist group conference on waste stabilization ponds, Avignon, France, 27 September – 1 October* ([http://www.sandec.ch/FaecalSludge/Documents/Paper\\_7years%20experience%20revised.pdf](http://www.sandec.ch/FaecalSludge/Documents/Paper_7years%20experience%20revised.pdf)).
- Kosek M, Bern C, Guerrant RL (2003). The global burden of diarrhoeal disease, as estimated from studies published between 1992 and 2000. *Bulletin of the World Health Organization*, 81(3):197–204.
- Kowal NE (1985). *Health effects of land application of municipal sludge*. Research Triangle Park, NC, United States Environmental Protection Agency, Health Effects Research Laboratory (Publication No. EPA/600/1-85/015) [cited in USEPA (1999). *Environmental regulations and technology — Control of pathogens and vector attraction in sewage sludge*. Cincinnati, OH, United States Environmental Protection Agency (EPA/625/R-92-013).]
- Kozai I (1962). Re-estimation of sodium nitrate as an ovicide used in nightsoil. IV. On the field trial with Na-nitrite-Ca-superphosphate mixture and the effect of its application upon *Ascaris* and hookworm infection among people in treated rural areas of Saitama prefecture. *Japanese Journal of Parasitology*, 11:400–410.
- Kreuz A (1955). Hygienic observations on agricultural use of sewage. *Gesundheits-Ingenieur*, 76:206–211.
- Kristiansen R, Skaarer N (1979). [Amount and composition of greywater.] *Vann*, 2:151–156 (Official Journal of the Norwegian Water and Wastewater Association) (in Norwegian).
- Kunitake T et al. (1995). Parent-to-child transmission is relatively common in the spread of human polyoma JC virus. *Journal of Clinical Microbiology*, 33(6):1448–1451.
- Kutsumi H (1969). Epidemiological study of the preventive effect of thiabendazole as an ovicide against human hookworm, *Trichuris* and *Ascaris* infections. *Japanese Journal of Medical Science and Biology*, 22:51–64.
- Kvarnström E et al. (2004). Sustainability criteria in sanitation planning. In: *People-centred approaches to water and environmental sanitation, Proceedings of the 30th WEDC international conference, Vientiane, Lao People's Democratic Republic, 25–29 October 2004*. Leicestershire, Loughborough University, Water, Engineering and Development Centre.
- Lan Y et al. (2001). Observation on the inactivation effect on eggs of *Ascaris suum* in urine diverting toilets. In: *Proceedings of the 1st international conference on ecological sanitation, Nanning, China, 5–8 November*, p. 125 (<http://www.ias.unu.edu/proceedings/icibs/ecosan/yang2.html>).
- Lang MM, Harris LJ, Beuchat LR (2004). Survival and recovery of *Escherichia coli* O157:H7, *Salmonella*, and *Listeria monocytogenes* on lettuce and parsley as affected by method of inoculation, time between inoculation and analysis, and treatment with chlorinated water. *Journal of Food Protection*, 67:1092–1103.

- Larsen PB (1998). [Allowable pollution loads for contaminated soils.] Copenhagen, Danish Environmental Protection Agency (Miljöprojekt 425; ISBN 87-7909-068-0) (in Danish).
- Leeming R, Nichols PD, Ashbolt NJ (1998). *Distinguishing sources of faecal pollution in Australian inland and coastal waters using sterol biomarkers and microbial faecal indicators*. Melbourne, Urban Water Research Association of Australia (Report No. 204).
- Lemon SM (1997). Type A viral hepatitis: epidemiology, diagnosis and prevention. *Clinical Chemistry*, 43(8 Part 2):1494–1499.
- Lens P, Zeeman G, Lettinga G (2001). *Decentralised sanitation and reuse: Concepts, systems and implementation*. London, IWA Publishing, pp. 355–363.
- Lentner C, Lentner C, Wink A (1981). *Units of measurement, body fluids, composition of the body, nutrition. Geigy scientific tables*. Basel, Ciba-Geigy.
- Li Z et al. (2004). High quality greywater recycling with biological treatment and 2-step membrane filtration. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 555–557.
- Lindgren S, Grette S (1998). [Water and sewerage system in Ekoporten, Norrköping.] Stockholm, SABO Utveckling (Trycksak 13303/1998-06.500) (in Swedish).
- Lipton M (1983). *Poverty, under-nutrition and hunger*. Washington, DC, World Bank, World Bank Staff Working Papers.
- Mansell J, Drewes J, Rauch T (2004). Removal mechanisms of endocrine disrupting compounds (steroids) during soil aquifer treatment. *Water Science and Technology*, 50(2):229–237.
- Manville D et al. (2001). Significance of indicator bacteria in a regionalized wastewater treatment plant and receiving waters. *International Journal of Environmental Pollution*, 15(4):461–466.
- Mara DD (1978). *Sewage treatment in hot climates*. Chichester, John Wiley & Sons.
- Mara DD (2004). *Domestic wastewater treatment in developing countries*. London, Earthscan Publications.
- Mara DD, Silva SA (1986). Removal of intestinal nematode eggs in tropical waste stabilization ponds. *Journal of Tropical Medicine and Hygiene*, 89(2):71–74.
- Marschner H (1997). *Mineral nutrition of higher plants*, 2nd ed. London, Academic Press.
- Marshall MM et al. (1997). Waterborne protozoan pathogens. *Clinical Microbiology Reviews*, 10(1):67–85.
- Matthias A (1996). Atmospheric pollution. In: Pepper IL et al., eds. *Pollution science*. San Diego, CA, Academic Press.
- Maxwell D, Levin C, Csete J (1998) *Does urban agriculture help prevent malnutrition: evidence from Kampala*. Washington, DC, International Food Policy and Research Institute, Food Consumption and Nutrition Division (Paper No. 45).
- Mead PS et al. (1999). Food related illness in the United States. *Emerging Infectious Diseases*, 5(5):607–625.
- Medema GJ, Bahar M, Schets FM (1997). Survival of *Cryptosporidium parvum*, *Escherichia coli*, faecal enterococci and *Clostridium perfringens* in river water: influence of temperature and autochthonous microorganisms. *Water Science and Technology*, 35(11–12):249–252.

- Mehta M, Knapp A (2004). *The challenge of financing sanitation for meeting the Millennium Development Goals*. Washington, DC, Water and Sanitation Programme, African Region, 32 pp.  
([http://www.wsp.org/publications/af\\_finsan\\_mdg.pdf](http://www.wsp.org/publications/af_finsan_mdg.pdf)).
- Meinhardt PL, Casemore DP, Miller KB (1996). Epidemiologic aspects of human cryptosporidiosis and the role of waterborne transmission. *Epidemiologic Reviews*, 18(2):118–136.
- Michel P et al. (2000). Estimation of the underreporting rate for the surveillance of *Escherichia coli* O157:H7 cases in Ontario, Canada. *Epidemiology and Infection*, 125:35–45.
- Mills RA, Asano T (1998). Planning and analysis of wastewater reuse projects. In: Asano T, ed. *Wastewater reclamation and reuse*. Lancaster, PA, Technomic Publishing Company, pp. 57–111.
- Moe C, Izurieta R (2004). Longitudinal study of double vault urine diverting toilets and solar toilets in El Salvador. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 295–302.
- Mohr AJ (1991). Development of models to explain the survival of viruses and bacteria in aerosols. In: Hurst CJ, ed. *Modeling the environmental fate of microorganisms*. Washington, DC, American Society for Microbiology, pp. 160–190.
- Montangero A, Nguyen T, Belevi H (2004). Material flow analysis as a tool for environmental sanitation planning in Viet Tri, Vietnam. In: *People-centred approaches to water and environmental sanitation, Proceedings of the 30th WEDC international conference, Vientiane, Lao People's Democratic Republic, 25–29 October 2004*. Leicestershire, Loughborough University, Water, Engineering and Development Centre.
- Morgan P (2003). *Experiments using urine and humus derived from ecological toilets as a source of nutrients for growing crops*. Paper presented at the 3rd World Water Forum, 16–23 March 2003 (<http://aquamor.tripod.com/KYOTO.htm>).
- Morgan P (2004). *An ecological approach to sanitation in Africa: A compilation of experiences* (EcoSanRes Fact Sheet 12; [http://www.ecosanres.org/PDF%20files/Fact\\_sheets/ESR12lowres.pdf](http://www.ecosanres.org/PDF%20files/Fact_sheets/ESR12lowres.pdf)).
- Morgan P (2005). *An ecological approach to sanitation in Africa*. Harare, Aquamore.
- Morken J (1998). Direct ground injection — a novel method of slurry injection. *Landwards*, winter:4–7.
- Mufson MA, Belshe RB (1976). A review of adenovirus in the etiology of acute hemorrhagic cystitis. *Journal of Urology*, 115(2):191–194.
- Murray CJL, Acharya AK (1997). Understanding DALYs. *Journal of Health Economics*, 16:703–730.
- Murray CJL, Lopez AD, eds. (1996). *The global burden of disease. Vol. 1*. Cambridge, MA, Harvard School of Public Health on behalf of the World Health Organization and the World Bank.
- Naturvårdsverket (1995). [*What does household wastewater contain? Nutrients and metals in urine, faeces and dish-, laundry and showerwater.*] Stockholm, Swedish Environmental Protection Agency (Report No. 4425) (in Swedish).
- Needham C et al. (1998). Epidemiology of soil-transmitted nematode infections in Ha Nam Province, Vietnam. *Tropical Medicine and International Health*, 3:904–912.

- Nolde E (1999). Greywater reuse systems for toilet flushing in multi-storey buildings — over ten years experience in Berlin. *Urban Water*, 1:275–284.
- Norin E, Stenström TA, Albiñ A (1996). [Stabilisation and disinfection of blackwater and organic waste by liquid composting.] *Vatten*, 52:3 (in Swedish).
- North DC (1990). *Institutions, institutional change and economic performance*. Cambridge, Cambridge University Press.
- NRMMC, EPHCA (2005). *National guidelines for water recycling: managing health and environmental risks*. Canberra, Natural Resource Management Ministerial Council and Environment Protection and Heritage Council of Australia.
- Ollinger-Snyder P, Matthews ME (1996). Food safety: Review and implications for dietitians and dietetic technicians. *Journal of the American Dietetic Association*, 96:163–168, 171.
- Olsson Engvall E, Gustavsson O (2001). [Leptospirosis.] In: Källenius G, Svenson SB, eds. [Zoonoses.] Lund, Studentlitteratur (in Swedish).
- Oragui JI et al. (1987). Removal of excreted bacteria and viruses in deep waste stabilization ponds in northeast Brazil. *Water Science and Technology*, 19:569–573.
- Otterpohl R (2002). Options for alternative types of sewerage and treatment systems directed to the overall performance. *Water Science and Technology*, 45(3):149–158.
- Ottosson J (2003). *Hygiene aspects of greywater and greywater reuse* [Licentiate thesis]. Stockholm, Royal Institute of Technology, Department of Land and Water Resources Engineering.
- Ottosson J, Stenström TA (2003a). Faecal contamination of greywater and associated microbial risks. *Water Research*, 37(3):645–655.
- Ottosson J, Stenström TA (2003b). Growth and reduction of microorganisms in sediments collected from a greywater treatment system. *Letters in Applied Microbiology*, 36(3):168–172.
- Pahren HR et al. (1979). Health risks associated with land application of municipal sludge. *Journal of the Water Pollution Control Federation*, 51(11):2588–2601.
- Palmquist H (2004). *Hazardous substances in wastewater management* [PhD Thesis]. Dr. Scient. Theses 2004:47. Luleå, Luleå University of Technology (ISSN:1402-1544).
- Panesar A, Lange J (2001). *Innovative sanitation concept shows way towards sustainable urban development — experiences from the model project “Wohnen & Arbeiten” in Freiburg, Germany* (<http://www.gtz.de/ecosan/download/Freiburg-Vauban-Apanesar.pdf>).
- Peasey A (2000). *Health aspects of dry sanitation with waste reuse*. Loughborough and London, Water and Environmental Health at London and Loughborough, London School of Hygiene and Tropical Medicine, Water, Engineering and Development Centre (WELL Studies in Water and Environmental Health Task No. 324; <http://www.lboro.ac.uk/well/resources/well-studies/full-reports-pdf/task0324.pdf>).
- Pesaro F, Sorg I, Metzler A (1995). *In situ* inactivation of animal viruses and a coliphage in nonaerated liquid and semiliquid animal wastes. *Applied and Environmental Microbiology*, 61(1):92–97.
- Petterson SR, Ashbolt NJ (2003). *WHO guidelines for the safe use of wastewater and excreta in agriculture: microbial risk assessment section*. Geneva, World Health Organization (unpublished document, available on request from WHO, Geneva).

- Petterson SR, Ashbolt NJ, Sharma A (2001). Microbial risks from wastewater irrigation of salad crops: a screening-level risk assessment. *Water Environment Research*, 72(6):667–672; Errata: *Water Environment Research*, 74(4):411.
- Petterson SR, Teunis PFM, Ashbolt NJ (2001). Modeling virus inactivation on salad crops using microbial count data. *Risk Analysis*, 21:1097–1108.
- Phi D et al. (2004). *Study on the survival of Ascaris suum eggs in faecal matter inside the ecosan toilets built in Dan Phuong – Lam Ha – Lam Dong – Vietnam*. Nha Trang Pasteur Institute, University of Kyoto, NIPPON International Cooperation for Community Development Organisation (NICCO).
- Porter A (1938). The larval Trematoda found in certain South African Mollusca with special reference to schistosomiasis (bilharziasis). *Publications of the South African Institute for Medical Research*, 8:1–492 [cited in Feachem et al., 1983].
- Prüss A, Havelaar A (2001). The global burden of disease study and applications in water, sanitation, and hygiene. In: Fewtrell L, Bartram J, eds. *Water quality: Guidelines, standards and health – Assessment of risk and risk management for water-related infectious disease*. London, IWA Publishing on behalf of the World Health Organization, pp. 43–59.
- Rasmussen G, Jenssen PD, Westlie L (1996). Graywater treatment options. In: Staudenmann J, Schönborn A, Etnier C, eds. *Recycling the resource, Proceedings of the 2nd international conference on ecological engineering for wastewater treatment, Waedenswil, Switzerland, 18–22 September 1995*, pp. 215–220 (Environmental Research Forum Vols. 5–6).
- Rice AL et al. (2000). Malnutrition as an underlying cause of childhood deaths associated with infectious diseases in developing countries. *Bulletin of the World Health Organization*, 78:1207–1221.
- Ridderstolpe P (2004). *Introduction to greywater management*. Stockholm, Stockholm Environment Institute, EcoSanRes (EcoSanRes Publications Series, Report 2004-4; <http://www.ecosanres.org/PDF%20files/ESR%20Publications%202004/ESR4%20web.pdf>).
- Robertson LJ, Campbell AT, Smith HV (1992). Survival of *Cryptosporidium parvum* oocysts under various environmental pressures. *Applied and Environmental Microbiology*, 58(11):3494–3500.
- Rodhe L, Richert Stintzing A, Steineck S (2004). Ammonia emissions after application of human urine to clay soil for barley growth. *Nutrient Cycling in Agroecosystems*, 68:191–198.
- Rogerson CM (1996). Willingness to pay for water: The international debates. *Water SA*, 22(4):373–380.
- Romig RR (1990). The effect of temperature and deposition in reservoir sediments or water on the viability of cultured *Giardia intestinalis* cysts, as determined by fluorogenic dyes. *Dissertation Abstracts International Part B – Science and Engineering*, 51(1):82–88.
- Rose JB et al. (1991). Microbial quality and persistence of enteric pathogens in graywater from various household sources. *Water Research*, 25(1):37–42.
- Roseberry AM, Burmaster DE (1992). Lognormal distribution for water intake by children and adults. *Risk Analysis*, 12(1):99–104.
- Rosemarin A (2004). In a fix: The precarious geopolitics of phosphorous. *Down to Earth*, 30 June:27–31 ([http://www.sei.se/dload/2004/Rosemarin\\_NP.pdf](http://www.sei.se/dload/2004/Rosemarin_NP.pdf)).
- Samanta BB, van Wijk CA (1998). Criteria for successful sanitation programmes in low income countries. *Health Policy and Planning*, 13(1):78–86.

- Schönning C, Leeming R, Stenström TA (2002). Faecal contamination of source-separated human urine based on the content of faecal sterols. *Water Research*, 36(8):1965–1972.
- Schönning C et al. (2006). Microbial risk assessment of local handling and use of human faeces. *Journal of Water and Health* (in press).
- Seppälä O (2002). Effective water and sanitation policy reform implementation: need for systematic approach and stakeholder participation. *Water Policy*, 4:367–388.
- Sharpley AN (1995). Soil phosphorus dynamics: Agronomic and environmental impacts. *Ecological Engineering*, 5:261–279.
- Shields AF et al. (1985). Adenovirus infections in patients undergoing bone-marrow transplantation. *New England Journal of Medicine*, 312(9):529–533.
- Shrestha RR, Haberl R, Laber J (2001). Constructed wetland technology transfer to Nepal. *Water Science and Technology*, 43(11):345–350.
- Shuval HI (1991). Effects of wastewater irrigation of pastures on the health of farm animals and humans. *Revue Scientifique et Technique*, 10(3):847–866.
- Shuval HI, Lampert Y, Fattal B (1997). Development of a risk assessment approach for evaluating wastewater reuse standards for agriculture. *Water Science and Technology*, 35(11–12):15–20.
- Sidhu J et al. (2001). Role of indigenous microorganisms in suppression of *Salmonella* regrowth in composted biosolids. *Water Research*, 35(4):913–920.
- Siegrist RL, Boyle WC (1981). Onsite reclamation of residential greywater, In: *Proceedings of the 3rd national symposium on individual and small community sewage treatment, 14–15 December, Chicago, IL*. St. Joseph, MI, American Society of Agricultural Engineers, pp. 176–186 (Publication 1-82).
- Siegrist RL, Tyler EJ, Jenssen PD (2000). *Design and performance of onsite wastewater soil absorption systems*. Prepared for National Research Needs Conference, Risk-Based Decision Making for Onsite Wastewater Treatment, St. Louis, Missouri, 19–20 May 2000. Sponsored by United States Environmental Protection Agency, Electric Power Research Institute's Community
- Skjelhaugen OJ (1999). Closed system for local reuse of blackwater and food waste, integrated with agriculture. *Water Science and Technology*, 5:161–168.
- Smit J (2000). Urban agriculture and biodiversity. *Urban Agriculture Magazine*, 1(1):11–12.
- Smit J, Ratta A, Nasr J (1996). *Urban agriculture, food, jobs, and sustainable cities*. New York, United Nations Development Programme.
- Snowdon JA, Cliver DO, Converse JC (1989). Land disposal of mixed human and animal wastes: A review. *Waste Management and Research* 7:121–134.
- Solomon EB, Yaron S, Matthews KR (2002). Transmission of *Escherichia coli* O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization. *Applied and Environmental Microbiology*, 68(1):397–400.
- Squire L, van der Tak HG (1975). *Economic analysis of projects*. Baltimore, MD, Johns Hopkins University Press.
- Srikanth R, Naik D (2004). Prevalence of giardiasis due to wastewater reuse for agriculture in the suburbs of Asmara City, Eritrea. *International Journal of Environmental Health Research*, 14(1):43–52.
- Stevik TK (1998). *Retention and elimination of pathogenic bacteria percolating through biological filters. Effect of physical, chemical and microbiological factors*. PhD thesis, NLH, Ås, Norway

- Stevik TK et al. (1998). Removal of *E. coli* during intermittent filtration of wastewater effluent as affected by dosing rate and media type. *Water Research*, 33(9):2088–2098.
- Stevik TK et al. (1999). The influence of physical and chemical factors on the transport of *E. coli* through biological filters for wastewater purification. *Water Research*, 33(18):3701–3706.
- Stine SW et al. (2005). Application of microbial risk assessment to the development of standards for enteric pathogens in water used to irrigate fresh produce. *Journal of Food Protection*, 68(5):913–918.
- Stott R et al. (1994). *An experimental evaluation of potential risks to human health from parasitic nematodes in wastewaters treated in waste stabilization ponds and used for crop irrigation*. Leeds, University of Leeds, Department of Civil Engineering, Tropical Public Health Engineering (TPHE Research Monograph No. 6).
- Strauss M (1985). Health aspects of nightsoil and sludge use in agriculture and aquaculture — Part II: Survival of excreted pathogens in excreta and faecal sludges. *IRCWD News*, 23:4–9. Duebendorf, Swiss Federal Institute for Environmental Science and Technology (EAWAG) / Department of Water and Sanitation in Developing Countries (SANDEC).
- Strauss M (1996). Health (pathogen) considerations regarding the use of human waste in aquaculture. In: Staudenmann J, Schönborn A, Etnier C, eds. *Recycling the resource, Proceedings of the 2nd international conference on ecological engineering for wastewater treatment, Waedenswil, Switzerland, 18–22 September 1995*, pp. 83–98 (Environmental Research Forum Vols. 5–6).
- Strauss M, Blumenthal UJ (1990). *Human waste in agriculture and aquaculture: utilization practices and health perspectives*. Duebendorf, International Reference Centre for Waste Disposal, 52 pp. (IRCWD Report No. 09/90).
- Strauss M et al. (2003). *Urban excreta management — situation, challenges, and promising solutions*. In: Proceedings, Asian Waterqual 2003, IWA Asia-Pacific Regional Conference, Bangkok, Thailand, 20–22 October ([http://www.sandec.ch/FaecalSludge/Documents/Urban\\_Excreta\\_Management\\_IWA\\_Bangkok\\_03.pdf](http://www.sandec.ch/FaecalSludge/Documents/Urban_Excreta_Management_IWA_Bangkok_03.pdf)).
- Svensson L (2000). Diagnosis of foodborne viral infections in patients. *International Journal of Food Microbiology*, 59(1–2):117–126.
- Tanner R (1995). Excreting, excretors and social policy. Some cross-cultural observations on an underresearched activity. *Journal of Preventive Medicine & Hygiene*, 36 (3/4):1–10.
- Tauxe RV, Cohen ML (1995). Epidemiology of diarrheal diseases in developed countries. In: Blaser MJ et al., eds. *Infections of the gastrointestinal tract*. New York, Raven Press, pp. 37–51.
- Tessier JL, Davies GA (1999). Giardiasis. *Primary Care Update for Ob/Gyns*, 6(1):8–11.
- Teunis PFM et al. (1996). *The dose–response relation in human volunteers for gastrointestinal pathogens*. Bilthoven, National Institute for Public Health and the Environment (RIVM) (RIVM Report 28450002).
- Thomas C, Hill DJ, Mabey M (1999). Evaluation of the effect of temperature and nutrients on the survival of *Campylobacter* spp. in water microcosms. *Journal of Applied Microbiology*, 86(6):1024–1032.
- Thorup-Kristensen K (2001). Root growth and soil nitrogen depletion by onion, lettuce, early cabbage and carrot. *Acta Horticulturae*, 563:201–206.

- Tidåker P (2003). *Life cycle assessment of grain production using source separated human urine and mineral fertiliser*. Uppsala, Swedish University of Agricultural Sciences Department of Agricultural Engineering (Report 251; [http://www.bt.slu.se/lt\\_old/Rapporter/Ra251/Report251.pdf](http://www.bt.slu.se/lt_old/Rapporter/Ra251/Report251.pdf)).
- Tiessen H, eds. (1995). *Phosphorus in the global environment — Transfers, cycles and management*. New York, Wiley (SCOPE 54; <http://www.icsu-scope.org/downloadpubs/scope54/TOC.htm>).
- Trujillo S et al. (1998). Potential for greywater recycle and reuse in New Mexico. *New Mexico Journal of Science*, 38:293–313.
- UNESCO/GTZ (2006). *Capacity building for ecological sanitation — concepts for ecologically sustainable sanitation in formal and continuing education*. Paris.
- United Nations (2002). *Report of the World Summit on Sustainable Development*. New York, United Nations (<http://www.johannesburgsummit.org/html/>).
- United Nations General Assembly (2000). *United Nations Millennium Declaration. Resolution A/RES/55/2*. New York, United Nations (<http://www.un.org/millennium/declaration/ares552e.pdf>).
- United Nations Population Division (2002). *World urbanization prospects: the 2001 revision*. New York, United Nations Department of Economic and Social Affairs, Population Division (<http://www.un.org/esa/population/publications/wup2001/2001WUPCover.pdf>).
- USEPA (2002). *Onsite wastewater treatment systems manual*. Washington, DC, United States Environmental Protection Agency (EPA/625/R-00/008; [http://www.epa.gov/owm/septic/pubs/septic\\_2002\\_osdm\\_prelim.pdf](http://www.epa.gov/owm/septic/pubs/septic_2002_osdm_prelim.pdf)).
- Van R et al. (1992). Outbreaks of human enteric adenovirus type 40 and 41 in Houston day care centers. *Journal of Pediatrics*, 120(4):516–521.
- Vaz da Costa Vargas S, Bastos RKX, Mara DD (1996). *Bacteriological aspects of wastewater irrigation*. Leeds, University of Leeds, Department of Civil Engineering, Tropical Public Health Engineering (TPHE Research Monograph No. 8).
- Venugopalan V (1984). Foreword. In: Roy AK et al., eds. *Manual on the design, construction and maintenance of low-cost waterseal latrines in India*. Washington, DC, World Bank (TAG Technical Note No. 10).
- Vinnerås B (2002). *Possibilities for sustainable nutrient recycling by faecal separation combined with urine diversion* [PhD Thesis]. Uppsala, Swedish University of Agricultural Sciences, Department of Agricultural Engineering (Agraria 353; <http://www2.gtz.de/ecosan/download/vinneras-nutrient-recycling.pdf>).
- Vinnerås B et al. (2006). The characteristics of household wastewater and biodegradable solid waste — A proposal for new Swedish design values. *Urban Water Journal*, 3(1):3–11.
- Wang JQ (1999). Reduction of microorganisms in dry sanitation due to different adsorbents under low temperature conditions. In: *Abstracts from the 9th Stockholm water symposium, 9–12 August, Stockholm*. Stockholm, Stockholm International Water Institute, pp. 396–398.
- Ward BK, Irving LG (1987). Virus survival on vegetables spray-irrigated with wastewater. *Water Resources*, 21:57–63.
- Warnes S, Keevil CW (2003). *Survival of Cryptosporidium parvum in faecal wastes and salad crops*. Carlow, Teagasc Irish Agriculture and Food Development Authority (<http://www.teagasc.ie/publications/2003/conferences/cryptosporidiumparvum>).

- Watanabe T, San D, Omura D (2002). Risk evaluation for pathogenic bacteria and viruses in sewage sludge compost. *Water Science and Technology*, 46(11–12):325–330.
- Water Utility Partnership (undated). Defining legal framework. In: *Water and sanitation for all: A practitioners companion*. Abidjan (<http://web.mit.edu/urbanupgrading/waterandsanitation/policies/defining-leg-frame.html>).
- WCED (1987). *Our common future*. Oxford, Oxford University Press on behalf of the World Commission on Environment and Development.
- Werner C et al. (2003). *Ecological sanitation: a source book*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) (<http://www2.gtz.de/ecosan/download/ecosan-source-book-3rddraft-eng.pdf>).
- Werner C et al., eds. (2004). *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), 1004 pp. (ISBN 3-00-012791-7).
- Westrell T (2004). *Microbial risk assessment and its implications for risk management in urban water systems* [PhD Thesis]. Linköping, Linköping University, Department of Water and Environmental Studies (ISBN 91-85295-98-1; <http://www.urbanwater.org/file/dyn/00000m/3000m/3025i/Kappa%20TW.pdf>).
- Wheeler JG et al. (1999). Study of infectious intestinal disease in England: rates in the community, presenting to general practice, and reporting to national surveillance. *British Medical Journal*, 318:1046–1050.
- WHO (1973). *Reuse of effluents: Methods of wastewater treatment and health safeguards. Report of a WHO Meeting of Experts*. Geneva, World Health Organization (Technical Report Series No. 517).
- WHO (1989). *Health guidelines for the use of wastewater in agriculture and aquaculture*. Geneva, World Health Organization (Technical Report Series No. 776).
- WHO (1995). *Control of foodborne trematode infections*. Geneva, World Health Organization (Technical Report Series 849).
- WHO (1996). *Cholera and other epidemic diarrhoeal diseases control*. Geneva, World Health Organization (Fact sheets on environmental sanitation).
- WHO (1999). *Food safety issues associated with products from aquaculture: report of a joint FAO/NACA/WHO study group*. Geneva, World Health Organization (WHO Technical Report Series No. 883).
- WHO (2000). *Turning the tide of malnutrition: responding to the challenge of the 21st century*. Geneva, World Health Organization (Report No. WHO/NHD/00.7).
- WHO (2003a). *Guidelines for safe recreational water environments. Vol. 1. Coastal and fresh waters*. Geneva, World Health Organization.
- WHO (2003b). *The world health report 2003 — Shaping the future*. Geneva, World Health Organization.
- WHO (2003c). *Typhoid vaccine*. Geneva, World Health Organization (fact sheet: <http://www.who.int/vaccines/en/typhoid.shtml>).
- WHO (2004a). *Guidelines for drinking-water quality*, 3rd ed. Geneva, World Health Organization.
- WHO (2004b). *The world health report 2004 — Changing history*. Geneva, World Health Organization.

- WHO (2004c). *The sanitation challenge: Turning commitment into reality*. Geneva, World Health Organization.
- WHO (2005a). *Guidelines for safe recreational water environments. Vol. 2. Swimming pools and similar environments*. Geneva, World Health Organization.
- WHO (2005b). *Sanitation and hygiene promotion: programming guidance*. Geneva, World Health Organization  
([http://www.who.int/water\\_sanitation\\_health/hygiene/sanitpromotionguide/en/](http://www.who.int/water_sanitation_health/hygiene/sanitpromotionguide/en/)).
- WHO, UNDP, WSP (1997). *The PHAST Initiative: Participatory Hygiene and Sanitation Transformation. A new approach to working with communities*. Geneva, World Health Organization.
- WHO/UNICEF (2004). *Meeting the MDG drinking water and sanitation target: A mid-term assessment of progress*. Geneva, World Health Organization, United Nations Children's Fund.
- Wilhelm C (2004). *Grauwasser-recycling in der wohnbebauung in Peking*. GEP Eitorf, Umwelttechnik GmbH ([http://www.fbr.de/fachinfos/pdf\\_grau/Wilhelm.pdf](http://www.fbr.de/fachinfos/pdf_grau/Wilhelm.pdf)).
- Winblad U, Simpson-Hébert M, eds. (2004). *Ecological sanitation*, rev. ed. Stockholm, Stockholm Environmental Institute.
- Wirbelauer C, Breslin ED, Guzha E (2003). Lessons learnt on ecosan in Southern Africa — towards closed-loop sanitation. In: Werner C et al., eds. *Ecosan — Closing the loop. Proceedings of the 2nd international symposium on ecological sanitation, incorporating the 1st IWA specialist group conference on sustainable sanitation, 7–11 April 2003, Lübeck, Germany*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), pp. 135–142.
- World Food Programme (1995). *World Food Programme mission statement*. Rome, Food and Agriculture Organization of the United Nations.
- Wright A (1997). *Toward a strategic sanitation approach: Improving the sustainability of urban sanitation in developing countries*. Washington, DC, The International Bank for Reconstruction and Development and The World Bank.
- WSSCC (2005). *Sanitation and hygiene promotion — programming guidance*. Geneva, Water Supply and Sanitation Collaborative Council.
- WSSCC/EAWAG/SANDEC (2000). Bellagio Statement: clean, healthy and productive living. A new approach to environmental sanitation. In: *Bellagio Meeting on Sanitation, 1–4 February 2000*. Geneva, Water Supply and Sanitation Collaborative Council (WSSCC), Swiss Federal Institute for Environmental Science and Technology (EAWAG), and Department of Water and Sanitation in Developing Countries (SANDEC).
- WSSCC/EAWAG/SANDEC (2004). *Implementing the Bellagio Principles in urban environmental sanitation services*. Geneva, Water Supply and Sanitation Collaborative Council (WSSCC), Swiss Federal Institute for Environmental Science and Technology (EAWAG), and Department of Water and Sanitation in Developing Countries (SANDEC).
- Xu L-Q et al. (1995) Soil-transmitted helminthiases: nationwide survey in China. *Bulletin of the World Health Organization*, 73:507–513.
- Yates MV, Gerba CP (1998). Microbial considerations in wastewater reclamation and reuse. In: Asano T, ed. *Wastewater reclamation and reuse*. Lancaster, PA, Technomic Publishing Company, pp. 437–488.
- Yates MV, Gerba CP, Kelley LM (1985). Virus persistence in groundwater. *Applied and Environmental Microbiology*, 49(4):778–781.
- Zhang Y et al. (2003). Biodiesel production from waste cooking oil: 1. Process design and technological assessment. *Bioresources Technology*, 89(1):1–16.

Zhu T (1998). *Phosphorus and nitrogen removal in light-weight aggregate (LWA) constructed wetlands and intermittent filter systems* [PhD Thesis]. Dr. Scient. Theses 1997:16. Aas, The Agricultural University of Norway.