

Annex Table 4 Burden of disease in disability-adjusted life years (DALYs) by cause, sex and mortality stratum in WHO Regions^a, estimates for 1999

Cause ^b	SEX						AFRICA		THE AMERICAS		
	Both sexes		Males		Females		Mortality stratum		Mortality stratum		
							High child, high adult	High child, very high adult	Very low child, very low adult	Low child, low adult	High child, high adult
<i>Population (000)</i>	<i>5 961 628</i>		<i>3 002 288</i>		<i>2 959 340</i>		<i>286 350</i>	<i>330 085</i>	<i>318 235</i>	<i>424 932</i>	<i>69 898</i>
	(000)	% total	(000)	% total	(000)	% total	(000)	(000)	(000)	(000)	(000)
TOTAL DALYs	1 438 154	100	751 600	100	686 555	100	158 439	214 921	38 627	70 969	16 346
I. Communicable diseases, maternal and perinatal conditions and nutritional deficiencies	615 105	42.8	296 674	39.5	318 431	46.4	110 969	162 607	2 851	16 073	6 371
Infectious and parasitic diseases	353 779	24.6	175 376	23.3	178 403	26.0	73 124	120 024	1 307	7 360	2 918
Tuberculosis	33 287	2.3	19 030	2.5	14 257	2.1	3 158	5 563	16	627	471
STDs excluding HIV	19 747	1.4	6 686	0.9	13 060	1.9	3 780	4 068	155	917	136
Syphilis	6 081	0.4	3 558	0.5	2 523	0.4	1 587	1 602	2	104	7
Chlamydia	7 969	0.6	944	0.1	7 024	1.0	1 046	1 187	135	557	87
Gonorrhoea	5 686	0.4	2 181	0.3	3 504	0.5	1 147	1 278	17	255	41
HIV/AIDS	89 819	6.2	42 623	5.7	47 196	6.9	15 778	58 671	563	1 628	621
Diarrhoeal diseases	72 063	5.0	36 413	4.8	35 650	5.2	11 867	12 454	102	1 642	770
Childhood diseases	54 638	3.8	27 986	3.7	26 652	3.9	12 864	12 878	10	477	46
Pertussis	10 905	0.8	5 662	0.7	5 243	0.8	2 460	2 477	10	173	6
Poliomyelitis	1 725	0.1	946	0.1	779	0.1	55	224	0	126	26
Diphtheria	151	0.0	75	0.0	76	0.0	13	11	0	2	0
Measles	29 838	2.1	15 328	2.0	14 510	2.1	8 762	8 701	0	23	8
Tetanus	12 020	0.8	5 975	0.8	6 045	0.9	1 574	1 465	0	154	6
Meningitis	9 824	0.7	4 661	0.6	5 164	0.8	1 685	1 935	54	529	139
Hepatitis	2 790	0.2	1 689	0.2	1 101	0.2	544	628	70	83	59
Malaria	44 998	3.1	22 758	3.0	22 240	3.2	18 600	18 238	0	53	23
Tropical diseases	12 966	0.9	8 443	1.1	4 523	0.7	3 289	3 824	0	781	89
Trypanosomiasis	2 048	0.1	1 111	0.1	937	0.1	917	1 074	0	0	1
Chagas disease	676	0.0	400	0.1	277	0.0	0	0	0	624	53
Schistosomiasis	1 932	0.1	1 174	0.2	758	0.1	755	882	0	122	11
Leishmaniasis	1 983	0.1	1 200	0.2	782	0.1	113	143	0	27	23
Lymphatic filariasis	4 918	0.3	3 777	0.5	1 141	0.2	852	982	0	7	1
Onchocerciasis	1 085	0.1	623	0.1	461	0.1	508	575	0	2	0
Leprosy	476	0.0	253	0.0	223	0.0	37	42	0	52	8
Dengue	465	0.0	220	0.0	245	0.0	11	13	0	0	0
Japanese encephalitis	1 046	0.1	519	0.1	527	0.1	0	0	0	0	0
Trachoma	1 239	0.1	336	0.0	903	0.1	207	227	0	0	0
Intestinal nematode infections	2 653	0.2	1 351	0.2	1 303	0.2	400	460	1	169	124
Ascariasis	505	0.0	253	0.0	252	0.0	94	108	0	13	30
Trichuriasis	481	0.0	284	0.0	197	0.0	92	106	0	113	42
Hookworm disease	1 699	0.1	869	0.1	830	0.1	189	217	0	153	20
Respiratory infections	101 127	7.0	50 852	6.7	50 275	7.3	15 352	17 419	566	2 480	1 158
Acute lower respiratory infections	96 682	6.7	48 891	6.5	47 792	6.9	14 858	16 871	500	2 315	1 054
Acute upper respiratory infections	1 600	0.1	784	0.1	816	0.1	108	106	11	49	70
Otitis media	2 183	0.2	985	0.1	1 198	0.2	346	402	32	102	20
Maternal conditions	26 101	1.8	0	0.0	26 101	3.8	4 954	7 571	49	861	297
Perinatal conditions	89 508	6.2	48 911	6.5	40 597	5.9	12 351	11 746	576	3 707	1 283
Nutritional deficiencies	44 539	3.1	21 478	2.8	23 062	3.4	5 189	5 848	353	1 665	715
Protein-energy malnutrition	13 578	0.9	6 826	0.9	6 752	1.0	2 731	3 073	43	617	264
Iodine deficiency	1 032	0.1	597	0.1	435	0.1	107	112	9	37	8
Vitamin A deficiency	108	0.0	55	0.0	53	0.0	18	21	0	5	1
Anaemias	26 272	1.8	11 729	1.6	14 544	2.1	1 511	1 708	282	920	422

Cause ^b	EASTERN MEDITERRANEAN		EUROPE			SOUTH-EAST ASIA		WESTERN PACIFIC	
	Mortality stratum		Mortality stratum			Mortality stratum		Mortality stratum	
	Low child, Low adult	High child, high adult	Very low child, very low adult	Low child, low adult	Low child, high adult	Low child, low adult	High child, high adult	Very low child, very low adult	Low child, low adult
<i>Population (000)</i>	<i>136 798</i>	<i>348 468</i>	<i>410 233</i>	<i>215 276</i>	<i>246 336</i>	<i>288 750</i>	<i>1 219 492</i>	<i>152 882</i>	<i>1 513 894</i>
	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)
TOTAL DALYs	20 895	101 688	48 999	36 484	50 868	56 604	355 876	15 235	252 204
I. Communicable diseases, maternal and perinatal conditions and nutritional deficiencies	5 858	52 472	2 861	6 515	3 620	21 762	168 893	942	53 311
Infectious and parasitic diseases	2 337	26 485	1 230	2 614	1 672	9 672	85 629	304	19 105
Tuberculosis	225	2 035	47	450	761	3 453	10 648	26	5 806
STDs excluding HIV	103	899	192	252	273	1 159	7 566	69	180
Syphilis	7	641	2	2	2	17	2 050	1	58
Chlamydia	68	182	167	198	216	686	3 292	60	85
Gonorrhoea	27	74	21	51	54	454	2 221	8	37
HIV/AIDS	10	2 162	519	108	98	1 102	7 764	28	767
Diarrhoeal diseases	977	9 146	111	875	145	1 057	28 960	43	3 912
Childhood diseases	399	6 161	12	390	75	989	18 460	23	1 852
Pertussis	83	1 332	11	143	43	88	3 546	16	517
Poliomyelitis	6	13	0	1	0	94	1 001	0	178
Diphtheria	1	10	0	1	0	4	106	0	2
Measles	273	3 020	1	147	0	611	7 697	6	588
Tetanus	35	1 786	1	99	31	192	6 110	0	566
Meningitis	156	1 316	74	227	137	818	1 749	11	994
Hepatitis	8	101	41	14	2	106	600	56	479
Malaria	47	2 727	2	0	0	323	2 748	0	2 235
Tropical diseases	52	333	0	16	0	256	4 018	0	308
Trypanosomiasis	0	56	0	0	0	0	0	0	0
Chagas disease	0	0	0	0	0	0	0	0	0
Schistosomiasis	34	64	0	15	0	18	0	0	30
Leishmaniasis	14	196	0	0	0	15	1 452	0	0
Lymphatic filariasis	3	8	0	0	0	222	2 566	0	278
Onchocerciasis	0	0	0	0	0	0	0	0	0
Leprosy	3	7	0	0	0	31	287	0	9
Dengue	0	1	0	0	0	3	437	0	0
Japanese encephalitis	0	1	0	0	0	47	171	0	828
Trachoma	68	169	0	0	0	23	39	0	505
Intestinal nematode infections	46	103	0	2	1	239	989	0	119
Ascariasis	19	24	0	0	0	5	181	0	31
Trichuriasis	0	3	0	0	0	1	119	0	5
Hookworm disease	26	67	0	0	0	157	705	0	166
Respiratory infections	980	9 936	724	1 987	798	3 014	35 130	401	11 183
Acute lower respiratory infections	921	9 625	645	1 435	637	2 904	33 746	372	10 798
Acute upper respiratory infections	10	114	24	502	122	28	405	12	40
Otitis media	40	166	36	28	25	73	624	14	276
Maternal conditions	704	2 016	54	215	182	624	7 109	15	1 451
Perinatal conditions	1 134	10 621	454	1 269	647	6 362	26 353	91	12 914
Nutritional deficiencies	704	3 415	400	430	322	2 194	14 672	131	8 502
Protein-energy malnutrition	39	1 196	36	93	47	366	4 837	16	218
Iodine deficiency	28	109	9	13	9	2	354	3	233
Vitamin A deficiency	5	15	0	0	0	6	25	0	12
Anaemias	607	1 835	337	308	257	1 749	8 462	111	7 764

Annex Table 4 Burden of disease in disability-adjusted life years (DALYs) by cause, sex and mortality stratum in WHO Regions^a, estimates for 1999

Cause ^b	SEX						AFRICA		THE AMERICAS		
	Both sexes		Males		Females		Mortality stratum		Mortality stratum		
							High child, high adult	High child, very high adult	Very low child, very low adult	Low child, low adult	High child, high adult
Population (000)	5 961 628		3 002 288		2 959 340		286 350	330 085	318 235	424 932	69 898
	(000)	% total	(000)	% total	(000)	% total	(000)	(000)	(000)	(000)	(000)
II. Noncommunicable conditions	621 742	43.2	322 583	42.9	299 159	43.6	30 080	33 601	31 085	43 789	8 035
Malignant neoplasms	84 500	5.9	46 145	6.1	38 355	5.6	3 277	3 903	5 689	4 107	818
Mouth and oropharynx	3 993	0.3	2 725	0.4	1 268	0.2	78	93	120	127	10
Esophagus	3 921	0.3	2 518	0.3	1 403	0.2	200	255	138	134	8
Stomach	8 683	0.6	5 395	0.7	3 288	0.5	267	332	160	437	127
Colon/rectum	5 182	0.4	2 707	0.4	2 474	0.4	77	88	663	257	21
Liver	7 819	0.5	5 720	0.8	2 099	0.3	670	851	61	63	35
Pancreas	1 788	0.1	1 014	0.1	774	0.1	68	82	245	67	23
Trachea/bronchus/lung	11 628	0.8	8 347	1.1	3 281	0.5	149	166	1 509	425	47
Melanoma and other skin cancers	749	0.1	393	0.1	355	0.1	33	41	35	35	3
Breast	6 529	0.5	3	0.0	6 525	0.9	174	221	636	386	64
Cervix	3 354	0.2	0	0.0	3 354	0.5	302	384	94	282	83
Corpus uteri	860	0.1	0	0.0	860	0.1	14	16	72	133	3
Ovary	1 439	0.1	0	0.0	1 439	0.2	53	62	145	41	26
Prostate	1 736	0.1	1 736	0.2	0	0.0	94	120	296	152	14
Bladder	1 207	0.1	925	0.1	282	0.0	69	85	135	49	4
Lymphoma	4 538	0.3	2 831	0.4	1 707	0.2	313	333	431	224	61
Leukaemia	5 522	0.4	2 985	0.4	2 538	0.4	177	180	265	330	88
Other neoplasms	1 366	0.1	733	0.1	633	0.1	42	44	82	164	36
Diabetes mellitus	15 070	1.0	6 972	0.9	8 098	1.2	411	446	1 628	1 596	625
Nutritional/endocrine disorders	14 667	1.0	7 998	1.1	6 669	1.0	1 725	1 755	757	3 386	588
Neuropsychiatric disorders	158 721	11.0	77 771	10.3	80 950	11.8	7 466	8 554	9 424	14 538	2 508
Unipolar major depression	59 030	4.1	20 956	2.8	38 074	5.5	2 662	3 027	2 623	4 240	646
Bipolar affective disorder	16 368	1.1	8 340	1.1	8 028	1.2	765	873	665	1 172	181
Psychoses	12 054	0.8	5 675	0.8	6 380	0.9	260	298	851	1 228	191
Epilepsy	7 634	0.5	4 502	0.6	3 132	0.5	841	1 024	153	577	209
Alcohol dependence	18 743	1.3	16 512	2.2	2 231	0.3	982	1 131	1 863	3 762	656
Alzheimer and other dementias	10 002	0.7	4 166	0.6	5 836	0.8	173	193	1 141	577	82
Parkinson disease	1 587	0.1	705	0.1	882	0.1	33	41	217	29	4
Multiple sclerosis	1 568	0.1	687	0.1	881	0.1	51	58	120	98	16
Drug dependence	5 657	0.4	4 486	0.6	1 171	0.2	209	239	563	1 048	165
Post traumatic stress disorder	2 197	0.2	837	0.1	1 360	0.2	109	126	108	162	27
Obsessive-compulsive disorders	11 703	0.8	5 074	0.7	6 630	1.0	541	621	573	839	133
Panic disorder	5 493	0.4	1 838	0.2	3 654	0.5	254	290	273	388	60
Sense organ disorders	12 005	0.8	5 390	0.7	6 614	1.0	1 142	1 239	41	588	80
Glaucoma	3 021	0.2	1 190	0.2	1 830	0.3	227	245	28	90	12
Cataracts	8 942	0.6	4 184	0.6	4 757	0.7	909	988	12	487	66
Cardiovascular diseases	157 185	10.9	81 848	10.9	75 337	11.0	5 731	6 198	7 273	7 891	1 001
Rheumatic heart disease	7 755	0.5	3 311	0.4	4 444	0.6	481	523	54	116	33
Ischaemic heart disease	58 981	4.1	32 792	4.3	26 189	3.8	1 632	1 737	3 298	2 915	381
Cerebrovascular disease	49 856	3.5	24 738	3.3	25 118	3.7	1 712	1 974	1 410	2 208	243
Inflammatory cardiac disease	8 894	0.6	4 915	0.7	3 979	0.6	423	401	382	291	47
Respiratory diseases	70 017	4.9	36 038	4.8	33 980	4.9	3 177	3 647	2 587	3 189	428
Chronic obstructive pulmonary disease	38 156	2.6	20 635	2.7	17 521	2.5	809	891	1 267	869	86
Asthma	12 881	0.9	6 898	0.9	5 983	0.9	972	1 129	492	678	144

Cause ^b	EASTERN MEDITERRANEAN		EUROPE			SOUTH-EAST ASIA		WESTERN PACIFIC	
	Mortality stratum		Mortality stratum			Mortality stratum		Mortality stratum	
	Low child, Low adult	High child, high adult	Very low child, very low adult	Low child, low adult	Low child, high adult	Low child, low adult	High child, high adult	Very low child, very low adult	Low child, low adult
<i>Population (000)</i>	<i>136 798</i>	<i>348 468</i>	<i>410 233</i>	<i>215 276</i>	<i>246 336</i>	<i>288 750</i>	<i>1 219 492</i>	<i>152 882</i>	<i>1 513 894</i>
	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)
II. Noncommunicable conditions	12 568	38 471	41 818	25 387	36 827	22 973	133 563	12 626	150 920
Malignant neoplasms	920	3 053	9 181	3 084	5 597	4 275	13 575	2 882	24 139
Mouth and oropharynx	32	205	294	108	222	212	1 592	62	838
Esophagus	12	122	246	73	156	93	854	98	1 530
Stomach	47	186	534	286	826	515	1 008	462	3 496
Colon/rectum	41	95	1 133	254	617	142	385	397	1 013
Liver	37	171	187	65	15	530	432	289	4 413
Pancreas	29	59	384	96	26	76	213	151	269
Trachea/bronchus/lung	112	225	1 774	550	1 062	501	909	448	3 752
Melanoma and other skin cancers	4	11	77	41	10	146	12	27	275
Breast	7	181	954	198	492	411	1 510	173	1 122
Cervix	26	149	103	104	154	176	813	36	647
Corpus uteri	6	15	122	55	124	54	63	31	151
Ovary	19	69	233	59	14	95	369	61	192
Prostate	16	44	455	71	119	15	183	68	88
Bladder	24	43	312	76	16	45	118	45	186
Lymphoma	167	397	458	208	201	163	1 034	117	431
Leukaemia	118	375	345	203	213	262	1 431	102	1 434
Other neoplasms	24	67	181	49	69	88	226	69	226
Diabetes mellitus	293	905	1 176	876	769	716	3 212	303	2 115
Nutritional/endocrine disorders	492	1 324	568	506	246	670	194	200	2 256
Neuropsychiatric disorders	3 231	8 429	12 611	6 430	7 425	8 651	28 704	4 164	36 585
Unipolar major depression	1 312	3 227	3 376	1 964	2 297	3 104	12 165	1 255	17 132
Bipolar affective disorder	377	929	844	526	590	860	3 520	307	4 758
Psychoses	399	985	1 061	554	599	1 047	2 520	381	1 681
Epilepsy	44	289	337	343	373	534	1 509	68	1 333
Alcohol dependence	73	198	2 562	1 192	1 140	926	1 386	714	2 159
Alzheimer and other dementias	61	205	1 737	427	649	473	1 590	580	2 113
Parkinson disease	17	45	310	38	33	57	259	82	421
Multiple sclerosis	28	76	145	58	145	65	469	14	226
Drug dependence	258	628	788	359	385	406	118	258	234
Post traumatic stress disorder	53	132	131	78	84	112	461	48	566
Obsessive-compulsive disorders	271	667	718	423	471	607	2 444	261	3 132
Panic disorder	121	299	343	198	226	291	1 108	127	1 514
Sense organ disorders	257	625	61	33	48	839	4 521	24	2 506
Glaucoma	29	71	41	15	22	262	857	16	1 105
Cataracts	227	547	19	17	26	575	3 664	7	1 400
Cardiovascular diseases	4 367	10 399	10 254	8 726	15 010	4 815	42 692	2 584	30 243
Rheumatic heart disease	251	687	80	299	244	362	2 730	21	1 874
Ischaemic heart disease	1 484	3 588	4 757	2 986	7 113	1 732	20 133	721	6 505
Cerebrovascular disease	1 041	2 277	2 857	2 727	5 584	2 041	8 639	1 160	15 982
Inflammatory cardiac disease	381	932	283	557	470	299	3 314	81	1 034
Respiratory diseases	1 047	3 345	2 911	1 461	2 472	3 133	12 409	754	29 456
Chronic obstructive pulmonary disease	460	1 187	1 441	688	1 323	970	5 385	186	22 593
Asthma	324	852	587	370	438	1 008	2 290	242	3 356

Annex Table 4 Burden of disease in disability-adjusted life years (DALYs) by cause, sex and mortality stratum in WHO Regions^a, estimates for 1999

Cause ^b	SEX						AFRICA		THE AMERICAS		
	Both sexes		Males		Females		Mortality stratum		Mortality stratum		
							High child, high adult	High child, very high adult	Very low child, very low adult	Low child, low adult	High child, high adult
<i>Population (000)</i>	<i>5 961 628</i>		<i>3 002 288</i>		<i>2 959 340</i>		<i>286 350</i>	<i>330 085</i>	<i>318 235</i>	<i>424 932</i>	<i>69 898</i>
	(000)	% total	(000)	% total	(000)	% total	(000)	(000)	(000)	(000)	(000)
Digestive diseases	36 829	2.6	23 809	3.2	13 020	1.9	1 966	2 316	1 023	2 388	740
Peptic ulcer disease	5 061	0.4	3 295	0.4	1 766	0.3	149	198	59	156	40
Cirrhosis of the liver	16 254	1.1	11 300	1.5	4 953	0.7	518	625	474	1 190	453
Appendicitis	1 222	0.1	776	0.1	446	0.1	40	48	16	33	10
Diseases of the genitourinary system	16 085	1.1	9 619	1.3	6 466	0.9	1 208	1 358	392	837	242
Nephritis/nephrosis	10 997	0.8	5 837	0.8	5 159	0.8	749	806	178	479	165
Benign prostatic hypertrophy	2 447	0.2	2 447	0.3	0	0.0	165	194	79	184	26
Skin diseases	855	0.1	495	0.1	359	0.1	177	217	20	45	13
Musculoskeletal diseases	20 918	1.4	7 783	1.0	13 134	1.9	709	806	1 526	2 903	427
Rheumatoid arthritis	4 051	0.3	1 114	0.1	2 937	0.4	70	87	359	573	85
Osteoarthritis	15 820	1.1	6 270	0.8	9 550	1.4	544	605	1 087	2 224	314
Congenital abnormalities	36 557	2.5	19 562	2.6	16 995	2.5	3 180	3 257	633	1 764	438
Oral diseases	4 928	0.3	2 487	0.3	2 440	0.4	172	200	180	846	148
Dental caries	4 622	0.3	2 334	0.3	2 288	0.3	157	182	166	824	146
Periodontal disease	301	0.0	150	0.0	150	0.0	16	18	14	19	3
Edentulism	0	0.0	0	0.0	0	0.0	0	0	0	0	0
III. Injuries	201 307	13.9	132 343	17.5	68 965	10.0	17 389	18 714	4 691	11 107	1 940
Unintentional	152 464	10.6	101 190	13.4	51 275	7.5	11 843	12 683	2 943	6 483	1 320
Road traffic accidents	39 573	2.7	29 416	3.9	10 157	1.5	3 011	3 207	1 612	2 901	429
Poisoning	6 457	0.4	4 132	0.5	2 325	0.3	449	498	270	86	30
Falls	30 950	2.1	20 068	2.7	10 882	1.6	993	1 150	419	1 414	312
Fires	10 483	0.7	4 042	0.5	6 441	0.9	725	540	105	148	32
Drowning	12 987	0.9	8 583	1.1	4 404	0.6	1 356	1 156	108	532	95
Other unintentional injuries	20 573	1.4	14 093	1.9	6 480	0.9	1 436	1 646	360	1 221	294
Intentional	48 843	3.4	31 153	4.1	17 690	2.6	5 545	6 031	1 749	4 624	620
Self-inflicted	25 095	1.7	14 876	2.0	10 220	1.5	1 821	1 961	966	1 006	130
Homicide and violence	15 308	1.1	10 818	1.4	4 490	0.7	1 969	2 170	627	3 000	338
War	8 439	0.6	5 460	0.7	2 980	0.4	1 755	1 900	155	617	151

^a See list of Member States by WHO Region and mortality stratum (pp.204–205).^b Estimates for specific causes may not sum to broader cause groupings due to omission of residual categories.

Cause ^b	EASTERN MEDITERRANEAN		EUROPE			SOUTH-EAST ASIA		WESTERN PACIFIC	
	Mortality stratum		Mortality stratum			Mortality stratum		Mortality stratum	
	Low child, Low adult	High child, high adult	Very low child, very low adult	Low child, low adult	Low child, high adult	Low child, low adult	High child, high adult	Very low child, very low adult	Low child, low adult
<i>Population (000)</i>	136 798	348 468	410 233	215 276	246 336	288 750	1 219 492	152 882	1 513 894
	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)	(000)
Digestive diseases	525	2 355	1 806	1 310	1 843	2 140	9 991	436	7 988
Peptic ulcer disease	15	264	133	121	290	374	1 751	38	1 473
Cirrhosis of the liver	138	834	979	672	888	922	5 132	203	3 227
Appendicitis	2	111	16	18	33	36	760	4	95
Diseases of the genitourinary system	605	1 574	405	694	433	838	4 170	177	3 154
Nephritis/nephrosis	466	1 167	200	507	192	586	3 380	107	2 014
Benign prostatic hypertrophy	55	152	120	52	78	102	523	48	670
Skin diseases	5	72	28	11	35	76	107	5	42
Musculoskeletal diseases	223	580	2 078	1 466	1 898	967	2 159	823	4 353
Rheumatoid arthritis	48	123	502	295	364	108	299	196	943
Osteoarthritis	169	418	1 508	1 151	1 481	777	1 833	599	3 111
Congenital abnormalities	463	5 446	616	646	890	1 171	10 889	210	6 955
Oral diseases	188	489	218	165	180	248	1 077	79	737
Dental caries	183	475	199	154	167	233	970	72	694
Periodontal disease	5	13	17	10	12	16	108	6	43
Edentulism	0	0	0	0	0	0	0	0	0
III. Injuries	2 469	10 745	4 320	4 582	10 421	11 869	53 420	1 667	47 974
Unintentional	2 199	8 260	2 994	3 352	6 548	9 523	46 653	1 086	36 577
Road traffic accidents	881	2 298	1 423	1 355	1 589	4 377	7 460	414	8 615
Poisoning	172	529	140	277	1 396	188	977	21	1 424
Falls	254	1 318	785	624	906	1 515	13 742	201	7 316
Fires	81	688	57	150	271	275	6 806	28	579
Drowning	109	672	78	274	610	486	2 654	68	4 789
Other unintentional injuries	104	1 176	436	571	1 447	735	5 408	143	5 595
Intentional	270	2 484	1 326	1 230	3 873	2 346	6 768	581	11 397
Self-inflicted	206	868	1 089	599	2 200	1 207	4 123	513	8 407
Homicide and violence	27	688	182	217	1 240	413	1 771	62	2 601
War	37	928	55	414	432	726	874	6	389