

National HIV policies and plans (2021): Part-1							
Country	Implementation of national policy on HIV self-testing (HIVST)	Treatment initiation threshold adults and adolescents	Treatment initiation threshold children	Implementation of treat all adults and adolescents	Dolutegravir (DTG) as part of 1st line ARVs for adults and adolescents (only LMICs)	Implementation of lifelong ART to pregnant & breastfeeding women	Implementation of national policy on viral load monitoring
Australia	Policy on HIVST implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Brunei Darussalam	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Cambodia	Policy on HIVST implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
China	Policy on HIVST implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Other first-line regimens	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Cook Islands	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Fiji	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Japan	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Kiribati	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Other first-line regimens	Implemented countrywide (>95% of maternal and child health sites)	Targeted viral load testing only
Lao People's Democratic Republic	Policy on HIVST but still not implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Malaysia	Policy on HIVST in development	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Marshall Islands	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Micronesia (Federated States of)	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)

Mongolia	Policy on HIVST but still not implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Nauru	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
New Zealand	Policy on HIVST implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Niue	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Palau	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Papua New Guinea	Policy on HIVST in development	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented in many (>50–95%) treatment sites
Philippines	Policy on HIVST in development	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Other	Implemented in many (>50–95%) treatment sites
Republic of Korea	Policy on HIVST but still not implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented in many (50%–95%) treatment sites	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Samoa	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Singapore	Policy on HIVST but still not implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented in few (<50%) treatment sites	High-income countries	Implemented countrywide (>95% of maternal and child health sites)	Data not reported
Solomon Islands	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Not implemented in practice	Implemented countrywide (>95% of treatment sites)
Tonga	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Tuvalu	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented in a few (<50%) treatment sites
Vanuatu	No policy	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	Data not reported	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)
Viet Nam	Policy on HIVST implemented	Treat All regardless of CD4 count	Treat All, regardless of age	Implemented countrywide (>95% of treatment sites)	DTG introduced in national guidelines and procurement initiated	Implemented countrywide (>95% of maternal and child health sites)	Implemented countrywide (>95% of treatment sites)

National HIV policies and plans (2021): Part-2							
Country	National M&E plan or strategy for HIV	National policy on the frequency of ART pick-up (Multi-month dispensing)	Adoption of WHO recommendation on rapid ART initiation	National policy supporting community delivery of ART	Adoption of WHO recommendation to offer package of interventions for patients with advanced HIV disease	Availability of point-of-care viral load testing	National policy on the frequency of clinic visits
Australia	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Brunei Darussalam	Data not reported	No policy	Not adopted	No policy	Partially adopted	Not available	No policy
Cambodia	Yes, and updated in the past two years	Every 3 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	No policy	Fully adopted	Not available	Every 3 months for adults who are doing well on ART
China	Yes, and updated in the past two years	Every 3 months for adults who are doing well on ART	Not adopted	No policy	Partially adopted	Not available	Every 3 months for adults who are doing well on ART
Cook Islands	Data not reported	Every 3 months for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Fiji	Yes, and updated in the past two years	Every 6 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	Policy implemented nationally	Fully adopted	Not available	Every 3 months for adults who are doing well on ART
Japan	Yes	Data not reported	Other	Data not reported	Fully adopted	Data not reported	Data not reported
Kiribati	Yes, and updated in the past two years	No policy	Not adopted	No policy	Partially adopted	Not available	No policy
Lao People's Democratic Republic	No	Every 3 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	Policy implemented at pilot sites	Not adopted	Not available	Every 3 months for adults who are doing well on ART
Malaysia	Yes, and updated in the past two years	No policy	Other	No policy	Partially adopted	Point-of-care viral load testing available in any health facility	Every 6 months for adults who are doing well on ART
Marshall Islands	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Micronesia (Federated States of)	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Mongolia	Data not reported	Every 3 months for adults who are doing well on ART	Not adopted	No policy	Fully adopted	Not available	Once a month for adults who are doing well on ART

Nauru	Data not reported	Once a month for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
New Zealand	Data not reported	No policy	Rapid initiation within 7 days of HIV diagnosis	No policy	Not adopted	Data not reported	No policy
Niue	Data not reported	Every 3 months for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Palau	Data not reported	Once a month for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Papua New Guinea	Yes, and updated in the past two years	Every 3 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	Policy implemented	Fully adopted	Not available	Every 3 months for adults who are doing well on ART
Philippines	Yes, and updated in the past two years	No policy	Rapid initiation within 7 days of HIV diagnosis	Policy implemented nationally	Fully adopted	Point-of-care viral load testing available in any health facility	No policy
Republic of Korea	Data not reported	Every 3 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	Policy implemented regionally	Partially adopted	Not available	Once a month for adults who are doing well on ART
Samoa	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Singapore	Yes, and updated in the past two years	No policy	Rapid initiation within 7 days of HIV diagnosis	No policy	Fully adopted	Not available	No policy
Solomon Islands	Data not reported	Every 3 months for adults who are doing well on ART	Not adopted	No policy	Not adopted	Not available	No policy
Tonga	Data not reported	Once a month for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Tuvalu	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Vanuatu	Data not reported	Once a month for adults who are doing well on ART	Data not reported	Data not reported	Data not reported	Data not reported	Data not reported
Viet Nam	Data not reported	Every 3 months for adults who are doing well on ART	Rapid initiation within 7 days of HIV diagnosis	No policy	Fully adopted	Not available	Every 3 months for adults who are doing well on ART