

Adaptt_sprt v.2.15

Surge Planning Support Tool instructions

AutoSave OFF Share Comment

Home Insert Draw Page Layout Formulas Data Review View Tell me

C23 fx

B C D E F G H I J K L M N O P Q R S T U V W X Y

- Illustrative parameters to scenario's analysis purposes -

	ENG	Parameter
Day of first reported cases	02/03/2020	
Total days to predict	365	
Country or Region	Portugal	
Consider Attack Rate	On	
Attack Rate Scenario	Very low	
Country Attack Rate	5%	
Target Population	509 750	
Other Scenario Target Population		
Epidemiological model	SIR_V3	
No mitigation measures	16 3,0%	
Contacts per person		
Probability of infection		
Mitigation measures	On 8 3,0% 10 12/03/2020	
Contacts per person		
Probability of infection		
Start date of the measure (after first case reported)		
Suppression measures	Off	
End of suppression measures		
End of mitigation measures	Off	
COVID 19 daily update		
Currently confirmed patients		
Ratio of confirmed / suspected	N/A	
Hospital activity and practices (in/out)		
In		
% of reported cases requiring hospitalization	16%	
% moderate cases (requiring ward)	53%	
% severe cases (requiring oxygen therapy)	41%	
% critical cases (requiring mechanical ventilation)	6%	
% of total critical cases also requiring ECMO	0,5%	

Adaptt_SurgePlanningSupportTool_v02.15

COVID-19 | Surge Planning Support Tool

-- Illustrative --

Bed capacity

Legend:

- Number of moderate cases beds
- Critical cases in need of Mechanical Ventilation
- Severe cases in need of oxygen therapy
- Reported
- Hospitalized in moderate cases beds
- Number of critical beds for ECMO
- Critical cases in need of ECMO
- Number of severe cases beds (oxygen therapy)
- Weighted Infected Active

Predicted moderate bed shortage:	23/03/2020	Predicted severe bed shortage:	18/03/2020	Predicted critical bed (vent.) shortage:	03/04/2020
Predicted ECMO shortage:	22/04/2020	Predicted RRT shortage:	NA		

Human resources needed

Chart Area

Language Setup Copying Guide Surge_Predicted_Impact SimulationResults Export EpidemiologicalModel_Selection Custom_EpidemiologicalModel COVID19_DailyReportedData CountryP Zoom level. Click to open t

AutoSave OFF

Adaptt_SurgePlanningSupportTool_v02.15 ~

Home Insert Draw Page Layout Formulas Data Review View Tell me Share Comments

A1 fx

1 Tab Guidelines

Language_Setup Tab to update language improvements and /or to insert new languages' configuration in the tool

Surge_Predicted_Impact Main tab: Allows the calibration of the epidemiological model and parametrization of the simulation one. Shows the graphical results of the predictions and the predicted day of shortage

SimulationResults Tab to consult the detailed results of each variable in the graphics for the scenario analysis parametrized in CAPACITY IMPACT MODEL

Export Tab with information to export to Health Workforce Estimator (HWFE) tool

EpidemiologicalModel_Selection Tab to select the tab to be used as source of the epidemiological model prediction results to consider in the capacity simulation analysis

Custom_EpidemiologicalModel Tab to update with the results from the prediction Epidemiological Model being used by each country

COVID19_DailyReportedData Tab to update the reported cases on the considered scenario (country or region)

CountryPopulation Tab to validate the 2020 World Bank reported data on countries population

Language_Setup COPYING Guide Surge_Predicted_Impact SimulationResults Export EpidemiologicalModel_Selection Cut +

3

AutoSave OFF Home Insert Draw Page Layout Formulas Review View Tell me Share Comments

C12 X ✓ fx


Tab with Epidemiological model to consider	SIR_V3
Column Letter with data of Daily Predicted Active Infected	P
Column Letter with of Daily Predicted New Infected	R
Column Letter with Cumulative Reported Infected	Q

Visible?
 Off 0
 Off 0
 Off 0

R₀
 Model RMSE (model error vs real reported data)
 Rt

Language_Setup COPYING Guide Surge_Predicted_Impact SimulationResults Export EpidemiologicalModel_Selection C +

4 100%




AutoSave OFF Home Insert Draw Page Layout Formulas Tell me what you want to do Share

A1 X ✓ fx T

A	B	C	D
T	Daily Predicted Active Infected	Daily Predicted New Infected	Cumulative Reported Infected
0			0
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			

EpidemiologicalModel_Selection Custom_EpidemiologicalModel COVID19_DailyReportedData



AutoSave OFF Adaptt_SurgePlanningSupportTool_v02.12


Home Insert Draw Page Layout Formulas Tell me what you want to do Share Comments

G30 ▲ × ✓ fx


	A	B	C	D	E	F	G	H	I
1	T	Daily Predicted Active Infected	Daily Predicted New Infected	Cumulative Reported Infected					
2	0								
3	1								
4	2								
5	3								
6	4								
7	5								
8	6								
9	7								
10	8								
11	9								
12	10								
13	11								
14	12								
15	13								
16	14								
17	15								
18	16								
19	17								
20	18								
21	19								
22	20								
23	21								
24	22								
25	23								
26	24								
27	25								
28	26								
29	27								
30	28								
31	29								
32	30								
33	31								
34	32								
35	33								
36	34								
37	35								
38	36								
39	37								
40	38								
41	39								
42	40								
43	41								
44	42								
45	43								
46	44								

EpidemiologicalModel_Selection Custom_EpidemiologicalModel COVID19_DailyReportedData






The epi model embedded on the tool is for illustrative purposes only
Please use your own epi data as shown in slide 4




A	B	C	D	E
39	Hospital activity and practices (in/out)			
40	In			
41	% of reported cases requiring hospitalization	5%		
42	% moderate cases (requiring ward)	53%		
43	% severe cases (requiring oxygen therapy)	41%		
44	% critical cases (requiring mechanical ventilation)	6%		
45	% of total critical cases also requiring ECMO	0,5%		
46	% of total critical cases also requiring RRT	0,8%		
47				
48	Out			
49	Moderate cases hospitalization ALoS (days)	7		
50	Severe cases hospitalization ALoS (days)	10		
51	Hospitalization ALoS previous to mechanical ventilation (days)	12		
52	Critical cases mechanical ventilation stepdown ALoS (days)	7		
53	Critical cases mechanical ventilation ALoS (days)	8		
54	Critical cases ECMO ALoS (days)	10		
55	Critical cases in need of RRT (Equipment/Patient/ Day)	1,0		
56				
57	Average Fatality rate	1,50%		
58				
60	Installed capacity (to COVID patients)			
61	Number of moderate cases beds			
62	Number of severe cases beds (oxygen therapy)			
63	Number of critical beds for mechanical ventilation			
64	Number of critical beds for ECMO			
65	Number of critical beds for RRT			
66				

Installed capacity (to COVID patients)	
Number of moderate cases beds	5 000
Number of severe cases beds (oxygen therapy)	3 000
Number of critical beds for mechanical ventilation	1 000
Number of critical beds for ECMO	50
Number of critical beds for RRT	250




A	B	C	D	E
66				
68	Human resources *			
69	<i>Medical practitioner</i>			
70	Moderate inpatients/ Medical practitioner 2211, 2240, 2212 FTE		3,0	
71	Severe inpatient (oxygen therapy) / Medical practitioner 2211, 2240, 2212 FTE		2,0	
72	Critical inpatients mechanically ventilated / Specialist medical practitioner (ICU) 2212 FTE		2,0	
73	Critical ECMO inpatients/ Specialist medical practitioner (ICU-ECMO) 2212 FTE		2,0	
74	Critical RRT inpatients/ Specialist medical practitioner (ICU-RRT) 2212 FTE		4,0	
75				
76	<i>Nursing professionals</i>			
77	<i>Shift configuration</i>			
78	Shift duration per Day per Nurse (h)		8	
79	Maximum shifts per Week per Nurse		4	
80				
81	<i>Ratios</i>			
82	Moderate inpatient/ Nursing professional 2221, 3221 (Ward)		4,0	
83	Severe inpatient (oxygen therapy) / Nursing professional 2221, 3221 (ward)		3,0	
84	Critical inpatients mechanically ventilated/ Nursing professional (ICU) 2221		1,0	
85	Critical ECMO inpatients/ Nursing professional (ICU-ECMO) 2221		1,0	
86	Critical RRT inpatients/ Nursing professional (ICU-RRT) 2221		1,0	
87				
88	<i>Healthcare assistant, includes nursing and medical assistants</i>			
89	<i>Shift configuration</i>			
90	Shift duration per Day per Healthcare assistant (h)		8	
91	Maximum shifts per Week per Healthcare assistant		4	
92				
93	<i>Ratios</i>			
94	Moderate inpatient/ Healthcare assistant (Ward) 3221, 5321, 3256		8,0	
95	Severe inpatient (oxygen therapy) / Healthcare assistant (Ward) 3221, 5321, 3256		6,0	
96	Critical inpatients mechanically ventilated/ Healthcare assistant (ICU) 3221, 5321, 3256		2,0	
97	Critical ECMO inpatients/ Healthcare assistant (ICU-ECMO) 3221, 5321, 3256		2,0	
98	Critical RRT inpatients/ Healthcare assistant (ICU-RRT) 3221, 5321, 3256		2,0	

Human resources needed



Human resources needed by skill



HR capacity (to COVID patients)

Nursing professionals

Nursing professional 2221, 3221 (ward)

20 000

Nursing professional (ICU) 2221

10 000

Nursing professional (ICU-ECMO) 2221

1 000

Nursing professional (ICU-RRT) 2221

2 000

Medical practitioners

Medical practitioner 2211, 2240, 2212

10 000

Specialist medical practitioner (ICU and ICU-RRT) 2212

2 500


Specialist medical practitioner (ICU-ECMO) 2212 FTE

200

Healthcare assistant

30 000

Human resources needed



HR occupational risk


Daily Probability of Infection by Health Professionals
Number of days in Quarantine or Sick Leave

5,00%
14

Average HR ratio in quarantine / sick leave

Nursing professionals	7,4%
Medical practitioners	8,0%
Healthcare assistant	6,9%

Human resources needed



Contact tracing

Ratio of Suspected cases / Active patients	10,0
Ratio error deviation	15,00%
ALoS contact trace	10,0
Suspected patients / Contact tracer professional (First day)	3,0
Sensitive Analysis (+ X Suspected patients / Contact tracer professional)	1,0
Suspected patients / Contact tracer professional (Following days)	10,0
Sensitive Analysis (+ X Suspected patients / Contact tracer professional)	10,0

Home care follow-up


% of hospital discharge patients requiring follow-up

Deviation

% of mild cases followed exclusively at home

ALoS of follow-up (days)

Mild patients in follow-up / Healthcare profession

Contact tracing


1 additional patient / contact tracer, allows a 2322 saving in the maximum professionals needed for 1st contact tracing

10 additional patient / contact tracer, allows a 9787 saving in the maximum professionals needed for tracing contacts of suspected patients in following days

Home care follow-up

% of hospital discharge patients requiring follow-up at home	5,00%
Deviation	25,00%
% of mild cases followed exclusively at home	10,00%
ALoS of follow-up (days)	20
Mild patients in follow-up / Healthcare professional	3,0

Homecare follow-up



HR capacity to contact trace & Home care follow-up


Contact tracing

Home care follow-up


22 000

500

Contact tracing



Homecare follow-up



1 additional patient / contact tracer, allows a 2322 saving in the maximum professionals needed for 1st contact tracing

10 additional patient / contact tracer, allows a 9787 saving in the maximum professionals needed for tracing contacts of suspected patients in following days

25%

50%



Adaptt_SurgePlanningSupportTool_v02.12 ~																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1		Day	Reported	Weighted Infected Active	Hospitalized in moderate cases beds	Severe cases in need of oxygen therapy	Critical cases in need of Mechanical Ventilation	Critical cases in need of ECMO	Critical cases in need of RRT	Nursing professionals (moderate bed) Needed	Nursing professionals (severe bed) Needed	Nursing professional (ICU) Needed	Nursing professional (ICU- ECMO) Needed	Nursing professional (ICU-RRT) Needed	Nursing professionals (Ward) Needed	Total Nursing staff Needed	Healthcare assistant professionals (moderate bed) Needed	Healthcare assistant professionals (severe bed) Needed	Healthcare assistant professional (ICU) Needed	Healthcare assistant professionals (ICU- ECMO) Needed
2																				
10	08/03/2020	19	16,7	0,4	0,4	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
11	09/03/2020	27	23,8	0,6	0,5	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
12	10/03/2020	39	33,9	0,8	0,8	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
13	11/03/2020	56	48,3	1,1	1,1	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
14	12/03/2020	80	68,8	1,6	1,5	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
15	13/03/2020	114	98,1	2,3	2,2	0,0	0,0	0,0	5,25	5,25	5,25	5,25	5,25	5,25	10,50	26,25	5,25	5,25	5,25	
16	14/03/2020	163	139,7	3,2	3,1	0,1	0,0	0,0	5,25	10,50	5,25	5,25	5,25	5,25	15,75	31,50	5,25	5,25	5,25	
17	15/03/2020	232	199,0	4,6	4,5	0,1	0,0	0,0	10,50	10,50	5,25	5,25	5,25	5,25	21,00	36,75	5,25	5,25	5,25	
18	16/03/2020	331	283,5	6,6	6,3	0,1	0,0	0,0	10,50	15,75	5,25	5,25	5,25	5,25	26,25	42,00	5,25	10,50	5,25	
19	17/03/2020	463	395,5	9,1	8,8	0,2	0,0	0,0	15,75	15,75	5,25	5,25	5,25	5,25	31,50	47,25	10,50	10,50	5,25	
20	18/03/2020	636	540,0	12,4	12,1	0,3	0,0	0,0	21,00	26,25	5,25	5,25	5,25	5,25	47,25	63,00	10,50	15,75	5,25	
21	19/03/2020	856	721,5	16,5	16,1	0,4	0,0	0,0	26,25	31,50	5,25	5,25	5,25	5,25	57,75	73,50	15,75	15,75	5,25	
22	20/03/2020	1 129	942,7	21,3	20,9	0,5	0,0	0,0	31,50	36,75	5,25	5,25	5,25	5,25	68,25	84,00	15,75	21,00	5,25	
23	21/03/2020	1 457	1 203,9	27,0	26,6	0,7	0,0	0,0	36,75	47,25	5,25	5,25	5,25	5,25	84,00	99,75	21,00	26,25	5,25	
24	22/03/2020	1 841	1 501,9	33,3	33,1	0,9	0,0	0,0	47,25	63,00	5,25	5,25	5,25	5,25	110,25	126,00	26,25	31,50	5,25	
25	23/03/2020	2 276	1 829,4	40,1	40,2	1,1	0,0	0,0	57,75	73,50	10,50	5,25	5,25	5,25	131,25	152,25	31,50	36,75	5,25	
26	24/03/2020	2 752	2 174,5	47,0	47,5	1,4	0,0	0,0	63,00	84,00	10,50	5,25	5,25	5,25	147,00	168,00	31,50	42,00	5,25	
27	25/03/2020	3 253	2 520,4	53,5	54,8	1,8	0,0	0,0	73,50	99,75	10,50	5,25	5,25	5,25	173,25	194,25	36,75	52,50	5,25	
28	26/03/2020	3 760	2 847,2	59,3	61,5	2,2	0,0	0,0	78,75	110,25	15,75	5,25	5,25	5,25	189,00	215,25	42,00	57,75	10,50	
29	27/03/2020	4 332	3 216,1	66,0	69,1	2,6	0,0	0,0	89,25	126,00	15,75	5,25	5,25	5,25	215,25	241,50	47,25	63,00	10,50	
30	28/03/2020	4 978	3 632,6	73,7	77,8	3,0	0,0	0,0	99,75	136,50	21,00	5,25	5,25	5,25	236,25	267,75	52,50	68,25	10,50	
31	29/03/2020	5 708	4 102,7	82,5	87,6	3,5	0,1	0,0	110,25	157,50	21,00	5,25	5,25	5,25	267,75	299,25	57,75	78,75	10,50	
32	30/03/2020	6 531	4 633,3	92,5	98,7	4,0	0,1	0,0	126,00	173,25	26,25	5,25	5,25	5,25	299,25	336,00	63,00	89,25	15,75	
33	31/03/2020	7 461	5 231,9	104,0	111,3	4,6	0,1	0,0	136,50	199,50	26,25	5,25	5,25	5,25	336,00	372,75	68,25	99,75	15,75	
34	01/04/2020	8 510	5 907,3	116,9	125,5	5,3	0,1	0,0	157,50	220,50	31,50	5,25	5,25	5,25	378,00	420,00	78,75	110,25	15,75	
35	02/04/2020	9 694	6 669,1	131,6	141,5	6,0	0,1	0,0	173,25	252,00	36,75	5,25	5,25	5,25	425,25	472,50	89,25	126,00	21,00	
36	03/04/2020	11 029	7 528,0	148,2	159,6	6,9	0,1	0,0	199,50	283,50	36,75	5,25	5,25	5,25	483,00	530,25	99,75	141,75	21,00	
37	04/04/2020	12 535	8 496,2	166,9	180,1	7,8	0,1	0,0	220,50	320,25	42,00	5,25	5,25	5,25	540,75	593,25	110,25	162,75	21,00	
38	05/04/2020	14 233	9 587,3	188,1	203,1	8,8	0,1	0,0	252,00	357,00	47,25	5,25	5,25	5,25	609,00	666,75	126,00	178,50	26,25	
39	06/04/2020	16 147	10 816,4	211,9	229,0	10,0	0,1	0,0	278,25	404,25	52,50	5,25	5,25	5,25	682,50	745,50	141,75	204,75	26,25	
40	07/04/2020	18 303	12 200,3	238,8	258,2	11,3	0,2	0,1	315,00	456,75	63,00	5,25	5,25	5,25	771,75	845,25	157,50	231,00	31,50	
41	08/04/2020	20 732	13 757,7	269,0	291,1	12,8	0,2	0,1	357,00	514,50	68,25	5,25	5,25	5,25	871,50	950,25	178,50	257,25	36,75	
42	09/04/2020	23 467	15 509,6	303,1	328,1	14,4	0,2	0,1	399,00	577,50	78,75	5,25	5,25	5,25	976,50	1065,75	199,50</td			

AutoSave OFF Home Insert Draw Page Layout Formulas Data Review View Tell me

Cut Copy Format Paste

Wrap Text Merge & Centre Conditional Formatting Format as Table Cell Styles Insert Delete

A1 fx

	Date	Percent workforce in quarantine/sick leave	Mild - does not require inpatient care	Moderate - may require inpatient care, not including oxygen therapy	Severe - requires oxygen	Critical requires critical care including mechanical ventilation	Critical cases in need of ECMO	Critical cases in need of RRT
1	2	3	4	5	6	7	8	9
3	02/03/2020	N/A	2	0	0	0	0	0
4	03/03/2020	N/A	3	0	0	0	0	0
5	04/03/2020	N/A	4	0	0	0	0	0
6	05/03/2020	N/A	5	0	0	0	0	0
7	06/03/2020	N/A	8	0	0	0	0	0
8	07/03/2020	N/A	11	0	0	0	0	0
9	08/03/2020	N/A	15	1	1	0	0	0
10	09/03/2020	N/A	22	1	1	0	0	0
11	10/03/2020	N/A	31	1	1	0	0	0
12	11/03/2020	N/A	45	2	2	0	0	0
13	12/03/2020	N/A	64	3	2	0	0	0
14	13/03/2020	N/A	91	4	4	0	0	0
15	14/03/2020	N/A	129	5	5	0	0	0
16	15/03/2020	N/A	184	7	7	0	0	0
17	16/03/2020	N/A	262	10	10	0	0	0
18	17/03/2020	N/A	374	15	14	0	0	0
19	18/03/2020	N/A	532	21	21	0	0	0
20	19/03/2020	N/A	757	30	29	1	0	0
21	20/03/2020	N/A	1078	43	42	1	0	0
22	21/03/2020	N/A	1533	61	59	1	0	0
23	22/03/2020	N/A	2179	87	84	2	0	0
24	23/03/2020	N/A	3095	124	120	2	0	0
25	24/03/2020	N/A	4389	175	170	3	0	0
26	25/03/2020	N/A	6213	248	240	5	0	0
27	26/03/2020	N/A	8773	350	339	7	0	0
28	27/03/2020	N/A	12340	492	476	10	0	0
29	28/03/2020	N/A	17268	688	666	14	0	0
30	29/03/2020	N/A	23989	953	925	19	1	0
31	30/03/2020	N/A	32993	1307	1271	27	1	0
32	31/03/2020	N/A	44761	1766	1721	37	1	1
33	01/04/2020	N/A	59624	2339	2288	52	1	1
34	02/04/2020	N/A	77547	3018	2967	70	2	1
35	03/04/2020	N/A	97867	3767	3729	94	2	1
36	04/04/2020	N/A	119112	4515	4513	123	3	1
37	05/04/2020	N/A	139135	5167	5232	157	3	1
38	06/04/2020	N/A	155653	5628	5798	195	4	1
39	07/04/2020	N/A	167030	5838	6148	235	4	1
40	08/04/2020	N/A	172700	5707	6271	224	4	1

Language_Setup Guide Surge_Predicted_Impact SimulationResults Export EpidemiologicalModel_Selection Custom_EpidemiologicalModel Calculate

Thank you.
For any clarification please email:
adaptt@apah.pt